

The
GREAT LAKES ENTOMOLOGIST



VOLUME X (1977)

D. C. L. Gosling
Editor

PUBLICATION DATES

Number 1	21 Feb., 1977
Number 2	18 Apr., 1977
Number 3	8 Aug., 1977
Number 4	22 Nov., 1977

Published by

THE MICHIGAN ENTOMOLOGICAL SOCIETY
c/o Department of Entomology
Michigan State University
East Lansing, Michigan 48823, U.S.A.

THE GREAT LAKES ENTOMOLOGIST
VOLUME X (1977)

AUTHOR INDEX

- Armbrust, E. J. (See Roberts, S. J., J. V. Maddox, D. P. Bartell and E. J. Armbrust), 199.
- Armbrust, E. J. (See Roberts, S. J., W. K. Mellors, and E. J. Armbrust), 87.
- Bach, Catherine E. Distribution of *Aoalymma vittata* and *Diabrotica virgifera* (Coleoptera: Chrysomelidae) on Cucurbits, 123.
- Ball, J. (See Simmons G.A., J. Mahar, M. K. Kennedy and J. Ball), 209.
- Barney, Robert J., Daniel P. Bartell, and W. G. Ruesink. Influences of Host Density, Temperature, and Parasite Age on the Reproductive Potential of *Bathyplectes curculionis* (Hymenoptera: Ichneumonidae), an Endoparasite of The Alfalfa Weevil (Coleoptera: Curculionidae), 191.
- Bartell, Daniel P. (See Barney, Robert J., Daniel P. Bartell, and W. G. Ruesink), 191.
- Bartell, D. P. (See Roberts, S. J., J. V. Maddox, D. P. Bartell and E. J. Armbrust), 199.
- Bartholomae, Philip G. and Peter G. Meier. Notes on the Life History of *Potamanthus myops* in Southeastern Michigan (Ephemeroptera: Potamanthidae), 227.
- Bednarik, Andrew F. and W. P. McCafferty. A checklist of the Stoneflies, or Plecoptera, of Indiana, 223.
- Bernard, E. C. A New Genus and Species of Isotomidae (Collembola), and a Redescription of *Cryptopygus exilis* (Gisin) N. Comb., 75.
- Bland, Roger G. Insects and the Life of Man by Sir Vincent Wigglesworth (review), 167, 168.
- Butcher, James W. (See Shaddy, James H. and James W. Butcher), 131.
- Catling, Paul M. On the Occurrence of *Oarisma garita* (Reakirt) (Lepidoptera: Hesperidae) in Manitoulin District, Ontario, 59.
- de Viedma, M. G. and M. L. Nelson. Notes on Insect, Injection, Anaesthetization, and Bleeding, 241.
- Gelderloos, Orin G. Pollination of Staghorn Sumac by Ants, 164.
- Gosling, D. C. L. Color Variation in *Strangalia bicolor* (Coleoptera: Cerambycidae), 163.

- Gosling, D. C. L. and N. M. Gosling. An Annotated List of the Cerambycidae of Michigan (Coleoptera) Part II, The Subfamilies Lepturinae and Lamiinae, 1.
- Gosling, N. M. (See Gosling, D. C. L. and N. M. Gosling), 1.
- Harris, T. L. and W. P. McCafferty. Assessing Aquatic Insect Flight Behavior with Sticky Traps, 233.
- Hawkins, Harry C. Effects of Relative Humidity on Development Within the Cocoon and Emergence of Male *Neodiprion lecontei* (Hymenoptera: Diprionidae), 119.
- Heaton, George C. (See Wilson, Louis F., George C. Heaton, and Patrick C. Kennedy), 95.
- Henry, Thomas J. (See Wheeler A. G., Jr. and Thomas J. Henry), 145.
- Hilsenhoff, William L. The Mayflies of North and Central America by George F. Edmunds, Jr., Steven L. Jensen, and Lewis Berner (review), 167.
- Husband, Robert W. Observations on Colony Size in Bumblebees (*Bombus* spp.), 83.
- Jubb, G. L., Jr. and A. G. Wheeler (See Wheeler, A. G. and G. L. Jubb, Jr.), 65.
- Kennedy, M. K. (See Simmons, G. A., J. Mahar, M. K. Kennedy and J. Ball), 209.
- Kennedy, Patrick C. (See Wilson, Louis F., George C. Heaton, and Patrick C. Kennedy), 95.
- Knight, Allen W. and Clifford A. Siegfried. A Teratomorphic Stonefly (Plecoptera: Nemouridae), 165.
- Knight, Allen W. and Clifford A. Siegfried. The Distribution of *Corydalus cornutus* (Linnaeus) and *Nigronia serricornis* (Say) (Megaloptera: Corydalidae) in Michigan, 39.
- Kulman, H. M. (See Thompson, L. C., H. M. Kulman and W. D. Valovage), 127.
- Legner, E. F. and Ian Moore. Staphylinidae From Under Bark and at Sap of Trees, a Preliminary Survey of Species Possibly Beneficial to Forestry (Coleoptera), 173.
- Liebherr, James. Life History and Description of the Immature Stages of *Macrotheca unipuncta* (Lepidoptera: Pyralidae), 201.
- Lord, Robert J. and Peter G. Meier. Intraspecific Variation in Taxonomic Characteristics of the Mayfly *Potamanthus myops* (Walsh), 51.
- Maddox, J. V. (See Roberts, S. J., J. V. Maddox, D. P. Bartell and E. J. Armbrust), 199.
- Mahar, J. (See Simmons, G. A., J. Mahar, M. K. Kennedy and J. Ball), 209.
- McCafferty, W. P. (See Bednarik, Andrew F., and W. P. McCafferty), 223.

- McCafferty, W. P. (See Harris, T.L. and W.P. McCafferty), 233.
- McPherson, J. E. (See Nixon P. L. and J. E. McPherson), 211.
- Meier, Peter G. (See Bartholomae, Philip G. and Peter G. Meier), 227.
- Meier, Peter G. (See Lord, Robert J. and Peter G. Meier), 51.
- Mellors, W. K. (See Roberts, S. J., W. K. Mellors, and E. J. Armbrust), 87.
- Moore, Ian (See Legner, E. F. and Ian Moore), 173.
- Mosher, Daniel G. and Louis F. Wilson. Scotch Pine Deterioration in Michigan Caused by Pine Root Weevil Complex, 169.
- Nelson, M. L. (See de Viedma, M. G. and M. L. Nelson), 241.
- Nielsen, M. C. A Field Guide to the Butterflies of the West Indies by Norman D. Riley (review), 168.
- Nielsen, M. C. Invertebrate Predators of Michigan Lepidoptera, 113.
- Nixon, P. L. and J. E. McPherson. An Annotated List of Phytophagous Insects Collected on Immature Black Walnut Trees in Southern Illinois, 211.
- Perry, T. E. *Boyeria grafiana*, A Rare Ohio Dragonfly (Odonata: Aeshnidae), 159.
- Roberts, S. J., J. V. Maddox, D. P. Bartell, and E. J. Armbrust. Disease as a Larval Mortality Factor in Alfalfa Weevil, *Hypera postica* (Coleoptera: Curculionidae) Populations in Illinois, 199.
- Roberts, S. J., W. K. Mellors, and E. J. Armbrust. Parasites of Lepidopterous Larvae in Alfalfa and Soybeans in Central Illinois, 87.
- Ruesink, W. G. (See Barney, Robert J., Daniel P. Bartell, and W. G. Ruesink), 191.
- Ruppel, Robert F. An Inventory of Stored Grain Insects in Michigan, 243.
- Shaddy, James H. and James W. Butcher. The Distribution of Some Soil Arthropods in a Manipulated Ecosystem, 131.
- Siegfried, Clifford A. (See Knight, Allen W. and Clifford A. Siegfried), 39, 165.
- Simmons, G. A., J. Mahar, M. K. Kennedy and J. Ball. Preliminary Test of Prescribed Burning for Control of Maple Leaf Cutter (Lepidoptera: Incurvariidae), 209.
- Thompson, L. C., H. M. Kulman and W. D. Valovage. Survey for Parasites of the Introduced Pine Sawfly, *Diprion similis* (Hymenoptera: Diprionidae), in Minnesota, 127.
- Valovage, W. D. (See Thompson, L. C., H. M. Kulman and W. D. Valovage), 127.

- Wagner, Warren Herb, Jr. A Distinctive Dune Form of the Marbled White Butterfly, *Euchloe olympia* (Lepidoptera: Pieridae) in the Great Lakes Area, 107.
- Wheeler, A. G. and G. L. Jubb, Jr. John Robert Eyer. Entomological Work in Pennsylvania and List of Publications, 65.
- Wheeler, A. G., Jr. and Thomas J. Henry. Rev. Modestus Wirtner: Biographical Sketch and Additions and Corrections to the Miridae in His 1904 List of Western Pennsylvania Hemiptera, 145.
- Wilson, Louis F., George C. Heaton, and Patrick C. Kennedy. Development and Survival of Saratoga Spittlebug Nymphs on Alternate Host Plants, 95.
- Wilson, Louis F. (See Mosher, Daniel G. and Louis F. Wilson), 169.
- Wooldridge, David P. New World Limnichinae III. A Revision of *Limnichites* Casey (Coleoptera: Limnichidae), 179.

SUBJECT INDEX

- Abbottana clemataria*, 219.
Acalymma vittata, 123-125.
Acanalonia bivittata, 217.
Acanalonia conica, 217.
 Acanaloniidae, 217.
Acanthocephala terminalis, 215.
Acanthoscelides obtectus, 244.
 Acari, 131, 133-139, 142.
 Acaridae, 244.
 Acarina, 244.
Acarus siro, 244.
Achroia grisella, 206.
Acmaeops discoideus, 5.
Acmaeops proteus, 5, 6.
Acmaeops rufula, 6.
Acoloithus falsarius, 219.
 Acrididae, 215, 242.
 Acrobasis, 211, 214.
Acrobasis caryivorella, 211.
Acrobasis demotella, 219.
Acrobasis juglandis, 211, 219.
Acrobasis latifasciella, 219.
Acroneuria abnormis, 225.
Acroneuria evoluta, 224.
Acroneuria filicis, 224.
Acroneuria internata, 225.
Acroneuria lycortas, 225.
Acroneuria mela, 225.
Acroneuria perplexa, 225.
 Acroneuriinae, 225.
Acronicta impleta, 219.
Acrosternum hilare, 216.
Acrulia inflata, 175.
Acrulia tumidula, 175.
Actias luna, 219.
Acyrtosiphon pisum, 217.
Adelphocoris rapidus, 149, 153.
Aegoschema modesta, 24, 25.
 Aeshnidae, 159-161.
Aeshua umbrosa, 116.
Agallia constricta, 216, 221.
Agallia quadripunctata, 216.
Agalliopsis novella, 216.
Agnocoris pulverulentus, 153.
Agrilus arcuatus, 217.
Agrilus fallax, 217.
Agrilus transimpressus, 217.
Agriphila vulgivagella, 115, 116.
Agrothereutes lophyri, 128.
Ahasverus advena, 244.
Aleochara ruficornis, 173.
 Aleocharinae, 173, 174.
Aleodorus bilobatus, 173.
 Alfalfa caterpillar, 88, 89.
 Alfalfa weevil, 191-200.
Allocapnia forbesi, 224.
Allocapnia frisoni, 224.
Allocapnia granulata, 224.
Allocapnia illinoensis, 224.
Allocapnia indianae, 224.
Allocapnia minima, 224.
Allocapnia mystica, 224.
Allocapnia nivicola, 224.
Allocapnia ohioensis, 224.
Allocapnia pygmaea, 224.
Allocapnia recta, 224.
Allocapnia rickeri, 224.
Allocapnia smithi, 224.
Allocapnia vivipara, 224.
Allocapnia zola, 224.
Alloperla atlantica, 225.
Alloperla banksi, 225.
Alloperla caudata, 225.
Alloperla imbecilla, 225.
Allosternida chalybea, 8.
 Althaeus, 218.
 Alydidae, 216.
Alydus eurinus, 216.
Alydus pilosulus, 216.
Amblymerus verditer, 128.
 Ambush bugs, 113, 115, 117.
 American cockroach, 244.
 American spider beetle, 244.
Amniscus, 18.
Amniscus collaris, 25, 26.
Amniscus macula, 25, 26.
Amniscus sexguttata, 25, 26.
Amphinemura delosa, 224.
Amphinemura nigritta, 224.
Amphinemura varshava, 224.
 Amphinemurinae, 224.
Anacamptodes defectoria, 219.
Anacamptodes ephyraria, 219.
Anacyrtus testaceus, 174.
Anagasta kuehniella, 244.
Anagrapha falcoifera, 88, 89,
 91.
Anaphothrips obscurus, 215.
Anastrangalia sanguinea, 15.
Anavitrinella pampinaria, 219.

- Ancaeus pallescens*, 174.
 Angoumois grain moth, 244.
 Anobiidae, 244.
Anomala flavipennis, 218.
Anomala innuba, 218.
Anomala marginata, 218.
Anomoea flavokansiensis, 218, 221.
Anomognathus cuspidatus, 173.
Anoplodera biforis, 16, 17.
Anoplodera brevifrons, 17.
Anoplodera chrysocoma, 17, 18.
Anoplodera minnesotana, 17.
Anoplodera nigrella, 16, 17.
Anoplodera tibialis, 17.
Anormenis septentrionalis,
 214, 217, 221.
Anotia bonnetti, 217.
 Ant, 164.
Antaeotricha leucillana, 220.
Antheraea polyphemus, 219.
Anthobium tectum, 175.
Anthonomus, 218.
Anthophylax attenuatus, 4.
Anthophylax cyaneus, 4, 5.
Anthophylax viridis, 4.
Anthrenus verbasci, 244.
 Anthribidae, 244.
Apache degeerii, 217.
Apanteles flaviconchae, 87,
 90, 91, 93.
Apanteles hyphantriae, 221.
Apanteles marginiventris, 88,
 89-91.
Apanteles militaris, 88, 90, 91.
Apanteles plathypenae, 89, 91.
Apanteles xylinus, 89.
Apantesis celia, 115.
 Aphididae, 217.
Aphomia sociella, 206.
Aphrophora ditritus, 101.
Aphrophora saratogensis, 95-105.
 Apion, 218.
Apis, 206.
Araecerus fasciculatus, 244.
 Araneae, 114, 115, 117.
Archips argyrospilus, 220.
Archytas apicifer, 90.
 Arctiidae, 214, 219, 221.
 Arctoperlaria, 224, 225.
Argyria nivalis, 219.
Argyrotaenia juglandana,
 220.
Argyrotaenia velutinana,
 220.
 Armyworm, 88, 90, 91.
Arogalea cristifasciella,
 220.
Arpedium cribratum, 175.
 Asilidae, 221.
Asilus sericeus,
 113, 116.
 Asterolecaniidae, 206.
Astyleopus variegatus,
 27.
Astylidius versutus
 downiei, 25.
Ataenius strigatus,
 218.
Atheta acquata, 173.
Atheta autumnalis, 174.
Atheta bassicornis
 174.
Atheta celata, 174.
Atheta coriaria, 174.
Atheta euryoptera, 174.
Atheta fungicola, 174.
Atheta linearis, 174.
Atheta nigricornis,
 174.
Atheta picipes, 174.
Atheta pilicornis,
 174.
Atheta sericea, 174.
Atheta subcorticalis,
 174.
Atheta triangulum, 174.
Atrecus affinis, 176.
Atrecus alternans, 176.
Atrecus longiceps,
 176.
Atrecus pilicornis,
 176.
Attagenus piceus, 244.
Attaneuria ruralis,
 225.

- Autographa precatationis*, 88, 89, 91.
Babia quadriguttata, 218.
Baileya australis, 219.
Bapta vestaliata, 117.
Barylypa, 221.
Bassaricus brunnipes, 218.
Bassaricus mammifer, 218.
Bathyplectes curculionis, 191, 198.
Bathyplectes tristis, 197.
 Bean weevil, 244.
Bellamira scalaris, 7, 8.
Belonuchus ceylonicus, 176.
Belonuchus formosus, 176.
Belonuchus gardeneri, 176.
Belonuchus rufoniger, 176.
Biolybia tristis, 197.
 Black carpet beetle, 244.
Blatta orientalis, 244.
Blattella germanica, 244.
 Blattidae, 243, 244.
Blondelia hyphantriae, 89.
Bombus affinis, 83, 84.
Bombus americanorum, 84.
Bombus bimaculatus, 84.
Bombus diversus, 83.
Bombus fervidus, 84, 206.
Bombus griseocollis, 84.
Bombus hyperboreus, 83.
Bombus huntii, 83, 84.
Bombus impatiens, 83, 84.
Bombus incarum, 83, 84.
Bombus lapidarius, 83.
Bombus medius, 83, 84.
Bombus polaris, 83.
Bombus terrestris, 83.
Bomolocha madefactalis, 219.
Bomolocha sordidula, 219.
 Booklice, 244.
 Bostrichidae, 244.
Bothynotus modestus, 155.
Bothynotus pilosus, 147.
Boyeria grafiana, 159-161.
Boyeria vinosa, 159.
Brachyleptura circumdata, 14.
Brachyleptura rubrica, 13, 14
Brachyleptura vagans, 14.
 Brachypterinae, 224.
Brachysomida bivittata, 6, 7.
Brachytropis calcarata, 148.
 Braconidae, 221.
 Broad-horned flour beetle, 244.
Brochymena quadripustulata, 221.
 Bruchidae, 218, 244.
Bruchus brachialis, 244.
Bruchus pisorum, 244.
 Bryocorinae, 155.
 Bumblebees, 83-85.
Cacoplia nebulosa, 19, 20.
 Caddisfly, 235, 237.
 Cadelle, 244.
Caenurgina erechtea, 88, 90.
Calephelis muticum, 115.
Callicapsus histrio, 149.
Callopietria monetifera, 117.
Calocoris rapidus, 149.
Calosoma frigidum, 166.
Campoletis flavicincta, 90.
Campoletis oxylus, 89, 90.
Campptobrochis grandis, 149.
Campptobrochis nebulosus, 149.
Campylomma verbasci, 152.
 Capniidae, 224.
 Capsidae, 148-151.
Capus ater, 149-153.
 Carabidae, 166.
Carapophilus dimidiatus, 243, 244.
Catacala neogama, 219.
Caulocampus acericaulis, 220.
 Cecidomyiidae, 220.
Cedusa kedusa, 217.
 Celery looper, 88, 89.
Centrodera decolorata, 2, 3.
Cephalonyxum rambouseki, 174.
 Cerambycidae, 1-37, 163, 164, 218.

- Ceratocapsus barbatus*, 149, 151.
Ceratocapsus digitulus, 215.
Ceratocapsus fuscinus, 151.
Ceratocapsus incisus, 149, 151.
Ceratocapsus modestus, 149, 151.
Ceratocapsus nigellus, 149, 151.
Ceratocapsus pumilus, 149, 151.
Ceratocapsus rubricornis, 151.
Ceratocapsus setosus, 149, 151.
Ceratocapsus uniformis, 151.
Ceratocapsus vicinus, 151.
Cercopidae, 216, 217.
Cercyonis pegala nephele, 116.
Cerococcus quercus, 206.
Cerotainia macrocera, 221.
Cerotoma trifurcata, 218.
Chaetocnema confinis, 218.
Chaetocnema minuta, 218.
Chaetophlepsis plathytenae, 89.
Chalcidoidea, 130.
Charisalia americana, 8, 9.
Charops annulipes, 89.
Chauliodes, 39.
Cheese mite, 244.
Cheumatopsyche, 39, 235, 237.
Cheumatopsyche pettiti, 235, 237.
Chionodes, 220.
Chironomidae, 39.
Chlamydatus associatus, 151, 152.
Chlamydatus suavis, 151, 152.
Chloroperlidae, 225.
Chloroperlinae, 225.
Chlosyne harrisi harrisi, 60.
Choristoneura rosaceana, 220.
Chrysanympha formosa, 115.
Chrysobothris femorata, 211.
rysomelidae, 123-125, 218, 221.
Cicadellidae, 216, 221.
Cicadidae, 216.
Cigarette beetle, 244.
Cisseps fulvicollis, 219.
Citheronia regalis, 219.
Citheroniidae, 219.
Cixiidae, 217.
Cixius, 217.
Clastoptera achatina, 216.
Clastoptera laenata, 216.
Clastoptera obtusa, 216.
Clavilispinus californicus, 174.
Clinodiplosis, 220.
Clouded sulfur, 88.
Clover leaf weevil, 197.
Coccidae, 206, 217.
Coccobaphes sanguinarius, 149, 153.
Cockroach, 243, 244.
Coelidia olitoria, 216, 221.
Coenonica championi, 174.
Coenonica mangpuensis, 174.
Coenonica subopaca, 174.
Coenonica puncticollis, 174.
Coenonympha inornata inornata, 60, 61.
Coffee bean weevil, 244.
Colaspis brunnea, 218.
Coleophora caryaefoliella, 220.
Coleophoridae, 220.
Coleoptera, 1-37, 123-125, 146, 147, 163, 164, 166, 169-172, 173-177, 179-189, 191-200, 211, 217, 218, 242, 243, 244.
Colias, 87, 91-93.
Colias eurytheme, 88, 89.
Colias philodice, 88, 89.
Colladonus clitellarius, 216.
Collaria milleurii, 148, 153.

- Collaria oculata*, 148, 153.
 Collembola, 75-81, 131, 133,
 135, 137, 139-142,
 214.
Compsocerocoris annulicorn
 149.
 Confused flour beetle, 244.
Conocephalus brevipennis,
 215.
Conocephalus fasciatus,
 215.
Conocephalus strictus, 215.
Conoderus lividus, 217.
Conotrachelus elegans, 218.
Conotrachelus juglandis, 211.
Conotrachelus retentus, 211.
Copidosoma truncatellum,
 89.
Coproporus ebonus, 176.
Coproporus hepaticus, 176.
Coproporus lecontei, 176.
Coproporus monticola, 176.
Coproporus ventriculus,
 176.
Cordalia vestita, 174.
 Coreidae, 215.
Coriarachne, 115.
Corimelaena agrella, 216.
Corimelaena lateralis
lateralis, 216.
Corimelaena pulicaria,
 216.
 Corn sap beetle, 243, 244.
 Corydalidae, 39-46.
Corydalus cornutus, 39-42,
 45, 46.
Coryphium angusticolle,
 175.
Corythucha juglandis
 215, 221.
Cotinis nitida, 218.
 Crab spiders, 113, 114.
Crambus agitatellus, 117.
Crambus elegans, 219.
Crambus teterellus, 219.
Crepidodera nana, 218.
Cressonia juglandis, 219.
Criocoris saliens, 151,
 153.
Cryptocephalus guttulatus, 218.
Cryptocephalus leucomelas, 218.
Cryptocephalus mutabilis, 218.
Cryptocephalus nanus, 218.
Cryptocephalus notatus
quadrimaculatus, 218.
Cryptocephalus quadruplex, 218.
Cryptolestes ferrugineus, 244.
Cryptolestes pusillus, 244.
Cryptopygus exilis, 75-81.
Cryptostigmata, 131, 133, 135-
 139, 142.
Ctenandropus nigriceps, 175.
 Ctenuchidae, 219.
 Cucujidae, 244.
Cultus decisus, 225.
 Curculionidae, 191-200, 218,
 243, 244.
 Cydnidae, 216.
 Cylapinae, 153.
Cylapus tenuicornis, 148, 153.
Cyphea curtula, 174.
 Cyphon, 217.
Cyrtepidomus castaneus, 218.
 Cytoplasmic virus, 88.
 Dactylopiidae, 206.
Dactynotus, 217.
Dadobia immersa, 174.
Dahlbominus fuscipennis, 127,
 128, 130.
 Danaidae, 214, 218.
Danaus plexippus, 218.
Dapanus mirus, 115.
Darapsa pholus, 115.
Dasychira basiflava, 219.
Datana angusii, 219.
Datana integerrima, 211, 214,
 219, 221.
Dectes sayi, 27.
Dectes texanus, 27, 28.
Delomerista japonica
diprionis, 127-129.
 Delphacidae, 217.
Deraeocorini, 155.
Deraeocoris, 147, 149, 155.
Deraeocoris aphidiphagus,
 149, 155.
Deraeocoris grandis, 155.

Deraeocoris histrio, 149, 155. *Ecritotarsus elegans*, 148.
Deraeocoris nebulosus, 149, 155. *Ecpantheria scribonia*, 219.
Deraeocoris nubilus, 155. *Ecyrus dasycerus*, 23, 24.
Deraeocoris quercicola, 155. Elateridae, 217.
Deraeocoris sayi, 149, 155. *Empoasca fabae*, 216.
Derbidae, 217. *Enchenopa binotata*, 216, 221.
Dermestidae, 244. *Encyclops caerulea*, 3, 4.
Desmocerus palliatus, 2. *Endria inimica*, 216.
Diabrotica undecimpunctata Entomobryidae, 214.
howardi, 218. *Entomobrya atrocincta*, 214.
Diabrotica virgifera, 123- Entomophthora, 88.
125. *Entylia bactriana*, 216.
Diacrisia virginica, 88, Ephemera, 51.
90, 219. Ephemeroptera, 51-53,
227-232, 233-235.
Diapheromera femorata, 215. *Epicauta cinerea*, 218.
Diaphnidia pellucida, 150, Episimus argutus, 220.
215. *Erichsonius fraterculus*, 176.
Diaphnocoris pellucida, 150, Eriocampa juglandis, 220.
152. *Eryhemis simplicicollis*, 115.
Diaphnocoris provancheri, 152. Erynnis icelus, 114.
Dibrachys cavus, 128. *Erynnis juvenalis*, 115.
Dicerca lepida, 217. *Erythroneura*, 216.
Dichomeris ligulella, 220. *Esthlogena brunnea*, 22.
Dichomeris ventrella, 220. *Eucarmosus sayi*, 149.
Dicyphus californicus, 150. *Euchloe ausonides*, 61, 107.
Dicyphus cucurbitaceus, *Euchloe olympia*, 107-112.
150, 155. *Eufidonia discospilata*, 116.
Dicyphus famelicus, 150, 155. *Eugnamptus collaris*, 218.
Dioryctria zimmermani, 172. *Euholognatha*, 224, 225.
Diploperla robusta, 225. *Eulimnichus*, 179, 186.
Diplostichus lophyri, 128. *Eulimnichus confertus*, 186.
Diplostictus chenui, 176. *Eulophidae*, 127, 128, 130.
Diprionidae, 119-121, *Eupelmella vesicularis*, 127,
127-130. 128, 130.
Diprion similis, 127-130. Eupelmidae, 127, 128, 130.
Diptera, 87-90, 113, 116, *Eupelmus spongipartus*, 128.
117, 220. *Euphoria herbacea*, 218.
Dolerus aprilis, 220. *Euphorocera*, 89.
Dorcaschema, 18. *Euphyes dukesi*, 115.
Dorcaschema alternatum, 21. *Euphyes vestris metacomet*, 115.
Dorcaschema nigrum, 21. *Euplectrus plathypenae*, 90.
Draeculacephala antica, 216. *Eupogonius*, 18.
Dragonfly, 113, 115-117, *Eupogonius pubescens*, 22.
159-161, 235-237. *Eupogonius subarmatus*, 22, 23.
Drapetes geminatus, 217. *Eupogonius tomentosus*, 22.
Drugstore beetle, 244. *Eupogonius vestitus*, 22, 23.
Ecocptura xanthenes, 225. *Eupsilia sidus*, 219.

- Euschistus servus*, 216, 221.
Euschistus tristigmus
 tristigmus, 216.
Euthochtha galeator, 215.
Evodinus monticola, 3, 4.
Exenterus amictorius, 127-
 130.
Exenterus canadensis, 128.
Feltia ducens, 115.
 Firebrat, 244.
 Flat grain beetle, 244.
 Flatheaded apple tree
 borer, 211.
 Flatidae, 217, 221.
 Forage looper, 88, 90.
 Foreign grain beetle, 244.
 Forest tent caterpillar,
 166.
 Formicidae, 204.
Frankliniella fusca, 215.
Frankliniella tritici, 215.
Fulvius brunneus, 153.
Fulvius heidemanni, 148.
Fulvius imbecilus, 148, 153.
Galgupha atra, 216.
Galleria mellonella,
 203, 206.
 Galleriinae, 205, 206.
 Gamasina, 131, 133-137, 142.
Garganus fusiformis,
 149, 153.
Gaurotes cyanipennis, 5, 6.
Gaurotes thoracica, 5.
 Gelechiidae, 220, 244.
Gelis tenellus, 128.
 Geometridae, 219.
Geostiba ruficollis, 174.
 German cockroach, 244.
Glyptoma trinidadensis, 174.
Gnathacmaeops pratensis, 7.
Gnathocerus cornutus, 244.
Goes debilis, 18, 19.
Goes pulcher, 18, 19.
Goes pulverulentus, 18, 19.
Goes tessellatus, 18, 19.
Goes tigrinus, 18, 19, 211.
Gomphus fraternus, 115.
Gracillaria blandella, 214,
 220.
 Gracillariidae, 214, 220.
 Grain mite, 244.
Grammoptera exigua, 9.
Grammoptera haematites, 9.
Grammoptera subargentata, 9.
 Granary weevil, 244.
 Granulosis virus, 88.
Graphiphora smithi, 115.
Graphisurus, 18.
Graphisurus despectus, 25, 26.
Graphisurus fasciatus, 25.
Graphocephala coccinea, 216.
Graphocephala versuta, 216.
Grapholitha eclipsana, 220.
Grapholitha interstinctana, 220.
 Green Cloverworm, 88, 89, 91, 92.
Gretchena amatana, 220.
Gretchena bolliana, 214, 220.
 Gryllidae, 215.
Gwendolina concitatricana,
 211, 220.
Gyponana, 216.
 Hairy fungus beetle, 244.
 Hairy spider beetle, 244.
Halisidota tessellaris, 219,
 221.
Halticus bractatus, 150, 152.
Halticus intermedius,
 150, 152.
Halticus uhleri, 150.
Hapalaraea brevicorne, 175.
Hapalaraea flavipennis, 175.
Hapalaraea gracilicorne, 175.
Hapalaraea ioptera, 175.
Hapalaraea pygmaea, 175.
Hapalaraea vile, 175.
Hapithus agitator, 215.
Hapliwius pictifrons, 217.
Haploa colona fulvicosta,
 219.
Harkenclenus titus, 115.
Hastaperla brevis, 225.
Heliocontia apicella, 219.
 Helodidae, 217.
Helopicus nalatus, 225.
 Hemiptera, 113, 115, 117,
 145-155, 215, 216.
Hemisturmia tortricis, 89.

- Hesperia leonardus*, 116, 117.
 Hesperiidæ, 59-63.
Heterocampa guttivitta, 166, 219.
Heterocampa manteo, 219.
Heterocordylus malinus, 152.
Heterothops occidentalis, 175.
Heterothops pusio, 176.
Hetoemis cinerea, 22.
Hippopsis lemniscata, 24.
Holsomimus parvus, 176.
Holisus guildingii, 176.
Holisus laevis, 176.
Homaeotarsus badium, 175.
Homalata brunneicollis, 174.
Homalata plana, 174.
Homalata uniformis, 174.
 Homoptera, 204, 216, 217.
Hoplosia nubila, 23, 24.
Horcias, 149.
 Husk fly, 211.
Hyaliodes, 145, 150, 215.
Hyaliodes harti, 150, 155.
Hyaliodes vitripennis, 150, 155, 215.
Hyalopterus pruni, 217.
Hydroperia crosbyi, 225.
Hydroperla fugitans, 225.
 Hydropsyche, 39.
Hydroptila armata, 237.
 Hydroptilidae, 237, 238.
Hylobius pales, 172.
Hylobius radialis, 169-172.
Hylobius rhizophagus, 169-172.
 Hymenoptera, 87-91, 113, 119-121, 127-130, 146, 191-198, 204, 220, 221.
Hypagyrtis esther, 219.
Hypagyrtis unipunctata, 219.
Hypera postica, 191-200.
Hypera punctata, 197, 218.
Hyperplatys, 18.
Hyperplatys aspersa, 30.
Hyperplatys maculata, 29, 30.
Hyphantria cunea, 214, 219.
 Hypocyphinae, 174.
Hypogastrura packardii, 214.
Hyponygrus glaber, 176.
Hyponygrus gularis, 176.
Hyponygrus illucens, 176.
Hyposoter annulipes, 90.
Hyposoter pilosulus, 90.
Hypotelus insulans, 175.
Hypsopygia costalis, 206.
 Ichneumonidae, 127-130, 191-198, 221.
Icodema nigrolineatum, 150, 151, 153.
Idiopidonia pedalis, 10.
Ilnacora malina, 150, 152.
Ilnacora stali, 150.
Ilnacora stalii, 150, 152.
 Incurvariidae, 209, 210.
 Indian meal moth, 244.
 Introduced pine sawfly, 127-130.
Isogenoides varians, 225.
Isoperla bilineata, 225.
Isoperla burksi, 225.
Isoperla clio, 225.
Isoperla decepta, 225.
Isoperla dicala, 225.
Isoperla frisoni, 225.
Isoperla longiseta, 223.
Isoperla marlynia, 225.
Isoperla namata, 225.
Isoperla nana, 225.
Isoperla signata, 225.
 Isoperlinae, 225.
 Isotomidae, 75-81, 214.
Isotomina exilis, 75, 76, 80, 81.
Isotomodes, 75, 76.
Isotomurus palustris balteatus, 214.
 Issidae, 217.
Itoplectis conquisitor, 128.
Judolia cordifera, 9.
Judolia montivagans, 9, 10.
 Kermes, 206.
 Kermidae, 206.

- Labidomera clivicollis*, 218.
Lacinipolia lorea, 115.
Laetilia coccidivora, 206.
Laetilia zamacrella, 206.
Laetulonthus laetulus, 176.
Lambdina fervidaria, 219.
Lamiinae, 1, 18-36.
Languria mozardi, 217.
Languriidae, 217.
Lasiocampidae, 219.
Lasioderma serricorne, 244.
Laspeyresia caryana, 220.
Latalus sayi 216.
Lathrobium armatum, 175.
Lecanium, 206, 217.
Lecanium corni, 217.
Lecanium nigrofasciatum,
206.
Lepidopsallus rubidus, 153.
Lepidoptera, 47-49, 59-63,
87-93, 107-112, 113-
118, 146, 166, 172,
201-207, 209, 210,
211, 214, 218-220,
243, 244.
Lepisma saccharina, 244.
Lepismatidae, 244.
Lesser grain borer, 244.
Leptoglossus oppositus, 215.
Leptopterna dolabrata,
148-153.
Leptostylus transversus
26, 27.
Leptura abdominalis, 12.
Leptura emarginata, 12.
Leptura lineola, 13.
Leptura plebeja, 12, 13.
Leptura subhamata, 12.
Lepturges, 18, 28, 218.
Lepturges angulatus, 28.
Lepturges confluens, 28.
Lepturges querci, 218.
Lepturges symmetricus,
28, 218.
Lepturinae, 1-18.
Leptusa angustata, 174.
Lepyronia quadrangularis,
217.
Lethe eurydice, 115.
Leucostoma gravipes, 221.
Leuctra ferruginea, 225.
Leuctra tenella, 225.
Leuctra tenuis, 225.
Leuctridae, 225.
Leuctrinae, 225.
Liburniella ornata, 217.
Limacodidae, 219.
Limenitis archippus, 115.
Limnitis arthemis, 113.
Limnichidae, 179-189.
Limnichini, 179.
Limnichites, 179-189.
Limnichites austrianus,
183, 184.
Limnichites browni, 179,
181, 185, 187, 188.
Limnichites confertus,
181, 185, 186.
Limnichites densissimus,
181.
Limnichites foraminosus,
181, 185, 187.
Limnichites huronicus,
180, 182, 185.
Limnichites imparatus,
179-182.
Limnichites nebulosus,
180, 181, 185.
Limnichites olivaceus,
180, 182, 184, 185.
Limnichites perforatus,
180, 185, 186.
Limnichites porrectus,
179, 180, 182.
Limnichites punctatus,
180, 183, 185.
Limnichites rudis,
179, 180, 183, 185.
Limnichites simplex,
179, 181, 185, 188.
Limnichites virginicus,
184.
Limnichus nebulosus, 181.
Limnichus olivaceus,
183, 184.
Limnichus perforatus, 186.
Limnichus punctatus,
179, 183, 184.
Lioryssus hyalinus, 216.
Liposcelidae, 244.
Liposcelis, 244.
Lispinae, 173, 174.

- Lispinodes explicandus*, 174.
Lispinus attenuatus, 174.
Lispinus bistrriatus, 174.
Lispinus boxi, 174.
Lispinus catena, 174.
Lispinus danforthi, 174.
Lispinus foveolus, 174.
Lispinus impar, 174.
Lispinus impressicollis,
 174.
Lispinus irregularis, 174.
Lispinus morugae, 174.
Lispinus nigrifrons, 174.
Lispinus striola, 174.
Lispinus tenellus, 174.
Litargus quadrispilotus,
 218.
Livia vernalis, 217.
Longitarsus, 218.
Lopidea, 147, 150, 152,
 215, 221.
Lopidea caesar, 152.
Lopidea confluenta, 152,
 215, 221.
Lopidea heidemanni, 150,
 152.
Lopidea instabilis, 152.
Lopidea marginalis, 152.
Lopidea media, 150, 152.
Lopidea reuteri, 152.
Lopidea robiniae, 150,
 152.
Lopus decolor, 153.
Lordithon intrusus, 176.
Luperaltica nigripalpis,
 218.
Lycaena phlaeas americana,
 115.
 Lycaenidae, 219.
 Lygaeidae, 145, 215, 221.
Lygaeus kalmii, 215, 221.
Lygidea mendax, 153.
Lygidea rosacea, 153.
Lygocoris, 147.
Lygocoris belfragii, 153.
Lygocoris caryae, 148, 153.
Lygocoris communis, 148,
 153.
Lygocoris fagi, 148, 153.
Lygocoris geneseensis,
 148, 153.
Lygocoris hirticulus,
 148, 154.
Lygocoris inconspicuus,
 148.
Lygocoris omnivagus,
 148, 154.
Lygocoris ostryae, 154.
Lygocoris pabulinus,
 148, 154.
Lygocoris quercalbae,
 148, 154.
Lygocoris tiliae,
 148, 154.
Lygocoris vitticollis
 148, 154.
Lygus invitus, 148.
Lygus lineolaris, 148,
 154, 215.
Lygus monachus, 148.
Lygus pabulinus, 148.
Lygus plagiatus, 154.
Lygus pratensis, 148.
Lygus vanduzeei, 154.
 Lymantridae, 219.
Machimus notatus, 117.
Machimus paropus, 117.
Macratricia, 217.
Macrocoleus coagulatus,
 150.
Macroductylus subspinosus,
 218.
Macrolophus separatus,
 155.
Macrolophus tenuicornis,
 155.
Macrophya flavicoxae,
 220.
Macrosteles fascifrons,
 216.
Macrotheca angulalis,
 206.
Macrotheca nigrocinereella,
 206.
Macrotheca unipuncta,
 201-207.
Macrotylus vestitus,
 150-151.

- Maculurges regularis*, 28.
Madarellus undulatus, 218.
Magdalis pandura, 218.
Magicicada, 211-216.
Magicicada tredecassini,
 216.
Malacocoris irroratus,
 150.
Malaconothrus, 131,
 133, 135-139, 142.
Malacosoma americanum,
 219.
Malacosoma disstria, 166.
 Maple leaf cutter,
 209-210.
 Marbled white butterfly,
 107-112.
 Meal moth 206, 243, 244.
 Mealybugs, 204-206.
Mecas pergrata, 35.
 Mediterranean flour moth,
 244.
Megacoelum, 149.
Megacyllene robiniae, 218.
Megaloceraea ruficornis,
 148.
Megalopinus caelatus, 174.
Megalopinus smithi, 174.
 Megalopsidiinae, 174.
 Megaloptera, 39-46.
Megarcthrus arcuatus, 175.
Megaxyela, 220.
Melanolophia canadaria,
 219.
Melanolophia signataria,
 219.
Melanoplus differentialis,
 215.
Melanoplus femurrubrum,
 215.
Melanoplus punctulatus
griseus, 215.
Melanoplus rusticus
obovatifennis, 215.
Melanoplus sanguinipes,
 215.
Melanoplus sanguinipes
scudderi, 215.
Melanotrichus catulus,
 150-152
Melanotrichus flavosparsus,
 150-152.
Melanotus depressus, 217.
Melinna modesta, 149.
 Meloidea, 218.
 Membracidae, 216, 221.
Menosoma cincta, 216.
Mesochorus americanus,
 87, 91.
Mesochorus discitergus,
 87, 88, 91.
 Mesostigmata, 131,
 133-137, 142.
Metacmaeops vittata, 7.
Metaphidippus, 115, 116.
Metcalfa pruinosa, 217,
 221.
Meteorus autographae, 89.
Metopsia clypeatum, 175.
Metriorhynchomiris
dislocatus, 149,
 154.
Metriorhynchomiris
fallax, 154.
Metylophorus purus, 215.
Mezium americanum, 244.
Micranurophorus
musci, 75-81.
Microcentrum retinerve,
 215.
Microcentrum rhombifolium,
 215.
Microgoes oculatus,
 19, 20.
Microlinus pusio, 176.
 Micropeplinae, 175.
Micropeplus brunneus,
 175.
Microphylellus modestus,
 151, 153.
Microphylellus tsugae,
 153.
Micrutalis calva, 216.
Mimacrotona singulata,
 174.

- Mimacrotona uniformis*, 174.
 Miridae, 145-155, 215, 221.
 Mirinae, 153-155.
 Mirini, 153-155.
Miris instabilis, 148.
Misumena vatia, 114.
Misumenops asperatus, 115.
Misumenooides formosipes,
 114.
 Mites, 131, 133-139, 142.
Monalocoris americanus,
 148, 155.
Monalocoris filicis, 148.
Monellia, 211, 217.
Monellia nigropunctata,
 217.
Monelliopsis caryae, 217.
Monochamus, 18.
Monochamus carolinensis,
 20.
Monochamus marmorator,
 20.
Monochamus mutator, 20.
Monochamus notatus, 20,
 21.
Monochamus scutellatus,
 21.
Monochamus titillator,
 21.
Monodontomerus dentipes,
 127-130.
Mordella, 218.
 Mordellidae, 218.
Mordellistena, 218.
Mormidea lugens, 216.
Morrisonia confusa,
 214, 219, 221.
 Mycetophagidae, 217.
Myochrous denticollis,
 218.
Myzocallis, 217.
Nanopsis verticis,
 216, 221.
Neacanthocinus, 18.
Neacanthocinus obsoletus,
 25.
Neacanthocinus pussillus,
 25.
Nearctaphis bakeri, 217.
Necydalis mellita, 2.
Nemocapnia carolina, 224.
 Nemouridae, 165, 224.
 Nemourinae, 224.
 Nemouroidea, 224, 225.
Nealosterna capitata,
 11, 12.
Neoborops vigilax, 149.
Neoborus saxeus, 149.
Neobothynotus modestus,
 147.
Neodiprion lecontei,
 119-121.
Neoleptusa brunnea, 174.
Neolispinodes exiguus,
 174.
Neolispinodes politus,
 174.
Neolispinodes rulomus,
 174.
Neoperla cylmene, 225.
Neophasia menapia, 113.
Nephelodes emmedonia,
 116.
Neurocolpus, 145, 149.
Neurocolpus jessiae,
 149, 154.
Neurocolpus nubilus,
 149, 154.
Neurocolpus tiliae,
 149, 154.
Nigrionia serricornis,
 39-46.
 Nitidulidae, 244.
 Noctuidae, 47-49,
 214, 219, 221.
Noctuocoris fumidus,
 152.
Nodonota clypealis,
 218.
Nodonota tristis, 218.
 Nodontidae, 166.
Nomuraea rileyi, 88.
Nosema, 88, 200.
 Notodontidae, 214, 219,
 221.
 Nuclear polyhedrosis
 virus, 88.
Nudobius cephalus, 176.
Nudobius collaris, 176.
Nudobius lentus, 176.
Oarisma garita, 59-63.

- Oarisma powesheik*, 59-61.
Oberea, 18.
Oberea bimaculata, 34, 35.
Oberea delongi, 34.
Oberea ocellata, 34.
Oberea ruficollis, 34.
Oberea schaumii, 33.
Oberea tripunctata, 34.
Ocyusa incrassata, 174.
Odonata, 113, 115-117,
 235, 237.
Odontopus calceatus, 218.
Oecanthus argentinus,
 215.
Oecanthus latipennis,
 215.
Oecanthus nigricornis,
 215.
Oecanthus niveus, 215.
Oeneis jutta ascerta,
 115.
 Oletreutidae, 214, 220.
Oliarus, 217.
Oligolinus filarius, 176.
Oligolinus testaceipennis,
 176.
Oligota variegata, 174.
Olisthaerus megacephalus,
 175.
Olisthaerus substriatus,
 175.
 Olistharinae, 175.
 Omaliinae, 175.
Oncideres cingulata, 24.
Oncometopia orbona, 216.
Oncopeltus fasciatus, 215.
Orchelimum, 215.
Orgyia leucostigma, 219.
 Oriental cockroach, 244.
Ormenoides venusta, 217.
Orocharis saltator, 215.
Orthodes oviduca, 115.
Orthops scutellatus, 154.
 Orthoptera, 215, 241, 244.
Orthosia hibisci, 219.
 Orthotylini, 151, 152.
Orthotylus, 150, 215.
Orthotylus coagulatus
 150.
Orthotylus dorsalis,
 152.
Orthotylus modestus,
 152.
Orthotylus ornatus,
 152.
Orthotylus submarginatus,
 152.
Orthotylus viridis, 152.
Oryzaephilus
surinamensis, 244.
 "Other carpet beetle",
 244.
Oxygaster vittata, 174.
 Oxytelinae, 175.
Oxytelus blediioides, 175.
Pachybrachys subfasciatus,
 218.
Pachybrachys relictus,
 218.
Pachyta lamed liturata,
 3.
 Paederinae, 175.
Palaminus testaceus,
 175.
Palaecrita vernata, 115.
Pandemis limitata, 220.
Papilio glaucus
canadensis, 114.
Papillos, 113.
Papilio troilus, 114.
Paracarpnia angulata,
 223, 224.
Paracarpnia opis, 223.
Paraclemensia
acerifoliella,
 209, 210.
Paracraspedomerus
speculifrons,
 176.
Paragnetina kansensis,
 225.
Paragnetina media, 225.
Parania geniculata
geniculata, 221.

- Paraphidippus marginatus*, 115.
Paraphlepsius irroratus, 216.
Paraphlepsius tennesa, 216.
Paraproba capitata, 152.
Paraulacizes irrorata, 216.
Paria fragariae, 218.
Paria quadrinotata, 218.
 Pea weevil, 244.
 Pedilidae, 217.
Pemphigus, 217.
 Pentatomidae, 216, 221.
Penthimia americana, 216.
Perezia hyperae, 200.
Peridroma saucia, 88, 89, 91, 219.
Perilampus hyalinus, 127, 128, 130.
 Perilampidae, 127, 128, 130.
Periplaneta americana, 244.
Perlesta placida, 225.
 Perlidae, 225.
Perlinella drymo, 225.
Perlinella ephyre, 225.
 Perlinae, 225.
 Perlodidae, 225.
 Perlodinae, 225.
 Perloidea, 225.
 Phalacridae, 217.
Phalacrus, 217.
Phasganophora capitata, 225.
 Phasmatidae, 215.
Phidippus clarus, 115.
Phidippus purpuratus, 115.
Philaenus spumarius, 217.
Philonthus chalceus, 176.
Philonthus crestonensis, 176.
Philonthus flavocinctus, 176.
Philonthus imitator, 176.
 Phloeocharinae, 175.
Phloeocharis subtilissima, 175.
Phloeonomus concolor, 175.
Phloeonomus minimus, 175.
Phloeonomus peneti, 175.
Phloeonomus planum, 175.
Phloeonomus punctipenne, 175.
Phloeonomus pusillum, 175.
Phloeopora corticalis, 174.
Phloeopora diluta, 174.
Phloeopora montana, 174.
Phloeopora sublaevis, 174.
Phloeopora reptans, 174.
Phloeopora teres, 174.
Phloeopora testacea, 174.
Phyciodes batesii, 60.
Phyciodes tharos, 60, 61, 113, 115.
 Phycitidae, 244.
 Phycitinae, 205, 206.
 Phylinae, 151-153.
 Phylini, 152, 153.
Phyllonorycter juglandiella, 220.
Phyllopalpus pulchellus, 215.
Phyllotreta zimmermanni, 218.
Phylus modestus, 151.
Phymata erosa, 115.
Phymata fasciata, 113.
Phymata pennsylvanica americana, 113.
Phytocoris, 145, 147, 149, 150, 154.

- Phytocoris americanus*,
 149, 154.
Phytocoris antennalis,
 154.
Phytocoris buenoi, 154.
Phytocoris canadensis,
 154.
Phytocoris colon, 150.
Phytocoris confluens,
 150, 154.
Phytocoris conspurcatus,
 154.
Phytocoris cortitectus,
 154.
Phytocoris diversus,
 154.
Phytocoris erectus,
 154.
Phytocoris eximius,
 149.
Phytocoris fulvus, 154.
Phytocoris fumatus,
 149, 154.
Phytocoris husseyi,
 154.
Phytocoris minutulus,
 154.
Phytocoris neglectus,
 149, 154.
Phytocorus puella, 150,
 154.
Phytocorus salicis, 154.
Phytocorus scrupeus, 150.
Phytocorus tibialis, 150.
Phytocorus venustus, 154.
Pidonia ruficollis, 13.
 Pieridae, 107-112.
Pieris protodice, 62.
 Piestinae, 173, 175.
Piestus penicillatus,
 175.
 Pilophorini, 152.
Pilophorus amoenus, 150.
Pilophorus australis,
 152.
Pilophorus brunneus,
 152.
Pilophorus strobicola,
 150, 152.
Pilophorus walshii,
 150, 152.
 Pine root collar weevil,
 169-172.
 Pine root tip weevil,
 169, 172.
 Pinophilinae, 175.
Pinophilus speculifrons,
 175.
Placusa denticulata, 174.
Placusa fratercula, 174.
Placusa infima, 174.
Placusa punilio, 174.
Plagiognathus albatrus,
 153.
Plagiognathus annulatus,
 151.
Plagiognathus blatchleyi,
 153.
Plagiognathus cuneatus,
 151, 153.
Plagiognathus dispar,
 151, 153.
*Plagiognathus flavicor-
 nis*, 215.
Plagiognathus fraternus,
 151.
Plagiognathus nigronitens,
 151, 153.
Plagiognathus obscurus,
 151, 153.
Plagiognathus politus,
 151, 153, 215.
Plagiognathus repletus,
 215.
Plagiognathus tinctus,
 151, 153.
*Planicephalus flavoco-
 status*, 216.
Planococcus citri,
 205.
Plathypena scabra,
 88, 89, 91, 92.
Platydemia ruficorne,
 244.
*Plebejus melissa
 samuelis*, 61.
Plebejus saepiolus,
 61.

- Plecoptera, 165, 223-226,
 233, 235.
Plectrodera scalator,
 18.
Plesiodema sericea, 153.
Plodia interpunctella,
 244.
Podisus maculiventris,
 221.
 Poduridae, 214.
Poecilocapsus affinis,
 149.
Poecilocapsus goniphorus,
 149.
Poecilocapsus lineatus,
 149, 154.
Poecilocapsus marginalis,
 149.
Poeciloscytus basalis,
 148.
Pogonocherus, 18.
Pogonocherus mixtus,
 22, 23.
Pogonocherus parvulus,
 23.
Pogonocherus penicillatus,
 22.
Polia grandis, 47-49.
Polistes, 113.
Polites mystic, 60, 61,
 114.
Polites origines, 60.
Polites thermistocles,
 60, 61.
Polymerus americanus,
 148.
Polymerus basalis, 148,
 154.
Polymerus fulvipes,
 148, 154.
Polymerus proximus, 154.
Polymerus venaticus, 148.
Polymitarceys, 227.
 Potamanthidae, 51-53,
 227-232.
Potamanthus diaphanus, 53.
Potamanthus distinctus,
 51-53.
Potamanthus flaveola,
 51-53.
Potamanthus inequalis,
 53.
Potamanthus medius, 53.
Potamanthus myops,
 51-58, 227-232.
Potamanthus neglectus,
 51, 53.
Potamanthus rufous,
 52, 53.
Potamanthus verticis,
 51-53.
Potamanthus walkeri,
 52, 53.
Praon exsoletum, 196.
Praon palitans, 196.
Prenolepis imparis,
 164.
Prepops circumcinctus,
 150, 154.
Prepops confraternus,
 150.
Prepops fraternus,
 150, 154.
Prepops insitivus,
 150, 154.
Prepops nigricollis,
 154.
Proctacanthus milberti,
 116, 117.
Prolimacodes scapha,
 219.
Promachus bastardi,
 117.
Prostoia completa, 224.
Prostoia similis, 224.
 Proteininae, 175.
Protomicroplitis
facetosa, 89.
Psallus strobicola,
 153.
 Pselaphidae, 147.
Psenocerus supernotatus,
 22, 23.
Pseudaletia unipuncta,
 88, 90, 91.
Pseudamurophorus, 75, 76.

- Pseudanurophorus cassagnavi*, 76.
Pseudatheta elegans, 174.
Pseudococcidae, 204, 206.
Pseudococcus, 204, 206.
Pseudococcus maritimus, 204, 206.
Pseudogaurotina abdominalis, 6.
Pseudostrangalia cruentata, 11, 12.
Pseudoxenetus scutellatus, 151, 152.
Psocoptera, 215, 244.
Psocus leidyi, 215.
Psychidae, 220.
Psyllidae, 217.
Pteromalidae, 128.
Pteronarcyidae, 225.
Pteronarcyioidea, 225.
Pteronarcys dorsata, 225.
Pteronarcys pictetii, 225.
Pterophylla camellifolia, 215.
Ptilodactyla angustata, 217.
Ptilodactyla serricollis, 217.
Ptilodactylidae, 217.
Ptinidae, 244.
Ptinus fur, 244.
Ptinus villiger, 244.
Pulvinaria innumerabilis, 217.
Pycnoderes insignis, 148.
Pycnoglypta lurida, 175.
Pyralidae, 201-207, 214, 219, 220, 243, 244.
Pyralidinae, 206.
Pyralis farinalis, 206, 243, 244.
Quediinae, 175, 176.
Quedius brevicornis, 176.
Quedius charactus, 176.
Quedius cruentus, 176.
Quedius fumatus, 176.
Quedius laevigatus, 176.
Quedius longicornis, 176.
Quedius perigrinus, 176.
Quedius rainieri, 176.
Quedius rusticus, 176.
Quedius scitus, 176.
Quedius simplex, 176.
Quedius velox, 176.
Quedius xanthopus, 176.
Red flour beetle, 243, 244.
Redheaded pine sawfly, 119-121.
Red-horned grain beetle, 244.
Renardia nigrellus, 174.
Resthenia circumcincta, 150.
Resthenia insitiva, 150.
Resthenia maculicollis, 150.
Reuteria bifurcata, 150, 152.
Reuteroscopus ornatus, 153.
Rhagium inquisitor, 5.
Rhagoletis suavis, 211.
Rhinacloa forticornis, 151.
Rhopalidae, 216.
Rhopalosiphum maidis, 217.
Rhyzopertha dominica, 244.
Rice weevil, 243, 244.
Robber flies, 113, 116, 117.
Rogas nolophanae, 89.
Rogas terminalis, 90.
Rusty grain beetle, 244.
Sachalinobia rugipennis, 5.
Saddled prominent, 166.

- Saperda*, 18.
Saperda calcarata, 30.
Saperda candida, 30, 31.
Saperda cretata, 30, 31.
Saperda discoidea, 31.
Saperda fayi, 31.
Saperda imitans, 31.
Saperda inornata, 31, 32.
Saperda lateralis, 32.
Saperda mutica, 32.
Saperda obliqua, 32.
Saperda populnea
moesta, 32.
Saperda puncticollis, 33.
Saperda tridentata, 33.
Saperda vestita, 33.
Saratoga Spittlebug, 95-
105.
Saturniidae, 214, 219.
Satyrium calanus, 219.
Saw-toothed grain beetle,
244.
Scambus hispae, 128.
Scaphoideus titanus, 216.
Scaphytopius acutus, 216.
Scaphytopius frontalis,
216.
Scarabaeidae, 218.
Scelionidae, 221.
Scepsis fulvicollis, 115.
Schizaphis graminum, 217.
Schizura ipomoeae, 219.
Schizura leptinodes, 219.
Scirtes orbiculatus, 217.
Scudderia curvicauda, 215.
Scudderia furcata, 215.
Scydmaenidae, 147.
Sehirus cinctus cinctus,
216.
Semium hirtum, 148, 153.
Sepedophilus basalis,
176.
Sepedophilus beckeri, 176.
Sepedophilus castaneus,
176.
Sepedophilus cinotus, 176.
Sepedophilus ctenidialis,
176.
Sepedophilus hermani,
176.
Sepedophilus kiteleyi,
176.
Sepedophilus littoreus,
176.
Sepedophilus marshami,
176.
Sepedophilus occultus,
176.
Sepedophilus opicus, 176.
Sepedophilus scriptus,
176.
Sepedophilus smetanai,
176.
Sepedophilus stephani,
176.
Sepedophilus testaceus,
176.
Sericophanes heidemanni,
152.
Siagonium americanum,
175.
Siagonium humerale, 175.
Siagonium punctatum,
175.
Siagonium quadricorne,
175.
Siagonium stacesmithi,
175.
Sibine stimulea, 219.
Silusa rubiginosa, 174.
Silverfish, 244.
Simulium, 39.
Sipalia analis, 174.
Sipalia fumida, 174.
Sitophilus granarius,
244.
Sitophilus oryzae,
243, 244.
Sitotroga cerealella,
244.
Sixeonotus insignis,
148, 155.
Skippers, 59-63.
Slaterocoris atritibialis,
150, 152.

- Slaterocoris stygicus*, 152.
Solenopsis molesta, 204,
 206.
Soyedina vallicularia, 224.
Strophopteryx fasciata,
 224.
Spanagonicus albofasciatus,
 151, 153.
Sparganothis distincta,
 220.
Speyeria aphrodite, 115.
 Sphingidae, 219.
Spissistilus borealis, 216.
Spodoptera ornithogalli,
 88, 90, 91.
 Spotted alfalfa aphid, 196.
Spragueia leo, 219.
 Staphylinidae, 173-177.
 Staphylininae, 176.
Stegobium paniceum, 244.
Stenocorus cinnamopterus, 3.
Stenocorus cylindricollis,
 2, 3.
Stenocorus schauumi, 3.
Stenocorus vittiger, 3, 4.
Stenodema trispinosum,
 148, 154.
Stenodema vicinum, 148,
 154.
Stenolinus macrothricus,
 176.
 Stenomidae, 220.
Stenotus binotatus, 149,
 154, 215.
Sternidius alpha, 26, 27.
Stichoglossa corticina,
 174.
Stichoglossa indica, 174.
Stichoglossa prolixa, 174.
Stictocephala bubalus, 216.
Stictocephala taurina,
 216.
Stictoleptura canadensis,
 16.
Stilbus, 217.
 Stonefly, 165, 223-226.
Strangalepta pubera, 14, 15.
Strangalepta vittata, 15.
Strangalia acuminata, 7,
 8.
Strangalia bicolor, 7,
 8, 163, 164.
Strangalia famelica,
 7, 8.
Strangalia luteicornis,
 7.
Stragania, 216.
 Striped cucumber beetle,
 123-125.
Strongylocoris stygica,
 150.
Strongylocoris stygicus,
 150.
Strongylotes saliens,
 151.
Strophiona nitens, 15,
 16.
Sweltsa naica, 223,
 225.
Synchlora aerata, 219.
Syngrapha alias, 115.
Syngrapha rectangula,
 115.
Syntames uhleri, 217.
 Systellognatha, 225.
Systratiotes americanus,
 148.
 Tachinidae, 127, 128,
 221.
Tachinus angustatus,
 176.
Tachinus debilis, 176.
 Tachyporinae, 176.
Tachyusida gracilis,
 174.
Taedia casta, 154.
Taedia colon, 150,
 155.
Taedia scruposa, 150,
 155.
 Taeniopterygidae, 224.
Taeniopteryx burksi,
 224.
Taeniopteryx lita, 224.
Taeniopteryx maura,
 224.

- Taeniopteryx metequi*, 224.
Taeniopteryx nivalis,
 165, 224.
Taeniopteryx parvula, 224.
Tanypelma datanae, 221.
Telenomus ichthyurae, 221.
Tenebroides mauritanicus,
 244.
Tenebrio molitor, 244.
 Tenebrionidae, 244.
 Tenthredinidae, 220.
 Terrapin scale, 206.
Tetragoneuria spinigera,
 116.
Tetralopha asperatella,
 219.
Tetralopha nephelotella,
 219.
Tetralopha subcanalis,
 219.
Tetraopes, 18, 35, 36,
 218.
Tetraopes femoratus, 36.
Tetraopes melanurus, 35,
 36.
Tetraopes quinquemaculatus,
 35, 36.
Tetraopes tetrophthalmus,
 35, 36, 218.
Tetrapleurus himalayicus,
 174.
 Tettigoniidae, 215.
Thamiaraea cinnamomea,
 174.
Thamiaraea hospita, 174.
Thectura cuspidata, 174.
Therioaphis maculata, 196.
Thermobia domestica, 244.
Thionia bullata, 217.
Thionia simplex, 217.
Thoracophorus brevieristatus,
 174.
Thoracophorus corticinus,
 174.
Thoracophorus guadalupensis,
 174.
Thoracophorus simplex, 174.
 Throscidae, 217.
Thymelicus lineola,
 59-61, 114.
 Thysanoptera, 215.
 Thysanura, 244
Tibicen lyricen, 216.
 Tingidae, 215, 221.
 Tortricidae, 220.
 Tormyidae, 127-130.
Trachysida aspera, 15.
Trachysida mutabilis,
 14.
Tragidion coquus, 36.
Tribolium castaneum,
 243, 244.
Tribolium confusum,
 244.
Trichophya pilicornis,
 176.
 Trichophyinae, 176.
 Trichoptera, 235-237.
Tricorythodes
atratus, 237.
Trigonarthris
proxima, 15, 16.
Trigonotylus
coelestialium,
 148, 155.
Trigonurus asiaticus,
 175.
Trigonurus caelatus,
 175.
Trigonurus crotchei,
 175.
Trigonurus dilaticollis,
 175.
Trigonurus melleyi,
 175.
Trigonurus sharpi,
 175.
Trissolcus euschisti,
 221.
Tritneptis
scutellata, 128.
Trogoderma ornata, 244.
Trogoderma versicolor,
 244.
 Trogositidae, 244.

- Tropidosteptes*
 amoenus, 149, 155.
Tropidosteptes
 canadensis, 155.
Tropidosteptes
 palmeri, 155.
Tropidosteptes
 cardinalis, 149,
 155.
Troposilusa armata, 174.
Tullbergia granulata, 131,
 133, 135, 137,
 139-142.
Typhaea stercorea, 244.
Typocerus acuticauda,
 10, 11.
Typocerus lugubris,
 10, 11.
Typocerus sinuatus, 10.
Typocerus sparsus, 10,
 11.
Typocerus velutinus,
 10, 11.
Typocerus zebra, 10.
Tyrophagus, 244.
Udea rubigalis, 220.
Urgleptes, 18,
Urgleptes facetus, 29.
Urgleptes querci, 29.
Urgleptes signatus, 29.
Valgus squamiger, 218.
Varied carpet beetle,
 244.
Variegated cutworm, 88,
 89, 91.
Venturia nigriscapus, 89.
Vespa, 113.
Vespidae, 113.
Vetch bruchid, 244.
Vitula edmandsae, 206.
Voria ruralis, 89.
Walnut aphid, 211.
Walnut caterpillar, 211.
Western corn rootworm,
 123-125.
White-marked spider beetle,
 244.
White oak borer, 211.
Winthemia quadripustulata,
 89.
Winthemia sinuata, 89.
Xanthopyginae, 176.
Xantholininae, 176.
Xenoborus pettiti, 155.
Xenetus scutellatus,
 151.
Xestoleptura
 octonotata, 15,
 16.
Xyelidae, 220.
Xylostromus monilicorne,
 175.
Yellow mealworm, 244.
Yellowstriped armyworm,
 88, 90, 91.
Yellow woollybear,
 88, 90.
Zealeuctra claasseni,
 225.
Zealeuctra fraxina,
 225.
Zeteotomus brevicornis,
 176.
Zimmerman pine moth, 172.
Zygaenidae, 219.