

Volume 14

1981

THE
GREAT LAKES
ENTOMOLOGIST


INDEX

Compiled by George C. Heaton

<i>Number</i>	<i>Publication Date</i>
1	22 Apr. 1981
2	14 July 1981
3	15 Oct. 1981
4	6 Jan. 1982

PUBLISHED BY

THE MICHIGAN
ENTOMOLOGICAL
SOCIETY



THE GREAT LAKES ENTOMOLOGIST
VOLUME XIV (1981)
AUTHOR INDEX

- Armbrust, Edward J. (See Barney, Robert J. and Edward J. Armbrust), 57.
- Barney, Robert J. and Edward J. Armbrust. Key Parameter Comparisons of Fungal Induced Mortality in Alfalfa Weevil Larvae (Coleoptera: Curculionidae), 57.
- Beatty, J. A. (See Summers, Gerald, J. A. Beatty, and Nanette Magnuson), 59.
- Benjamin, D. M. (See Haack, R. A., D. M. Benjamin, and B. A. Schuh), 113.
- Benjamin, D. M. (See Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot), 181.
- Berbee, J. G. (See Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot), 181.
- Biemann, Donald N. and J. A. Witter. Differences in Emergence Date and Size between the Sexes of *Malacosoma americanum* the Eastern Tent Caterpillar (Lepidoptera: Lasiocampidae), 51.
- Bland, R. G. Survival and Food Detection by First-instar *Melanoplus femurrubrum* (Orthoptera: Acrididae), 197.
- Britt, N. Wilson (See Lamp, William O. and N. Wilson Britt), 151.
- Burkot, T. R. (See Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot), 181.
- Cameron, Randall G. (See Troilo, David B. and Randall G. Cameron), 191.
- Coppel, H. C. (See Mohamed, M. A., H. C. Coppel, D. J. Hall and J. D. Podgwaite), 177.
- Cranshaw, Whitney S. (See Zalom, Frank G. and Whitney S. Cranshaw), 171.
- Deyrup, Mark. Annotated List of Indiana Scolytidae (Coleoptera), 1.
- Dunn, Cary A. New Records of *Pasimachus elongatus* in Michigan (Coleoptera: Carabidae: Scaritini), 206.
- Gosling, D. C. L. Correct Identity of the Oak Twig Pruner (Coleoptera: Cerambycidae), 179.
- Guppy, J. C. (See Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell), 55.
- Haack, R. A., D. M. Benjamin, and B. A. Schuh. Observations on the Biology of *Phasgonophora sulcata* (Hymenoptera: Chalcididae), a Larval Parasitoid of the Twolined Chestnut Borer, *Agrilus bilineatus* (Coleoptera: Buprestidae), in Wisconsin, 113.
- Hall, D. J. (See Mohamed, M. A., H. C. Coppel, D. J. Hall and J. D. Podgwaite), 177.
- Hanna, Murray. Gypsy Moth (Lepidoptera: Lymantriidae) Survey in Michigan, 103.
- Hansen, Michael K. (See Wagner, W. H., Jr., Michael K. Hansen, and Michael R. Mayfield), 159.
- Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell. Two Entomophthora Species Associated with Disease Epizootics of the Alfalfa Weevil, *Hypera postica* (Coleoptera: Curculionidae), in Ontario, 55.

- Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot. Evaluation of Adult Cottonwood Leaf Beetle, *Chrysomela scripta* (Coleoptera: Chrysomelidae), Feeding Preference for Hybrid Poplars, 181.
- Harrington, B. J. (See Kingsley, P. C. and B. J. Harrington), 141.
- Hodson, A. C. The Response of Aspen (*Populus tremuloides*) to Artificial Defoliation, 167.
- Hubbard, Michael D. Type-species Designation for the Jurassic Mayfly Genus *Mesephemera* (Ephemeroptera: Mesephemeridae), 69.
- Kennedy, Bruce H. Oviposition by *Dendrosoter protuberans* (Hymenoptera: Braconidae) on Larvae of *Scolytus multi-striatus* (Coleoptera: Scolytidae) Occupied by Larvae of *Entedon leucogramma* (Hymenoptera: Eulophidae), 109.
- Kingsley, P. C. and B. J. Harrington. Development of *Orius-insidiosus* (Hemiptera: Anthicoridae) in Relation to Temperature, 141.
- Lamp, William O. and N. Wilson Britt. Resource Partitioning by Two Species of Stream Mayflies (Ephemeroptera: Heptageniidae), 151.
- Luhman, John C. Descriptions of Three New Species of Nearctic Ctenopelmatinae (Hymenoptera: Ichneumonidae), 117.
- MacLeod, D. M. (See Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell), 55.
- Magnuson, Nanette (See Summers, Gerald, J. A. Beatty, and Nanette Magnuson), 59.
- Mahar, Joseph M. and Mark P. Oemke. A North American Record for *Valgus hemipterus* (Coleoptera: Scarabaeidae) and Information on its Life Cycle, 77.
- Mayfield, Michael R. (See Wagner, W. H., Jr., Michael K. Hansen, and Michael R. Mayfield), 159.
- McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 2. Coreoidea, 11.
- McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 3. Reduvoidea, 15.
- McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 4. Cimicoidea, 19.
- McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 5. Lygaeoidea, 133.
- McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 6. Tingidae and Aradidae, 137.
- McPherson, J. E. and T. E. Vogt. The First Report of the Occurrence of *Mecidea major* (Hemiptera: Pentatomidae) in Illinois, 70.
- McPherson, J. E. (See Sites, R. W. and J. E. McPherson), 81.
- McPherson, J. E. (See Sites, R. W. and J. E. McPherson), 205.
- McPherson, J. E. (See Wilson, S. W. and J. E. McPherson), 45, 49.
- Miller, Gary L. (See Wheeler, A. G., Jr. and Gary L. Miller), 23.
- Mitchell, Lee and C. Lee Rockett. An Investigation on the Larval Habitat of Five Species of Tree-hole Breeding Mosquitoes (Diptera: Culicidae), 123.
- Mohamed, M. A., H. C. Coppel, D. J. Hall, and J. D. Podgwaite. Field Release of Virus-sprayed Adult Parasitoids of the European Pine Sawfly (Hymenoptera: Diprionidae) in Wisconsin, 177.
- Oemke, Mark P. (See Mahar, Joseph M. and Mark P. Oemke), 77.
- Podgwaite, J. D. (See Mohamed, M. A., H. C. Coppel, D. J. Hall and J. D. Podgwaite), 177.

- Rockett, C. Lee (See Mitchell, Lee and C. Lee Rockett), 123.
- Schuh, B. A. (See Haack, R. A., D. M. Benjamin, and B. A. Schuh), 113.
- Sites, R. W. and J. E. McPherson. A List of the Butterflies (Lepidoptera: Papilionoidea) of the La Rue-Pine Hills Ecological Area, 81.
- Sites, R. W. and J. E. McPherson. The First Records in Illinois of *Heliconius charitonius* (Lepidoptera: Heliconiidae) and *Phoebis agarithe* (Lepidoptera: Pieridae), 205.
- Summers, Gerald, J. A. Beatty and Nanette Magnuson. A Checklist of Illinois Centipedes (Chilopoda): Supplement, 59.
- Troilo, David B. and Randall G. Cameron. Comparative Behavior of *Fyrellia cyanicolor* (Diptera: Muscidae) on the Moss *Splachnum ampullaceum* and on Substrates of Nutritional Value, 191.
- Tyrrell, D. (See Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell), 55.
- Vogt, T. E. (See McPherson, J. E. and T. E. Vogt), 70.
- Voss, Edward G. Moths of the Douglas Lake Region (Emmet and Cheboygan Counties), Michigan: II. Noctuidae (Lepidoptera), 87.
- Wagner, W. H., Jr., Michael K. Hansen, and Michael R. Mayfield. True and False Foodplants of *Callosamia promethea* (Lepidoptera: Saturniidae) in Southern Michigan, 159.
- Webb, Donald W. Redescription of *Micropsectra polita* (Diptera: Chironomidae) with the Female and Immature Stages, 185.
- Weber, B. C. (See McPherson, J. E. and B. C. Weber), 11, 15, 19, 133, 137.
- Weber, B. C. and S. W. Wilson. Seasonal and Vertical Distributions of Planthoppers (Homoptera: Fulgoroidea) Within a Black Walnut Plantation, 71.
- Wheeler, A. G., Jr. and Gary L. Miller. Fourlined Plant Bug (Hemiptera: Miridae). A Reappraisal: Life History, Host Plants, and Plant Response to Feeding, 23.
- Wheeler, A. G., Jr. Hawthorn Lace Bug (Hemiptera: Tingidae), First Record of Injury to Roses, with a Review of Host Plants, 37.
- Wilson, Stephen W. The First Record of *Phrictopyga occidentalis* in the United States (Homoptera: Fulgoroidea: Delphacidae).
- Wilson, S. W. and J. E. McPherson. Ontogeny of the Tibial Spur in *Megamelus davisii* (Homoptera: Delphacidae) and its Bearing on Delphacid Classification, 49.
- Wilson, S. W. and J. E. McPherson. Notes on the Biology of *Nersia florens* (Homoptera: Fulgoroidea: Dictyopharidae) with Descriptions of Eggs, and First, Second, and Fifth Instars, 45.
- Wilson, S. W. (See Weber, B. C. and S. W. Wilson), 71.
- Witter, J. A. (See Bieman, Donald N. and J. A. Witter), 51.
- Wolff, Robert J. Wolf Spiders of the Genus *Pardosa* (Araneae: Lycosidae) in Michigan, 63.
- Zalom, Frank G. The Influence of Reflective Mulches and Lettuce Types on the Incidence of Aster Yellows and Abundance of its Vector, *Macrostelus fascifrons* (Homoptera: Cicadellidae), in Minnesota, 145.
- Zalom, Frank G. and Whitney S. Cranshaw. Effects of Aluminum Foil Mulch on Parasitism and Fecundity of Apterous *Myzus persicae* (Homoptera: Aphididae), 171.

SUBJECT INDEX

- Abagrotis alternata*, 91.
Abagrotis barnesi, 91.
Abagrotis placida, 90.
Acanalonia bivittata, 72.
Acanalonia conica, 71-74.
Acanaloniidae, 71-74.
Acanthocephala terminalis, 11, 12.
Achilidae, 72.
Acholla multispinosa, 16.
Acrididae, 197-204.
Acronieta afflicta, 89.
Acronieta americana, 88.
Acronieta clarescens, 89.
Acronieta dactylina, 88.
Acronieta funeralis, 88.
Acronieta grisea, 88.
Acronieta haesitata, 89.
Acronieta hasta, 88.
Acronieta impresso, 89.
Acronieta inclara, 89.
Acronieta innotata, 88.
Acronieta interrupta, 89.
Acronieta laetiflora, 88.
Acronieta lepusculina, 88.
Acronieta lithospila, 89.
Acronieta noctivaga, 89.
Acronieta obliqua, 89.
Acronieta radcliffei, 89.
Acronieta retardata, 89.
Acronieta sperata, 89.
Acronieta superans, 88.
Acronieta tritona, 88.
Aedes hendersoni, 123-128.
Aedes triseriatus, 123-128.
Agraulis vanillae nigriflor, 84, 205.
Agrilus anisus, 113.
Agrilus bilineatus, 113-116.
Agrionodes fallax, 94.
Agroperina dubitans, 93.
Agroperina lateritia, 93.
Agrotis epsilon, 89.
Agrotis mollis, 89.
Agrotis venerabilis, 89.
Agrotis vetusta, 89.
Agrotis volubilis, 89.
Alfalfa caterpillar, 177.
Alfalfa weevil, 55, 57, 58.
Allagrapha aerea, 97.
Aletia oxygala, 92.
Alohini, 49, 50.
Alydidae, 11, 12.
Alydus pilosulus, 11-13.
Alydus eurinus, 11-13.
Ambrosia beetles, 1.
Amphipyra glabella, 94.
Amphipyra pyramidoides, 94.
Anaea aidea, 205.
Anasa andria, 82.
Anaplectoides prasina, 90.
Anaplectoides pressus, 90.
Anasa armigera, 12.
Anathix puta, 93.
Anathix ralla, 93.
Anepia capsularis, 91.
Anomogyna elimata, 90.
Anomogyna janualis, 90.
Anomogyna speciosa, 90.
Anopheles barberi, 123-128.
Anormenis septentrionalis, 72.
Anorthodes tarda, 94, 95.
Antherea polyphemus, 159, 164.
Anthocharis midea, 82, 85.
Anthocoridae, 19-21.
Anthocoris sp.
Antilocoris pilosulus, 133-135.
Apamea velata, 94.
Apanteles medicaginis, 177.
Aphididae, 141, 171-176.
Aphidius ervi, 171-176.
Aphids, 141, 171-176.
Apiomerus crassipes, 16.
Aradidae, 137-139.
Aradus cinnamomeus, 138.
Aradus crenatus, 139.
Aradus niger, 138.
Araneae, 63-68.
Archimerus alternatus, 12.
Arctogeophilus umbraticus, 80.
Arenophilus bipuncticeps, 60.
Argyrostroma anilis, 88.
Arhyssus lateralis, 12.
Arius cristatus, 16.
Armyworm, 92.
Artogeia rapae, 82.
Arzama obliqua, 95.
Asiracinae, 49, 50.
Asterocampa celtis, 82.
Asterocampa clyton, 82.
Attilodes halesus, 81-83.
Aufesius impressicollis, 12.
Autographa ampla, 96.
Autographa biloba, 96.
Autographa brassicae, 96.
Autographa mappa, 97.
Autographa preactio, 97.
Baileya doubledayi, 96.
Baileya ophthalmica, 96.
Balsa malana, 95.
Bark beetles, 1.
Basilarchia archippus, 82.

- Basilarchia arthemis astyanax*, 82.
Battus philenor, 82, 85.
Bellura diffusa, 95.
Bellura melanopyga, 95.
Belonochilus numenius, 134.
 Berytidae, 134.
 Black Cutworm, 89.
 Black witch, 98, 99.
Eleptina caradrinalis, 100.
Blissus leucopterus, 134.
 blueberry cutworm, 91.
Bombycia algens, 92.
Bomolocha abaltenalis, 99.
Bomolocha baltimoralis, 99.
Bomolocha bifugalis, 99.
Bomolocha deceptalis, 99.
Bomolocha edictalis, 99.
Bomolocha palparia, 99.
Bothropolys multidentatus, 61.
Brachygeophilus parki, 60.
Brachygeophilus rupestris, 60.
 Braconidae, 109-112, 171-177.
 bristly cutworm, 91.
 Bronze birch borer, 113.
Bruchomorpha oculata, 72.
Bruchomorpha tristis, 72.
 Buck moth, 163.
Buethobius huestoni, 61.
 Buprestidae, 113-116.
 Cabbage looper, 96.
Caenurgina erecta, 98.
Caenurgina crassiuscula, 98.
Calliodis temnostethoides, 20.
 Calliphoridae, 191.
Callosamia angulifera, 164.
Callosamia promethea, 159-165.
Callosamia securifera, 164.
Calpe canadensis, 99.
Calyceopsis cecrops, 84.
Camula pellucida, 197, 201, 202.
Camptyllochila aemula, 99.
Camptyllochila americana, 99.
Camptyllochila diminuentis, 99.
Camptyllochila lubricalis, 99.
Camptyllochila rotundalis, 99.
Capis curvata, 96.
Capsus quadrivittatus, 23.
Catocala antinympha, 97.
Catocala blandula, 98.
Catocala briseis, 97.
Catocala cara, 98.
Catocala cerogama, 97.
Catocala coelebs, 97.
Catocala concumbens, 98.
Catocala grynea, 98.
Catocala illia, 97.
Catocala mesketi, 98.
Catocala mira, 98.
Catocala parta, 97.
Catocala relicta, 97.
Catocala semirelicta, 97, 98.
Catocala similis, 97, 98.
Catocala sordida, 98.
Catocala ultronia, 98.
 Carabidae, 206.
Carpoborus bifurcus, 4.
Catocala unijuga, 97.
Catonia bicinctura, 72.
Catonia nava, 72.
Catonia pieta, 72.
Catonia purila, 72.
Cedusa sp., 72.
Celastrina angiolus pseudargiolus, 81, 82.
Celastrina ebenina, 82, 205.
 Celery looper, 96.
 Centipedes, 59-62.
 Cerambycidae, 179, 180.
Cercyonis pegala olympus, 84.
Cerma cava, 94.
 Chalcididae, 113-116.
Chamyris cerintha, 96.
Charadra deridens, 88.
Charidryas nycteis, 82.
Chetropachus colon, 112.
 Chilenophilidae, 60.
 Chilopoda, 59-62.
 Chironomidae, 185-190.
Chorthippus parallelus, 197.
Chramesus chapuisi, 4.
Chramesus hicooriae, 4.
Chrysoaspidia contexta, 96.
Chrysoaspidia putnami, 96.
Chrysoaspidia venusta, 97.
Chrysomela scripta, 181-184.
 Chrysomelidae, 31, 181-184.
Chytolita petrealis, 99.
Chytolita morbidalis, 99.
Chytonix palliatricaula, 94.
Chytonix sensilis, 94.
 Cicadellidae, 145-150.
 Cimicoidea, 19-22, 133, 137.
 Cixiidae, 71-74.
Cixius sp., 72.
 Cleridae, 114.
Clossiana bellona, 84.
 Clover cutworm, 91.
 Clover leaf weevil, 55, 57, 58.
 Clover looper, 98.
Cnesinus strigicollis, 4.
 Coleoptera, 1-9, 55, 57, 58, 77-79, 109-112, 113-116, 142, 179-184, 206.
Colias eurytheme, 82, 177.
Colias philodice, 82.
Conocephorus coniperda, 8.
Conocephorus resinosa, 8.
 Coreidae, 11-13.
 Coreoidea, 11-13, 15, 19, 133, 137.
 Corn earworm, 88, 95.
 Corthylus, 2.
Corthylus columbianus, 8.
Corthylus punctatissimus, 8.
Corythucha ciliata, 137-139.
Corythucha cydoniae, 37-43, 138.
Corythucha juglandis, 138.
Corythucha marmorata, 138.
Corythucha pallida, 138.
Cosmia calami, 95.
 Cottonwood leaf beetle, 181-184.
Crocigrapha normani, 92.
Crophius disconotus, 133-135,

- Crymodes devastator*, 93.
 Cryphalini, 2.
Cryphula trimaculata, 134.
Cryptocala acadiensis, 90.
 Cryptopidae, 59.
 Cryptopinae, 59.
Cryptops hyalinus, 59.
Crypturus pusillus, 1, 2, 6.
Cryptorhynchus lapathi, 5.
 Ctenopelmatinae, 117-122.
Cucullia asteroides, 92.
Cucullia postera, 92.
Culex pipiens, 124.
Culex restuans, 124.
 Culicidae, 123-129.
 Curculionidae, 55, 57, 58.
Cyllopsis gemma, 83.
Cymatodera bicolor, 114.
Cymus angustatus, 134.
Cymus discors, 134.
 Danaidae, 83.
Danaus plexippus, 83.
 Dark-sided cutworm, 89.
 Delphacidae, 49, 50, 71-74, 131.
 Delphacinae, 49, 50.
 Delphacini, 49, 50.
Delphacodes campestris, 72.
Delphacodes lutulenta, 72.
Delphacodes puella, 72.
Delphacodes recurvata, 72.
Delphacodes rotundata, 72.
Dendroctonus simplex, 4.
Dendrosoter protuberans, 109-112.
 Derbidae, 72.
 Dermestidae, 142.
Diarsia juvanda, 90.
Diarsia rubifera, 90.
 Dictyopharidae, 45-48, 72.
 Dignathodontidae, 60.
 Dingy cutworm, 89, 90.
 Diprionidae, 177, 178.
 Diptera, 123-129, 177, 185-195.
Dryocoetes autographus, 6.
Dryocoetes granicollis, 6.
 Dusky cutworm, 89.
 Eastern tent caterpillar, 51-53.
Edwardsiana rosae, 37.
Elaphidion villosus, 179, 180.
Elaphidionoides parallelus, 179, 180.
Elaphria festivoidea, 94.
Enargia decolor, 95.
Enargia infumata, 95.
Entedon leucogramma, 109-112.
Entomophthora phytonomi, 55, 57, 58.
Entomophthora punctata, 55.
 Ephemera procera, 69.
 Ephemeroptera, 69, 151-157.
Epiptera pallida, 72.
Epineurus lituralis, 99.
Epineurus ochreipennis, 99.
Epineurus pedipilalis, 99.
Erastria albidula, 96.
Erastria bellicula, 96.
Erastria carneola, 96.
Erastria muscosula, 96.
Erastria synochitis, 96.
Erebus odora, 98, 99.
Eremobina jocasta, 93.
Eremocoris ferus, 134.
 Eriophidae, 169.
Eucaryus missouriensis, 60.
 Ethopolyinae, 61.
Euagrotis forbesi, 90.
Euagrotis lubricans, 90.
Eucirrhoedia pampina, 93.
Euelidina cuspidata, 98.
Eueretagrotis attenta, 90.
Eueretagrotis perattenta, 90.
Euehrichia monetifera, 94.
 Eulophidae, 109-112.
Euparthenos rubilis, 98.
Euphydryas phaeton osarkae, 82.
Euplexia benesimilis, 94.
Euptoieta claudia, 82.
Eurema lisa, 82, 85.
Eurema nicippe, 82, 85.
Euristrymon ontario, 84.
Eurois occulta, 90.
 European elm bark beetle, 2, 5, 109-112.
 European Pine Sawfly, 177-178.
Eurotype confragosa, 93.
Eurytides marcellus, 82.
Euthisanotia grata, 95.
Euthochtha galatator, 12.
Euxoa albipennis, 89.
Euxoa declinata, 89.
Euxoa detersa, 89.
Euxoa divergens, 89.
Euxoa messoria, 89.
Euxoa mimallonis, 89.
Euxoa ochrogaster, 89.
Euxoa perpolita, 89.
Euxoa pleuritica, 89.
Euxoa redimicula, 89.
Euxoa scandens, 89.
Euxoa servita, 89.
Euxoa sinelinea, 89.
Euxoa tessellata, 89.
Euxoa tristicula, 89.
Everes comyntas, 82, 85.
Erya rolandiana, 95.
Faronta diffusa, 92.
Feltia ducens, 89.
Feltia geniculata, 90.
Feltia herilis, 89, 90.
Feltia subgothica, 90.
Feniseca tarquinius, 84.
 Flatidae, 72.
 Forest tent caterpillar, 52, 169, 177.
 Fourlined plant bug, 23-35.
 Fulgoroidea, 45-48, 71-75, 131.
Galgula partita, 95.
Gargaphia solani, 137-139.
Gargaphia tiliae, 138.
Garibius opioleus, 61.
Geocoris punctipes, 133-135.
Geocoris uliginosus, 134.
 Geometridae, 88.
 Geophilidae, 60.
 Geophilomorpha, 60.

- Geophilus ampax*, 60.
Geophilus mordax, 80.
Geophilus vitattus, 60.
 Giant silkworm moths, 159-165.
 Glassy cutworm, 93.
Cnathotrichus materiarius, 8.
Graphiphora badinodis, 90.
Graphiphora bicarnea, 90.
Graphiphora c-nigrum, 90.
Graphiphora collaris, 90.
 Green peach aphid, 171-176.
Graphiphora normaniana, 90.
Graphiphora smithii, 90.
Graphiphora tenuicula, 90.
 Greasy cutworm, 89.
 Gypsy moth, 103-108.
Hadena arotica, 93.
Haploclonus mollissima, 94.
Harknessulus titus, 84.
Harmostes fraterculus, 12.
Harmostes reflexulus, 12.
Harrisimema trisignata, 89.
 Hawthorn lace bug, 37-43.
 Heliconiidae, 84, 205.
Heliconius charitonius, 205.
Helicoverpa *sea*, 88, 95.
Heliothis obscoleta, 88, 85.
Heliothis subflexus, 95.
Helopeltis bergrothi, 32.
Hemileuca mata, 163.
 Hemiptera, 11-13, 15-17, 19-22, 23-35, 37-43,
 70, 133-136, 137-140, 141-144.
Hemiscolopendra punctiventris, 59.
 Hemicopidae, 61.
 Heptageniidae, 151-157.
Heptagrotis phylliphora, 90.
Heraeus plebejus, 134.
 Hesperidae, 205.
Homoglaea hircina, 93.
Homohadena badistriqua, 92.
 Homoptera, 45-50, 71-75, 131, 141, 145-150,
 171-176.
Hoplistoscelis sordidus, 80.
Hormisa absorptalis, 99.
Hormorthodes furfurata, 92.
Hylastinus obscurus, 2.
 Hylesiniinae, 2, 4.
Hylesinus aculeatus, 2.
Hylesinus eriddlei, 2.
Hylesinus fasciatus, 4.
Hylesinus pruinosis, 4.
Hylololycaena hyllus, 82.
Hyllocurus nudis, 5.
Hyllocurus bicornus, 5.
Hylurgopinus opaculus, 4.
Hylurgops pinifera, 2.
 Hymenoptera, 109-112, 113-116, 117-122,
 171-178.
Hypernodes caducus, 99.
Hypera postica, 55, 57, 58.
Hypera punctata, 55, 57, 58.
Hyperbatus marmoratus, 117, 120-122.
Hypogymna dispar, 103.
Hypothenemus, 1, 9.
Hypothenemus californicus, 7.
Hypothenemus crudiae, 7.
Hypothenemus dissimilis, 7.
Hypothenemus eruditus, 2, 7.
Hypothenemus interstitialis, 7.
Hypothenemus rotundicollis, 7.
Hypothenemus seriatus, 7.
Hyppa xylinoides, 94.
 Ichneumonidae, 117-122, 177.
Incisalia henrici, 82.
Incisalia nippon, 84.
Ipimorpha pleonectusa, 93.
Ips calligraphus, 6.
Ips grandicollis, 2.
Ips pini, 6.
 Issidae, 72.
Jalysus spinosus, 134.
Jalysus wickhami, 134.
Kleidocerys resedae, 134.
Kolenetrus plenus, 134.
Laciniipolia anguina, 91.
Laciniipolia lorea, 91.
Laciniipolia lustralis, 91.
Laciniipolia meditata, 91.
Laciniipolia olivacea, 91.
Laciniipolia renigera, 91.
Lamyctes fulvicornis, 61.
 Large orange sulphur, 205.
 Lasiocampidae, 51-53.
Lasiochilus fuscus, 20.
Lasiomerus armulatus, 20.
 Leafhoppers, 145-150.
 Lepidoptera, 51-53, 87-101, 103-108, 141,
 159-165, 177, 205.
Leptoglossus, 11.
Leptoglossus oppositus, 12.
Leptopyga costata, 138.
Lethe anhedon, 83.
Lethe creola, 81, 83.
Leucania commoides, 92.
Leucania inermis, 92.
Leucania insueta, 92.
Leucania luteopallens, 92.
Leucania multilinea, 92.
Leucania phragmatidicola, 92.
Leucania pseudargyria, 92.
Leucania uripuncta, 92.
Leuconycta diphteroides, 94.
Liburniella ornata, 50, 71-74.
Libytheana bachmanii, 82.
 Libytheidae, 82.
Ligyrocorys diffusus, 134.
Liorhyssus hyalinus, 12.
 Liphyridae, 84.
 Lithobiidae, 61.
 Lithobiinae, 61, 62.
 Lithobiomorpha, 61.
Lithobius forficatus, 61.
Litholomia napaea, 92.
Lithomia solidaginis, 92.
Lithophane fagina, 92.
Lithophane pexata, 92.
Locusta migratoria, 202.
Lomanaltes eductalis, 99.
Lophyprolectus oblongopunctatus, 177.
Luperina passer, 93.

Lycæna phlaeas americana, 82.
 Lycænidæ, 81-85, 205.
 Lycosidæ, 63-68.
Lyctocoris compestris, 20.
Lyctocoris stali, 20.
 Lygaeidæ, 133-135.
 Lygaeoidea, 133-136, 137.
Lygaeus kalmii, 134.
Lygaeus turcicus, 134.
Lygus diaponi, 22.
Lygus lineolaris, 23, 24.
Lymantria dispar, 103-108.
 Lymantriidæ, 103-108.
Lymantria decipiens, 6.
Macrosteles fascifrons, 145-150.
Malacosoma americanum, 51-53.
Malacosoma distria, 52, 169, 177.
Malacosoma neustria, 52.
Marathyssa inficita, 96.
 Mayflies, 69, 151-157.
Mecidea longula, 70.
Mecidea major, 70.
Mecidea minor, 70.
Megamelus davisi, 49, 50.
Megamelus unguilatus, 72.
Megisto cymela, 83.
Melanolestes abdominalis, 16.
Melanolestes picipes, 16.
Melanoplus differentialis, 202.
Melanoplus ferrugineus, 197-204.
Melanoplus sanguinipes, 197-201.
Melanorhopala infusata, 138.
Meroctis distinctus, 12.
Mesephemera lithochila, 69.
Mesephemera procera, 69.
 Mesephemeridæ, 69.
Metalestra quadristriata, 99.
Metalepsis fishii, 90.
Metacalfa pruinosa, 72.
Mezira granulata, 132.
Mezira lobata, 122.
Micracis suturalis, 5.
Micracis swainsei, 5.
Micropsectra dives, 186, 188, 189.
Micropsectra polita, 185-190.
 Miridæ, 23-35.
 Mirinæ, 23-35.
 Mites, 37, 141, 169.
Mitoura gryneus, 22, 85.
Monarthrum, 2.
Monarthrum fasciatum, 8.
Monarthrum malii, 2.
 Mosquitoes, 123-129.
 Mottled gray cutworm, 91.
 Muscidæ, 191-195.
Myndus pictifrons, 72.
Myodocha serripes, 124.
Myzus persicae, 171-176.
 Nabidæ, 19-21.
Nabis americanus, 19-21.
Nabis capsiformis, 20.
Nabis roseipennis, 19-21.
Nadabius ameles, 61.
Nadabius holzingeri, 61.
Nadabius iowensis, 61.
Nadabius pullus, 61.
Nampabius virginiensis, 61.
Narvesus carolinensis, 16.
Nathalis iole, 82.
Neacoryphus bicrucis, 134.
Nedra ramosula, 94.
Neides muticus, 134.
Neodiprion sertifer, 177-178.
Neolithobius mordax, 61.
Neolithobius tyrannus, 61.
Neolithobius voracior, 61, 82.
Nephelodes minians, 92.
Nersia florens, 45-48.
Neuroctenus sp., 138.
 Noctuidæ, 87-101.
 Nymphalidæ, 82, 83, 205.
Nymphalis antiopa, 83.
Nyctius niger, 154.
 Oak twig pruner, 179, 180.
Ochropleura plecta, 90.
Oecleus borealis, 72.
Oliarus aridus, 72.
Oliarus ecologus, 71-74.
Oliarus quinquelineatus, 71-74.
Oligia bridghami, 93.
Oligia illocata, 93.
Oligia maculata, 93.
Oligia minuscula, 93.
Oligia tonsa subjuneta, 93.
Oncoccephalus geniculatus, 16.
Oncocnemis piffardi, 92.
Oncocnemis riparia, 92.
Orius insidiosus, 19-21, 141-144.
Orius tristicolor, 144.
Ormenoides venusta, 72.
Orthodes crenulata, 92.
Orthodes cynica, 92.
Ortholomus scolopax, 134.
Orthopodomyia alba, 123-128.
Orthopodomyia signifera, 123-128.
 Orthoptera, 197-204.
Orthostia hibiscus, 92.
Orthostia revicta, 92.
Orthotomicus caelatus, 2, 6.
 Owllet-moth, 103.
Pachybrachius basalis, 134.
Pachybrachius bilobatus, 134.
Pachymerium ferrugineum, 60.
Pagasa fusca, 20.
Pantobius juvenis, 62.
Palthis angulalis, 100.
Pangrapta decoralis, 99.
Panopoda rufimargo, 99.
Panthea acronyctoides, 82.
Panthea furcilla, 82.
Papaipema appassionata, 94.
Papaipema furcata, 94.
Papaipema marginidens, 94.
Papaipema purpurifascia, 94.
Papilio cresphontes, 82.
Papilio glaucus, 82.
Papilio polyxenes asterius, 82.
Papilio troilus, 82.
 Papilionidæ, 82, 85.
 Papilionoidea, 81-85.

Paradiarsia littoralis, 90.
Parallelia histriaris, 98.
Parastichtis discivaria, 93.
Pardosa distincta, 63, 65, 67.
Pardosa fuscula, 63, 65.
Pardosa groenlandica, 63, 65.
Pardosa hyperborea, 63.
Pardosa lapidicina, 63, 65, 67.
Pardosa mackenziana, 64, 66, 67.
Pardosa milvina, 64, 66, 67.
Pardosa modica, 64, 66, 67.
Pardosa moesta, 65-67.
Pardosa saxatilis, 66-68.
Pardosa serampelina, 66-68.
Pasimachus elongatus, 206.
Peridroma saucia, 90.
Parrhasius m-album, 82.
Pentagramma variegata, 50.
 Pentatomidae, 70.
 Pentatomoidea, 11, 15, 19, 133, 137.
Phasgonophora sulcata, 113-116.
Philometra eumelusalis, 99.
Philometra hanhami, 99.
Philometra metonalis, 99.
Phlegyas abbreviatus, 134.
Phloeosinus dentatus, 4.
Phloeosinus taeddi, 4.
Phloeotribus dentifrons, 4.
Phloeotribus frontalis, 4.
Phloeotribus liminaris, 4.
Phloeotribus scabricollis, 4.
Phlogophora iris, 94.
Phlogophora periculosa, 94.
Phoebis agarithe, 205.
Phoebis philea, 205.
Phoebis sennae eubule, 82, 205.
Phrictopyga occidentalis, 151.
Phyciodes tharos, 83.
 Phymata americana, 15, 16.
Phymata f. fasciata, 16.
Phymata pennsylvanica, 16.
 Phymatidae, 15, 16.
Physatocheila brevirostris, 138.
Physatocheila variegata, 138.
Physobius rappi, 62.
 Pieridae, 82, 85, 205.
Piesma cinerea, 134.
 Piesmatidae, 134.
Pikonema alaskensis, 117-122.
Pissonotus brunneus, 72.
Pityogenes hopkinsi, 2, 6.
Pityophthorus consimilis, 8.
Pityophthorus arinalis, 8.
Pityophthorus lautus, 8.
Pityophthorus opaculus, 2, 8.
Pityophthorus puberulus, 2, 8.
Pityophthorus pulicarius, 8.
Pityophthorus scriptor, 8.
Pityophthorus virilis, 8.
 Plantain looper, 97.
 Planthoppers, 71-75.
Plathypera scabra, 99.
Platyperigea meralis, 95.
Platyperigea multifera, 95.
Platypolia anceps, 92, 93.
Plusia balluca, 97.
Plusia aereoides, 97.
Prionotis modesta, 16.
Psecoilocapsus lineatus, 23-35.
Pokabius bilabiatatus, 62.
Polia adjuncta, 91.
Polia aetnensis, 91.
Polia detracta, 91.
Polia goodellii, 91.
Polia grandis, 91.
Polia imbrifera, 91.
Polia ingravis, 91.
Polia legitima, 91.
Polia lutra, 91.
Polia nimbosea, 91.
Polia obscura, 91.
Polia pulverulenta, 91.
Polia purpuriseta, 91.
Polia radix, 91.
Polia rugosa, 91.
Polia tacoma, 91.
Polygonia comma, 83.
Polygonia interrogationis, 83.
Polygonia progne, 83.
Polygraphus rufipennis, 4.
Pontia protodice, 82.
Preais coenia, 83.
Prodenia ornithogalli, 95.
Prokelisia crocea, 50.
Protagrotis niveivivosa, 93.
Protolampra brunneicollis, 90.
Protolampra rufipectus, 90.
Protoleucania albilinea, 92.
Protorthodes incinata, 92.
Protorthodes oviduca, 92.
Proxenus miranda, 95.
Psaphida grotei, 92.
Psestraglaea carnea, 93.
Pseliopus barberi, 16.
Pseliopus cinctus, 16.
Pseudocnemodus canadensis, 134.
Pseudopityophthorus asperulus, 8.
Pseudopityophthorus minutissimus, 8.
Pseudopityophthorus pruinosis, 8.
Pseudoplustia includens, 97.
Pseudospaelotis hamuspicca, 90.
Pseudothysanoes dislocatus, 5.
Pseudothysanoes lecontei, 5.
Pseudothysanoes rigidus, 5.
Ptochiomera nodosa, 134.
Pygolampis pectoralis, 16.
Pygolampis sericea, 16.
Pyraecantha lace bug, 37.
Pyrrhia exprimens, 95.
Pyrrhia umbra, 95.
 Quince tingis, 37.
Raphia abrupta, 88.
Raphia frater, 88.
 Redbacked cutworm, 89.
 Redlegged grasshopper, 197-204.
 Reduviidae, 15-17.
 Reduvioidae, 15-17, 133, 137.
Renia larvalis, 100.
Renia flavipunctalis, 100.
Rhodophora florida, 95.

Rhopalidae, 11, 12.
Rhorus bartelti, 117-119.
Rhorus gaspesianulus, 117, 119, 120.
Rhynchagrotis anchocelioides, 91.
Rhynchagrotis cupida, 91.
Rivula propinqualis, 99.
 Rose leafhopper, 37.
Sahlbergella singularis, 32.
 Sandhill cutworm, 89.
Sarcophaga aldrici, 177.
Sarothripus revayana, 96.
 Saturniidae, 159-165.
 Satyridae, 81, 83.
Satyrium calamus falacer, 82.
Satyrium caryaevorus, 84.
Satyrium liparops strigosa, 84.
 Scarabaeidae, 77-79.
 Scaritini, 206.
Schendyla nemorensis, 60.
 Schendylidae, 60.
Schinia florida, 95.
Schinia marginata, 95.
Scoliopteryx libatrix, 99.
 Scolobatinae, 117.
Scolopendra viridis, 59, 60.
 Scolopendridae, 59, 60.
 Scolopendromorpha, 59, 60.
Scolopocryptops nigrifidus, 59.
Scolopocryptops rubiginosus, 59.
Scolopocryptops sexspinosus, 59.
Scolops angustatus, 72.
Scolops pungens, 72.
Scolops sulcipes, 72.
 Scolytidae, 1-9, 109-112.
 Scolytinae, 5-9, 109-112.
Scolytus mali, 2, 5.
Scolytus multistriatus, 2, 5, 109-112.
Scolytus muticus, 5.
Scolytus piceae, 5.
Scolytus quadrispinosus, 5.
Scolytus rugulosus, 2, 5.
Scotogramma trifolii, 91.
Scutigera coleoptrata, 60, 61.
 Scutigeridae, 60, 61.
 Scutigeromorpha, 60, 61.
Septis alia, 93.
Septis amputatrix, 93.
Septis arctica, 93.
Septis cariosa, 93.
Septis impulsiva, 93.
Septis inordinata, 93.
Septis lignicolor, 93.
Septis nigriflor, 93.
Septis vultuosa, 93.
Sideridis congermana, 91.
Sigibius urbanus, 62.
Sinea complexa, 16.
Sinea diadema, 15-17.
Sinea spinipes, 15-17.
Sonibius bius, 62.
Sonibius politus, 62.
 Soybean looper, 97.
Soribius proridene, 62.
Spaelotis clandestina, 90.
Spathius benefactor, 112.
Speyeria cybele, 83.
 Spotted cutworm, 90.
 Spotted-sided cutworm, 90.
Stenacron interpunctatum, 151-157.
Stenonema pulchellum, 151-157.
Stictopleurus punctiventris, 12.
Stobaera tricoarinata, 50, 72.
Strigamia bidens, 60.
Strigamia bothriopa, 60.
Strigamia branneri, 60.
Strigamia ohionophila, 60.
 Striped cutworm, 89.
 Striped garden caterpillar, 91.
Strymon melinus humuli, 82, 85.
Sunira bicolorago, 93.
 Sweet-fern underwing, 97.
Syndipnus gaspesianus, 117, 120.
Syndipnus rubiginosus, 117.
Synecdoche impunctata, 72.
Synedoida adumbrata alleni, 99.
Synedoida grandirena, 99.
Syngrapha alia, 96.
Syngrapha cryptica, 96.
Syngrapha epigaea, 96.
Syngrapha falcifera, 96.
Syngrapha octoscripta, 96.
Syngrapha rectangula, 96.
Syngrapha viridisigma, 96.
Syntames uhleri, 72.
Taiyuna opita, 80.
Tanytarsus politus, 185.
Tarachidia erastrioides, 96.
 Tarnished plant bug, 23, 24.
Tenebroides corticalis, 114.
 Tenthredinidae, 117-122.
 Tetranychidae, 37.
 Theatopinae, 59.
Theatops posticus, 59.
Theatops spinicaudus, 59.
Thionia simplex, 72.
 Thrips, 141.
Thysanoes fimbriicornis, 5.
Tidabius tivius, 62.
Tidabius sultus, 62.
Tidabius plesius, 62.
 Tingidae, 37-43, 137-139.
 Tobacco budworm, 95.
Toxorhynchites, 128.
Trachea delicata, 94.
Tricholita signata, 92.
Trichoplusia ni, 96.
 Trischidias, 9.
Trischidias atoma, 7.
Trogoderma glabrum, 142.
 Trogositidae, 114.
 Tropidocephalini, 49, 50.
 Twolined chestnut borer, 113-116.
Ufeus satyricus, 91.
Ulolonche culea, 92.
Ulolonche modesta, 92.
Valgus canaliculatus, 77.
Valgus californicus, 77.
Valgus hemipterus, 77-79.
Valgus seticollis, 77.
Vanessa atalanta rubria, 83.

Vanessa cardui, 83.
Vanessa virginiensis, 83.
Variegated cutworm, 90.
Wheat armyworm, 92.
White birch underwing, 97.
White cutworm, 89.
Wolf Spiders, 63-68.
Xyomyia smithii, 122.
Xanthia lutea, 92.
Xyleborinus saweseni, 2, 6.
Xyleborus affinis, 2, 6.
Xyleborus celsus, 6.
Xyleborus dispar, 2, 7.
Xyleborus ferrugineus, 2, 7.
Xyleborus obesus, 7.
Xyleborus rubricollis, 2, 7.
Xyleborus sayi, 7.
Xyleborus tachygraphus, 7.
Xyleborus xylographus, 7.

Xylena curvimaacula, 92.
Xylomoia chagnoni, 93.
Xylosandrus germanus, 2, 7.
Xyloterinus politus, 6.
Xyonysius californicus, 134.
Yellow-banded underwing, 97.
Yellow-headed cutworm, 93.
Yellowheaded spruce sawfly, 117-122.
Zale duplicata, 98.
Zale horrida, 98.
Zale lunata, 98.
Zale metatoides, 98.
Zale minerea, 98.
Zale obliqua, 98.
Zale undularis, 98.
Zebra butterfly, 205.
Zerene cesonia, 82.
Zeridoneus costalis, 134.
Zoophtora phytocomi, 56, 57.