

MARK F. O'BRIEN

Volume 15

1982

*THE*  
*GREAT LAKES*  
*ENTOMOLOGIST*

INDEX

Compiled by George C. Heaton

*Number*


*Publication Date*

1  
2  
3  
4

6 May 1982  
3 June 1982  
15 Sep. 1982  
18 Feb. 1983

*PUBLISHED BY*

THE MICHIGAN  
ENTOMOLOGICAL  
SOCIETY



THE GREAT LAKES ENTOMOLOGIST  
VOLUME XV (1982)  
AUTHOR INDEX

- Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller.  
Seasonal Emergence Patterns of Black Flies (Diptera:  
Simuliidae) in Northwestern Pennsylvania, 253.
- Averill, Robert D., Louis F. Wilson, and Richard F. Fowler.  
Impact of the Redheaded Pine Sawfly (Hymenoptera:  
Diprionidae) on Young Red Pine Plantations, 65.
- Bach, Catherine E. The Influence of Plant Dispersion on Movement  
Patterns of the Colorado Potato Beetle, *Leptinotarsa*  
*decehlineata* (Coleoptera: Chrysomelidae), 247.
- Borkin, Susan Sullivan. Notes on Shifting Distribution Patterns  
and Survival of Immature *Danaus plexippus* (Lepidoptera:  
Danaidae) on the Food Plant *Asclepias Syriaca*, 199.
- Bouseman, John K. *Triepeolus mesillae* (Hymenoptera: Apoidea) in  
Illinois: A Cleptoparasitic Bee New to the Eastern  
United States, 146.
- Brown, Grayson C. Determining the Cost of an IPM Scouting  
Program, 303.
- Clement, S. L. (See Levine, Eli, S. L. Clement, and R. S.  
Schmidt), 47.
- Connor, Michael D., Mark W. Houseweart, and Herbert M. Kulman.  
Susceptibility of White Spruce Seed Sources to Yellow-  
headed Spruce Sawfly, *Pikonema Alaskensis* (Hymenoptera:  
Tenthredinidae), 207.
- Coppel, H. C. (See Mohamed, M. A., H. C. Coppel, and J. D.  
Podgwaite), 93.
- Cutler, Bruce. Description of a New Species of *Paradamoetas*  
(Araneae: Salticidae), with a Revised Key to the Genus,  
219.
- Dood, S. B. and A. Kurta. New Records for Ectoparasites of  
Michigan Bats, 217.
- Dunn, Gary A. A Directory of Policies on Arthropod Collecting  
on Public Lands, 123.
- Dunn, Gary A. Ground Beetles (Coleoptera: Carabidae) Collected  
by Pitfall Trapping in Michigan Small-grain Fields, 37.
- Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann.  
Genetic Differentiation Among Three Species of *Paradosa*  
(Arachnida: Lycosidae), 55.
- Engemann, J. G. (See Elliott, N. C., R. J. Wolff, W. E. Johnson,  
and J. G. Engemann), 55.
- Evans, David A. Diurnal and Seasonal Activity of Female Mutillids  
on a Michigan Sand Flat (Hymenoptera: Mutillidae), 213.
- Evans, M. H. (See Scriber, J. M., G. L. Lintereur, and M. H.  
Evans), 39.
- Fowler, Gary W. and Gary A. Simmons. Spruce Budworm Egg Mass  
Density on Balsam Fir: Low to Extreme Population Levels  
(Lepidoptera: Tortricidae), 277.
- Fowler, Gary W. and John A. Witter. Accuracy and Precision of  
Insect Density and Impact Estimates, 103.
- Fowler, Gary W. (See Simmons, Gary A. and Gary W. Fowler), 287.

- Fowler, Richard F., Louis F. Wilson, and Allen L. Lundgren. Projected Red Pine Yields From Aldrin-Treated and Untreated Stands Damaged by White Grub (Coleoptera: Scarabaeidae) and Other Agents at Stand Age Ten Years, 165.
- Fowler, Richard F. (See Averill, Robert D., Louis F. Wilson, and Richard F. Fowler), 65.
- Gosling, D. C. L. Michigan Trees by Burton V. Barnes and Warren H. Wagner, Jr. (book review), 143.
- Hanna, Murray. Gypsy Moth (Lepidoptera: Lymantriidae): History of Eradication Efforts in Michigan, 1954-1981, 193.
- Harcourt, D. G. Population Assessment During the Adult Stage of the Alfalfa Blotch Leafminer, *Agromyza frontella* (Diptera: Agromyzidae), 49.
- Hilsenhoff, William L. and Bryn H. Tracy. A New Species of *Hydrochara* from the Western Great Lakes Region, 99.
- Hilsenhoff, William L. (See Tracy, Bryn H. and William L. Hilsenhoff), 163.
- Houseweart, Mark W. (See Connor, Michael D., Mark W. Houseweart, and Herbert M. Kulman), 207.
- Johnson, W. E. (See Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann), 55.
- Kim, K. C. (See Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller), 253.
- Koller, C. N. (See Mattson, W. J., C. N. Koller, and S. S. Slocum), 185.
- Kulman, Herbert M. (See Connor, Michael D., Mark W. Houseweart, and Herbert M. Kulman), 207.
- Kurczewski, Frank E. (See O'Brien, Mark F. and Frank E. Kurczewski), 261.
- Kurta, A. (See Dood, S. B. and A. Kurta), 217.
- Levine, Eli, S. L. Clement, and R. S. Schmidt. A Low Cost and Labor Efficient Method for Rearing Black Cutworms (Lepidoptera: Noctuidae), 47.
- Lintereur, G. L. (See Scriber, J. M., G. L. Lintereur, and M. H. Evans), 39.
- Lundgren, Allen L. (See Fowler, Richard F., Louis F. Wilson, and Allen L. Lundgren), 165.
- Lynch, Ann M. (See Mog, Thomas P., Ann M. Lynch, and J. A. Witter), 1.
- Masteller, E. C. (See Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller), 253.
- Mattson, W. J., C. N. Koller, and S. S. Slocum. Adult Female Spruce Budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), Dry Weight in Relationship to Pupal Fresh Weight and Case Diameter, 185.
- McCafferty, W. P. A New Species of *Nixe* From Indiana (Ephemeroptera: Heptageniidae), 227.
- McPherson, J. E. and S. M. Paskewitz. Effects of Continuous and Split Developmental Photophases During Each 24 Hour Period on Adult Color and Pubescence in *Thyanta calceata* (Hemiptera: Pentatomidae), 97.
- McPherson, J. E. and S. M. Paskewitz. Effects of Various Split Developmental Photophases and Constant Light During Each 24 Hour Period on Adult Morphology in *Euschistus tristigmus tristigmus* (Hemiptera: Pentatomidae), 159.
- McPherson, J. E. (See Paskewitz, S. M. and J. E. McPherson), 231.
- McPherson, J. E. (See Weber, B. C. and J. E. McPherson), 171.
- McPherson, J. E. (See Weber, B. C. and J. E. McPherson), 175.
- Meier, Peter G. (See Roberts, Dale and Peter G. Meier), 59.
- Meyer, R. H. Biological Characteristics That Make the Lesser Peachtree Borer (Lepidoptera: Sesiidae) a Pest on Peach Trees, 189.
- Mog, Thomas P., Ann M. Lynch, and J. A. Witter. Impact of the Spruce Budworm (Lepidoptera: Tortricidae) on the Ottawa and Hiawatha National Forests, 1978-1980, 1.

- Mohamed, M. A., H. C. Coppel, and J. D. Podgwaite. Bioassay of the Nucleopolyhedrosis virus of *Neodiprion sertifer* (Hymenoptera: Diprionidae), 93.
- Montgomery, Bruce A. (See Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randal G. Rogan), 297.
- Morton, H. L. (See Witter, J. A. and H. L. Morton), 119.
- Nielsen, M. C. Butterflies of the Rocky Mountain States. Edited by Clifford D. Ferris and F. Martin Brown (book review), 143, 144.
- O'Brien, Mark F. and Frank E. Kurczewski. Ethology and Overwintering of *Podalonia luctuosa* (Hymenoptera: Sphecidae), 261.
- Ostry, Michael E. (See Sapio, Frank J., Louis F. Wilson, and Michael E. Ostry), 237.
- Paskewitz, S. M. and J. E. McPherson. Descriptions of Nymphal Instars of *Thyanta calceata* (Hemiptera: Pentatomidae), 231.
- Paskewitz, S. M. (See McPherson, J. E. and S. M. Paskewitz), 97.
- Paskewitz, S. M. (See McPherson, J. E. and S. M. Paskewitz), 159.
- Podgwaite, J. E. (See Mohamed, M. A., H. C. Coppel, and J. D. Podgwaite), 93.
- Roberts, Dale and Peter G. Meier. A New Method for Exposing Deposit Feeders to Contaminated Sediments for Food Chain Studies, 59.
- Rogan, Randall G. (See Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randal G. Rogan), 297.
- Ruesink, W. G. (See Wagner, S. W. and W. G. Ruesink), 153.
- Sapio, Frank J., Louis F. Wilson, and Michael E. Ostry. A Split-Stem Lesion on Young Hybrid *Populus* Trees Caused by the Tarnished Plant Bug, *Lygus lineolaris* (Hemiptera [Heteroptera]: Miridae), 237.
- Schmidt, R. S. (See Levine, Eli, S. L. Clement, and R. S. Schmidt), 47.
- Scriber, J. M., G. L. Lintereur, and M. H. Evans. Foodplant Suitabilities and a New Oviposition Record for *Papilio glaucus canadensis* (Lepidoptera: Papilionidae) in Northern Wisconsin and Michigan, 39.
- Simmons, Gary A. and Gary W. Fowler. Spruce Budworm Egg Mass Density on Balsam Fir and White Spruce: Low Population Levels (Lepidoptera: Tortricidae), 287.
- Simmons, Gary A. (See Fowler, Gary W. and Gary A. Simmons), 277.
- Simmons, Gary A. (See Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randal G. Rogan), 297.
- Slocum, S. S. (See Mattson, W. J., C. N. Koller, and S. S. Slocum), 185.
- Smith, R. E. Large-scale Production of Fungal Bait Blocks for Attraction of Termites (Isoptera: Rhinotermitidae), 31.
- Taboada, Oscar. First Report of the Leafhopper *Graminella fitchii* for Michigan (Homoptera: Cicadellidae), 223.
- Tracy, Bryn H. and William L. Hilsenhoff. The Female of *Graphoderus manitobensis* with Notes on Identification of Female *Graphoderus* (Coleoptera: Dytiscidae), 163.
- Tracy, Bryn H. (See Hilsenhoff, William L. and Bryn H. Tracy), 99.
- Travis, B. L. (See Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller), 253.
- Voegtlin, David. The Distribution and Spread of *Hyadaphis tataricae* (Homoptera: Aphididae) in the North-Central States with Notes on Its Hosts, Biology, and Origin, 147.
- Wagner, S. W. and W. G. Ruesink. The Distribution of Natural Enemies of the Corn Leaf Aphid (Homoptera: Aphididae) on Field Corn, 153.
- Weber, B. C. and J. E. McPherson. Annotated Bibliography of the Ambrosia Beetle *Xylosandrus germanus* (Coleoptera: Scolytidae), 175.

- Weber, B. C. and J. E. McPherson. The Distribution of *Xylosandrus Germanus* in America North of Mexico (Coleoptera: Scolytidae), 171.
- Wheeler, A. G., Jr. The Pentatomoidea (Hemiptera) of Northeastern North America with Emphasis on the Fauna of Illinois. by J. E. McPherson. (Review), 225.
- Wilson, Louis F. (See Averill, Robert D., Louis F. Wilson, and Richard F. Fowler), 65.
- Wilson, Louis F. (See Fowler, Richard F., Louis F. Wilson, and Allen L. Lundgren), 165.
- Wilson, Louis F. (See Sapio, Frank J., Louis F. Wilson, and Michael E. Ostry), 237.
- Wilson, Stephen W., Description of the Fifth Instar of *Apache degeeri* (Homoptera: Fulgoroidea: Derbidae), 35.
- Witter, J. A. and H. L. Morton. The Role of Tree Clinics in Urban Forestry, 119.
- Witter, John A. (See Fowler, Gary W. and John A. Witter), 103.
- Witter, J. A. (See Mog, Thomas P., Ann M. Lynch, and J. A. Witter), 1.
- Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randall G. Rogan. Technology Transfer in Forest Pest Management: A Case History, 297.
- Wolff, R. J. (See Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann), 55.
- Young, Allen M. Predation on the Pupae of Saturniidae (Lepidoptera) by Gray Squirrels in Wisconsin, 145.

# SUBJECT INDEX

- Acalymma*, 247, 251.  
*Acalymma innubum*, 251.  
*Acalymma vittatum*, 248, 252.  
*Acanthomyops* sp., 271.  
Acanthosomatidae, 225.  
Acari, 217, 218.  
*Aethus nigritus*, 226.  
*Agonum cupripenne*, 37.  
*Agonum placidum*, 37.  
*Agromyza frontella*, 49-54.  
Agromyzidae, 49-54.  
Agrotinae, 267.  
*Agrotis* sp., 267.  
*Agrotis ipsilon*, 47, 48, 273.  
*Alabidocarpus calcearatus*, 218.  
*Aletia carygala*, 287.  
Alfalfa blotch leafminer, 49-54.  
*Amara cupreolata*, 37.  
*Amara ellipsis*, 37.  
*Amara littoralis*, 37.  
Ambrosia beetle, 171-174, 175-183.  
*Ammophila*, 261, 268, 273.  
Ammophilini, 261-275.  
*Anisodactylus lugubris*, 37.  
*Anisodactylus nigerrimus*, 38.  
*Anisodactylus rusticus*, 37.  
*Anisodactylus sanctaerucis*, 37.  
*Anoplius tenebrosus*, 269.  
*Anopilus viaticus*, 269.  
*Antherea polyphemus*, 145  
Anthocoridae, 154-156.  
Ants, 267, 273, 274.  
*Apache degeerii*, 35, 36.  
*Aphidencyrtus aphidivorus*, 158.  
Aphididae, 147-152, 153-157.  
*Aphidius* sp., 156.  
Aphids, 147-152, 153-157.  
Apoidea, 146.  
Arachnida, 55-58, 204, 219-222, 267.  
Araneae, 219-222.  
Argasidae, 218.  
Arctiidae, 261, 262.  
*Asaphes* sp., 156.  
Asopinae, 225.  
*Attacus atlas*, 145.  
*Banasa*, 225.  
*Banasa euchlora*, 226.  
*Bembidion incrematum*, 37.  
*Bembidion nitidum*, 37.  
Black cutworm, 47, 48.  
Black flies, 253-260.  
*Borneria comta*, 273.  
Braconidae, 156.  
*Callosamia promethea*, 145.  
*Calosoma calidum*, 37.  
Carabidae, 37, 38.  
Cereal leaf beetle, 50.  
Chigger mite, 218.  
Chirodiscidae, 218.  
Chironomidae, 59-63.  
*Chironomus plumosus*, 59-63.  
*Chlaenius tomentosus*, 38.  
*Chlaenius tricolor*, 38.  
*Chlorochroa*, 226.  
*Choristoneura fumiferana*, 1-24, 109,  
111, 185-187, 277-286,  
287-296, 297-301.  
*Choristoneura occidentalis*, 278.  
*Chorizagrotis agretris*, 267.  
Chrysomelidae, 247-252.  
Cicadellidae, 223.  
Cicindelidae, 267, 273.  
*Cicindela repanda*, 267.  
*Cicindela scutellaris*, 267.  
*Cimex adjunctus*, 217.  
*Cimex brevis*, 217.  
*Cimex pilosellus*, 217.  
Cimicidae, 217.  
*Clivina impressifrons*, 37.  
*Closterocerus cinctipennis*, 74.  
Coccinellidae, 154, 155.  
*Coleomegilla maculata*, 154.  
Coleoptera, 37, 38, 50, 99-102, 154,  
155, 163, 164, 165-170, 171-174,  
175-183, 247-252, 267.  
*Colliuris pensylvanicus*, 38.  
Colorado potato beetle, 247-252.  
Corimelaenidae, 225, 226.  
Corn leaf aphid, 153-157.  
Crab-spider, 267.  
*Cryptonyssus flexus*, 217.  
Cucumber beetles, 247, 251, 252.  
Cydidae, 225.  
Danaiidae, 199-206.  
*Danaus plexippus*, 199-206.  
*Dasymutilla asopus bewar*, 213, 215.  
*Dasymutilla canella*, 213, 215.  
*Dasymutilla lepeletieri*, 213, 215.  
*Dasymutilla nigripes*, 213, 215.  
*Dasymutilla vesta vesta*, 213.  
*Dendrocerus niger*, 158.  
Derbidae, 35, 36.  
*Dipogon intermedia*, 269.  
*Diprion pini*, 84.  
Diprionidae, 65-91, 93-96.  
Diptera, 49-54, 59-63, 253-260, 261,  
262, 264, 267, 268, 273, 274.  
Dytiscidae, 163, 164.  
Eastern tiger swallowtail butterfly,  
39-46.

*Elasmucha lateralis*, 226.  
 Encyrtidae, 156.  
 Ephemeroptera, 25-30, 227-229.  
*Epinomia triangulifera*, 146.  
*Estigmene acrea*, 261.  
 Eulophidae, 156.  
*Euphœades*, 144.  
 European pine sawfly, 207.  
*Euschistus*, 226.  
*Euschistus tristigmus luridus*, 159.  
*Euschistus tristigmus pyrrhocærus*, 159, 160.  
*Euschistus tristigmus tristigmus*, 159-161.  
*Euxoa* sp., 266, 267.  
 Flea beetles, 251.  
 Forest tent caterpillar, 40.  
*Foymica bradleyi*, 267.  
 Formicidae, 267, 273, 274.  
*Frankliniella tenuicornis*, 154.  
 Fulgoroidea, 35, 36.  
*Galerita janus*, 38.  
 Galerucinae, 247.  
*Galqapha*, 226.  
*Geopinus incrassatus*, 37.  
*Grominella fitchii*, 223.  
*Graphiphora badinodis*, 267.  
*Graphoderus fasciatocollis*, 163.  
*Graphoderus fasciicollis*, 163, 164.  
*Graphoderus liberus*, 163.  
*Graphoderus manitobensis*, 163, 164.  
 Greenbug, 154, 155.  
 Ground beetles, 37, 38.  
*Gryllus* sp., 271.  
 Gypsy Moth, 193-198, 261.  
 Halticinae, 251.  
*Harpalus affinis*, 37.  
*Harpalus caliginosus*, 37.  
*Harpalus herbivagus*, 37.  
 Hemiptera, 97, 98, 154-156, 159-161, 204,  
 217, 218, 225, 226, 231-235,  
 237-246.  
*Heptagenia persimplex*, 26, 29, 227.  
 Heptageniidae, 25-30, 227-229.  
 Heteroptera, 225, 237-246.  
*Hilarella hilarella*, 261, 266-268, 273.  
*Hilarella strictica*, 273.  
*Hippodamia convergens*, 154, 156.  
*Hippodamia tridecimpunctata*, 156.  
*Histiogaster hylcoeti*, 177.  
 Homoptera, 35, 36, 147-152, 153-157, 223.  
*Hyadaphis tataricæ*, 147-152.  
*Hyalophara cæropia*, 145.  
*Hydrochara brevipalpus*, 99, 101, 102.  
*Hydrochara leechi*, 99, 101, 102.  
*Hydrochara obtusata*, 99-102.  
*Hydrochara occulta*, 99.  
*Hydrochara simula*, 99-102.  
*Hydrochara soror*, 99, 101, 102.  
*Hydrochara spangleri*, 99, 101, 102.  
 Hydrophilidae, 99-102.  
*Hyllobius radialis*, 86.  
 Hymenoptera, 65-91, 93-96, 146, 156,  
 207-211, 213-216, 261-275.  
 Ichneumonidae, 261.  
*Incisalia*, 144.  
 Ischnopsyllidae, 217.  
 Isoptera, 31-34.  
 Lacewing, 204.  
*Laciniptolia* sp., 267.  
 Lasiocampidae, 261.  
 Lepidoptera, 1-24, 39-48, 143-145,  
 185-187, 189-192, 193-198,  
 199-206, 261-268, 273,  
 277-286, 287-296, 297-301.  
*Leptinotarsa decemlineata*, 247-252.  
*Leptotrombidius myotis*, 218.  
*Lespesia archippivora*, 203.  
 Lesser peachtree borer, 189-192.  
*Leucania comoides*, 267.  
*Leucrocota*, 227.  
*Liris argentata*, 269.  
*Lycophotia margaritosa*, 267.  
*Lycophotia saucia*, 267.  
 Lycosidae, 55-58.  
*Lygus hesperus*, 243.  
*Lygus lineolaris*, 237-246.  
*Lygus rugulipennis*, 243.  
*Lymantria dispar*, 193-198, 261.  
 Lymantriidae, 193-198.  
*Macdunnocæ brunnea*, 25-29.  
*Macdunnocæ nipawinia*, 25, 27, 29, 30.  
*Macdunnocæ persimplex*, 25, 27-30, 227.  
 Macronyssidae, 217.  
*Macronyssus erosbyi*, 217.  
*Malacosoma disstria*, 40.  
 May beetles, 165-170.  
 Mayflies, 25-30, 227-229.  
*Meadorus lateralis*, 226.  
*Mechantitis isthmia*, 204.  
 Megaspilidae, 156.  
*Meteorus vulgaris*, 262.  
 Midge, 59-63.  
 Miltogramminæ, 261, 267.  
 Miridae, 237-246.  
*Misumena vatia*, 267.  
 Mites, 217, 218.  
 Monarch butterfly, 199-206.  
 Mutillidae, 213-216.  
 Myobiidae, 218.  
*Myodopsylla insignis*, 217.  
*Neodiprion abietis*, 75.  
*Neodiprion hetrickii*, 75.  
*Neodiprion lecontei*, 65-91.  
*Neodiprion nanulus nanulus*, 75.  
*Neodiprion sartifer*, 93-96, 207.  
*Neotiglossa cavifrons*, 226.  
*Neotiglossa sulcifrons*, 226.  
*Neotiglossa tumidifrons*, 226.  
*Nephalodes minians*, 263, 267.  
 Neuroptera, 154, 155, 204.  
*Nesara viridula*, 226.  
*Nixe flowersi*, 227-229.  
 Noctuidæ, 47, 48, 261, 263-268, 273.  
*Nomia triangulifera*, 146.  
 Nymphalidae, 144.  
*Ortus insidiosus*, 154-156.  
*Oulema melanopus*, 50.  
*Pachnemon altiscutum*, 156.  
*Pachnemon siphonophoræ*, 156.  
*Papilio glaucus*, 144.  
*Papilio glaucus canadensis*, 39-46.  
*Papilio glaucus glaucus*, 39-41, 43, 44.  
 Papilionidae, 39-46.

*Paradamoetas cara*, 219-222.  
*Paradamoetas changuinola*, 219-222.  
*Paradamoetas fontana*, 219, 220, 222.  
*Paradamoetas formicina*, 219-222.  
*Pardosa distincta*, 55-58.  
*Pardosa milvina*, 55-58.  
*Pardosa moesta*, 55-58.  
Pentatomidae, 97, 98, 159-161, 225, 226, 231-235.  
Pentatomoidea, 97, 98, 159-161, 225, 226.  
*Philanthus*, 273.  
*Philanthus zebratus nitens*, 262.  
*Phyllophaga* spp., 165-170.  
*Pikonema alaskensis*, 207-211.  
Pine root collar weevil, 86.  
Pitedia, 226.  
*Podalonia communis*, 261, 262, 269.  
*Podalonia hirsuta*, 261, 269, 273.  
*Podalonia luctuosa*, 261-275.  
*Podalonia nigrohirta*, 261.  
*Podalonia occidentalis*, 261.  
*Podalonia robusta*, 261.  
*Podalonia sericea*, 262.  
*Podalonia valida*, 261, 262.  
*Podalonia violaceipennis*, 262.  
*Podisus maculiventris*, 225.  
*Podisus modestus*, 225.  
*Podisus sericeiventris*, 225.  
Pompilidae, 269, 272.  
*Priocnemis coriaceus*, 269.  
*Priocnemis perturbator*, 269.  
*Priocnemis propinqua*, 269.  
*Prosimulium fuscum*, 253-256, 258.  
*Prosimulium mixtum*, 253-256, 258.  
*Pseudomethoca frigida frigida*, 213.  
*Pseudomethoca sanbornii sanbornii*, 213.  
Pteromalidae, 156.  
*Pterostichus chalcites*, 37.  
*Pterostichus lucublandis*, 37.  
*Pterostichus melanarius*, 37.  
Redheaded pine sawfly, 65-91.  
*Reticulotermes flavipes*, 31.  
*Reticulotermes virginicus*, 31.  
Rhinotermitidae, 31-34.  
*Rhopalosiphum maidis*, 153-157.  
Salticidae, 219-222.  
Sarcophagidae, 261, 267, 268, 274.  
Satellite flies, 267, 268.  
Saturniidae, 145.  
*Scarites substriatus*, 37.  
Scarabaeidae, 165-170.  
*Schiaaphis graminum*, 154, 155.  
Scolytidae, 171-174, 175-183.  
Scutelleridae, 225.  
*Senctainia rubriventris*, 268.  
Sesiidae, 189-192.  
Simuliidae, 253-260.  
*Simulium aureum*, 253-258.  
*Simulium excisum*, 253-256, 258.  
*Simulium gouldingi*, 253-255, 257, 258.  
*Simulium* sp. nr. *innocens*, 253, 254, 258.  
*Simulium tuberosum*, 253-260.  
*Simulium vittatum*, 253-260.  
Siphonaptera, 217.  
Sphecidae, 261-275.  
Spiders, 204, 219-222.  
Spinturnicidae, 217.  
*Spinturnia americanus*, 217.  
*Spinturnia bakeri*, 217.  
Spruce budworm, 1-24, 109, 111, 185-187, 277-286, 287-296, 297-301.  
*Steatonyssus occidentalis*, 217.  
*Stegopterna mutata*, 253-258.  
*Stenacron*, 25, 29, 30.  
*Stenolophus comma*, 38.  
*Stenonema*, 25, 27, 29, 30.  
Stink bugs, 97, 98, 159-161, 225, 226.  
*Sunira bicolorago*, 267.  
*Synanthedon pictipes*, 189-192.  
Syrphidae, 213.  
Tachinidae, 203, 204, 261, 273.  
Tarnished plant bug, 237-246.  
Tent caterpillars, 261.  
Tenthredinidae, 207-211.  
Termites, 31-34.  
*Tetrastichus minutus*, 156.  
*Tetrastichus* sp. 177.  
Thripidae, 154.  
Thrips, 154.  
Thyanta, 225.  
*Thyanta calceata*, 97, 98, 231-235.  
Thysanoptera, 154.  
Tiger-beetles, 267, 273.  
*Timulla vagans vagans*, 213.  
Tortricidae, 1-24, 185-187, 277-286, 287-296, 297-301.  
*Triepeolus mesillae*, 146.  
Trombiculidae, 218.  
Vespidae, 204.  
*Wagneria carbonaria*, 262.  
Western budworm, 278.  
White grub, 165-170.  
Wolf spiders, 55-58.  
*Xyleborus adumbratus*, 182.  
*Xyleborus compactus*, 179, 181.  
*Xyleborus germanus*, 171-174, 175-183.  
*Xyleborus saxeseni*, 177.  
*Xyleborus sayi*, 175.  
*Xyleborus semiopacus*, 175.  
*Xylosandrus compactus*, 179.  
*Xylosandrus dispar*, 177.  
*Xylosandrus germanus*, 171-174, 175-183.  
Yellowheaded spruce sawfly, 207-211.  
*Zootermopsis angusticollis*, 31.