

THE
GREAT LAKES
ENTOMOLOGIST

Volume 27 Index
1994

Contents

Author Index.....	1
Taxonomic Index.....	4
Instructions for Authors.....	8
Internet Information.....	10
Dates of Publication.....	12

PUBLISHED BY
**THE MICHIGAN
ENTOMOLOGICAL
SOCIETY**

AUTHOR INDEX FOR VOL. 27

- Armbrust, E. J. see Roberts, S. J., et al., 19-21
- Bach, Catherine E., see Gannon, A. J., et al., 89-101; Gertz, A. K., 217-222.
- Bae, Y. J., see McCafferty, W. P., 57-67
- Berenbaum, May R. and Terry L. Harrison. *Agonopterix alstroemeriana* (Oecophoridae) and other lepidopteran associates of poison hemlock (*Conium maculatum*) in east central Illinois, 1-5
- Bernard, E. C. and R. J. Snider. *Cryptopygus bipunctatus* (Collembola: Isotomidae) in North America, and *C. posteroculatus* n. comb., 149-156
- Burd, J. D., see Elliott, et al., 137-142.
- Cockfield, Stephen D. and Daniel L. Mahr. Phenology of oviposition of *Dasyneura oxycoccana* (Diptera: Cecidomyiidae) in relation to cranberry plant growth and flowering, 185-188
- Cockfield, Stephen D. and Daniel L. Mahr. Prediction models for flight activity of the cranberry girdler (Lepidoptera: Pyralidae) in Wisconsin, 107-112.
- Densmore, Kurt J., see Larsen, S.W., et al., 103-106
- Elliott, N. C., B. W. French, J. D. Burd, S. D. Kindler, and D. K. Reed. Parasitism, adult emergence, sex ratio, and size of *Aphidius colemani* (Hymenoptera: Aphidiidae) on several aphid species, 137-142.
- Ellis, M. S. see Williams, R. N., et al. 229-234.
- Flanders, Kathy L., Edward B. Radcliffe, and Craig A. Krueger. Natural enemies of alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), in Minnesota, 7-18.
- French, B. W., see Elliott, et al., 137-142.
- Gadawski, Randy M., see Smith, S. M., 195-184
- Gannon, Aaron J., Catherine E. Bach and Glenn K. Walker. Feeding patterns and attachment ability of *Altica subplicata* (Coleoptera: Chrysomelidae) on sand-dune willow, 89-101.
- Gertz, Anita K. and Catherine E. Bach. Effects of light and nutrients on tomato plant compensation for herbivory by *Manduca sexta* (Lepidoptera: Sphingidae), 217-222.
- Grafius, E., see Kortier-Davis, M. G., 69-77
- Harrison, Terry L. see Berenbaum, M.R., 1-5.
- Howell, Carol L., see Larsen, S.W., et al., 103-106
- Hoxie, Robert P., see Wellso, S. G., 235-239
- Hubbard, Michael D. The mayfly family Behningiidae (Ephemeroptera: Ephemeroidea): Keys to the recent species with a catalog of the family, 161-168.

- Karowe, David N. Diapause dynamics and host plant utilization of *Colias philodice*, *Colias interior*, and their hybrids (Lepidoptera: Pieridae), 79-88.
- Keeney, G. see Williams, R. N., et al. 229-234.
- Kellam, Charles D., see Sadof, C. S., et al., 223-228
- Kindler, S. D. , see Elliott, et al., 137-142.
- Kortier-Davis, M. G. and E. Graffius. First record of *Aphis helianthi* (Homoptera: Aphididae) as a pest of celery, 69-77.
- Krueger, Craig A., see Flanders, K. L., et al., 7-18
- Kurtz, Richard M., see Smith, S. M., 49-55; 112-123
- Landis, DFouglas A., see Walker, E. D., 125-128
- Larsen, Stephen W., Carol L. Howell, Kurt J. Densmore and Richard A. Roeper. Seasonal patterns of flight and attack of maple saplings by the ambrosia beetle, *Corthylus punctatissimus* (Coleoptera: Scolytidae) in central Michigan, 103-106.
- Levesque, Claire and Gilles-Yvon Levesque. Abundance and seasonal activity of weevils (Coleoptera: Curculionidae) in a raspberry plantation and adjacent sites in southern Quebec (Canada), 23-37.
- Levesque, Gilles-Yvon, see Levesque, C., 23-37
- Lillie, Richard A. and Roger A. Schlessler. Extracting additional information from biotic index samples, 129-136.
- Lindroth, Richard L. and Anthony P. Weiss. Effects of ascorbic acid deficiencies on larvae of *Lymantria dispar* (Lepidoptera: Lymantriidae), 169-174.
- Maddox, J. V, see Roberts, S. J, et al.. 19-21
- Mahr, Daniel L., see Cockfield, S. D., 107-112; 185-188,
- McCabe, Timothy L. and Christine N. Weber. The robber flies (Diptera: Asilidae) of the Albany Pinebush, 157-159.
- McCafferty, W. P. and T. Wang. Relationships of the genera *Acanthametropus*, *Anaetris*, and *Siphuriscus*, and reevaluation of their higher classification (Ephemeroptera: Pisciforma), 209-215.
- McCafferty, W. P. and Y. J. Bae. Life history aspects of *Anthopotamus verticis* (Ephemeroptera: Potamanthidae), 57-67.
- Petersen, Chris E. and Jo Ann Sleboda. Selective pod abortion by *Baptisia leucantha* (Fabaceae) as affected by a curculionid seed predator, *Apion rostrum* (Coleoptera), 143-147.
- Radcliffe, Edward B., see Flanders, K. L., et al., 7-18
- Reed, D. K. , see Elliott, et al., 137-142.
- Roberts, S. J., J. V. Maddox, and E. J. Armbrust. A laboratory infection of alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), larvae with the fungal pathogen *Zoophthora phytonomi* (Zygomycetes : Entomophthoraceae), 19-21.
- Roeper, Richard A., see Larsen, S.W., et al., 103-106
- Sadof, Clifford S, Robert D. Waltz and Charles D. Kellam. Differential shoot feeding by adult *Tomicus piniperda* (Coleoptera: Scolytidae) in mixed stands of native and introduced pines in Indiana, 223-228.

- Schlesser, Roger A., see Lillie, R.A., 129-136
- Scott, Virginia L. Phenology and trap selection of three species of *Hylaeus* (Hymenoptera: Colletidae) in Upper Michigan, 39-47.
- Sholtens, Brian G. and Warren H. Wagner, Jr. Biology of the genus *Hemileuca* (Lepidoptera: Saturniidae) in Michigan, 197-207.
- Simser, Dave. Parasitism of cranberry fruitworm (*Acrobasis vaccinii*; Lepidoptera: Pyralidae) by endemic or released *Trichogramma pretiosum* (Hymenoptera: Trichogrammatidae), 189-196.
- Smith, Stephen M. and Randy M. Gadawski. Swarming and mating in *Aedes provocans* (Diptera: Culicidae), 175-184.
- Smith, Stephen M. and Richard M. Kurtz. The age structure of a population of *Aedes provocans* (Diptera: Culicidae) in southwestern Ontario, 113-123.
- Smith, Stephen M. and Richard M. Kurtz. The use of an anthrone reagent to detect sugar meals and their persistence in the mosquito *Aedes triseriatus* (Diptera: Culicidae), 49-55.
- Snider, R.J., see Bernard, E.C. 149-156.
- Wagner, Warren H., Jr., see Scholtens, B. G., 197-207
- Walker, Edward D. and Douglas A. Landis. Straw itch mite, *Pyemotes tritici*, infestation in brome seed related to acute dermatitis in Michigan granary workers, 125-128.
- Walker, Glenn K., see Gannon, A. J., et al., 89-101
- Waltz, Robert D., see Sadof, C.S., et al., 223-228
- Wang, T., see McCafferty, W. P., 209-125
- Weber, Christine N., see McCabe, T.L., 157-159
- Weiss, Anthony P., see Lindroth, R.L., 169-174
- Wellso, Stanley G. and Robert P. Hoxie. Tillering response of 'Monon' and 'Newton' winter wheats infested with biotype L Hessian fly (Diptera: Cecidomyiidae) larvae, 235-239.
- Williams, R. N., M. S. Ellis and G. Keeney. A bait attractant study of the Nitidulidae (Coleoptera) at Shawnee State Forest in Southern Ohio, 229-234.

TAXONOMIC INDEX FOR VOLUME 27

- Acanthametropodinae*, 209-215
Acanthemetropis pecatonica
 (Burks), 209
Acari, 125-128
Acrobasis vaccinii Riley, 189-196
Acyrtosiphum pisum (Harris), 139
Aedes canadensis (Theobald), 119
Aedes cantans (Meigen), 181
Aedes cinereus Meigen, 118
Aedes freeborni Aiken, 181
Aedes hexodontus Dyar, 182
Aedes provocans (Walker), 113-123, 175-184
Aedes stimulans (Walker), 119
Aedes triseriatus Say, 49-55
Agonopterix alstromeriana Clerck, 1 - 5
Altica subplicata LeConte, 89-101
Ametropodidae, 209-215
Ametropus, 209-215
Analetris, 209-215
Anaphes luna (Girault), 8
Anopheles culicifacies Giles, 182
Anthonomus decipiens LeConte, 28
Anthonomus signatus Say, 24, 26, 28
Anthopotamus myops (Walsh), 57
Anthopotamus verticis (Say), 57-67
Aphidiidae, 2, 69-77
Aphidiidae, 137-142
Aphidius colemani Viereck, 137-142
Aphis gossypii Golver, 139
Aphis helianthi Monell, 69-77, 139
Aphis nerii Boyer de Fonsc., 139
Apion rostrum Say, 143-147
Apion spp., 28
Archaeobehningia edmundsi
 Tshernova, 162
Arctiidae, 3
Asilidae, 157-159
Asilinae, 159
Asilus erythrocnemius Hine, 159
Atomosia puella (Wiedemann), 158
Auletes nebulosus (LeConte), 28
Bagous americanus LeConte, 28
Barypeithes pellucidus (Boh.), 26
Bathyplectes anurus (Thomson), 7-18
Bathyplectes curculionis
 (Thomson), 7-18
Behningia lestagei Motas & Bacesco, 162
Behningia tshernovae Edmunds & Traver, 162
Behningia ulmeri Lestage, 163
Behningiidae, 161-168
Braconidae 7-18
Brevicoryne brassicae (L.), 139
Caecidotea intermedia (Forbes), 132
Carphonotus testaceus Caey, 26, 28
Carpophilus corticinus Erichson, 229-234
Carpophilus freemani Dobson, 229-234
Carpophilus lugubris Murray, 229-234
Carpophilus sp., 229-234
Cecidomyiidae, 185-188, 235-239
Ceraturgus cruciatus (Say), 158
Cerotainia macrocera (Say), 158
Ceutorhynchus erysimi (Fab.), 28
Ceutorhynchus punctiger Gyll., 26
Ceutorhynchus spp., 28
Chrysomelidae, 89-101
Chrysoteuchia topiaria (Zeller), 107-112
Cicadellidae, 90
Cimberis elongata (LeConte), 28
Coleoptera, 7-18; 19-21; 23-37, 89-101, 103-106 143-147, 223-228, 229-234
Colias alexandra Edwards, 79-88

- Colias cesonia* Stoll, 79-88
Colias eurydice Boisd., 79-88
Colias eurytheme Boisd., 79-88
Colias helca LeFebre, 79-88
Colias interior Scudder, 79-88
Colias nastes Boisd., 79-88
Colias occidentalis Scudder, 79-88
Colias palaeno L., 79-88
Colias pelidne LeConte, 79-88
Colias philodice Latr., 79-88
 Collembola, 149-156
 Colletidae, 39-47
Colopterus sp., 229-234
Conotrachelus nenuphar (Herbst), 26
Corthylus punctatissimus (Zimm.), 103-106
Cryptopygus bipunctatus (Axelson), 149-156
Cryptopygus posteroculatus (Stach), 149-156
Cryptorhynchus lapathi (L.), 28
Culex pipiens fatigans Wied., 182
Culex tarsalis Coquillett, 53
 Culicidae, 49-55, 113-123, 175-184
 Curculionidae, 7-18; 19-21; 23-37, 143-147
Cychramus adustus Erichson, 229-234
Cyrtopogon falto (Walker), 158
Cyrtopogon laphriformis Curran, 158
Cyrtopogon lutatius (Walker), 158
Cyrtopogon marginalis Loew, 158
Dactynotus helianthicola Olive, 139
Dactynotus spp., 139
Dasyneura oxycoccana (Johnson), 185-188
 Dasygoninae, 158
Delia coarctata (Fallen) 236
Dendroctonus brevicornis LeConte, 227
Dioctria baumhaueri Meigen, 158
Diognites basalis (Walker), 158
Diognites umbrinus Loew, 158
 Diptera, 2, 49-55, 113-123, 157-159, 175-184, 185-188, 235-239
Dipteromimus, 212
Diuraphis noxia (Mordvilko), 139
Dolania americana Edmunds & Traver, 163
Dolania sp., 164
Dorytomus sp., 28
Dryophthorus americanus Bedel, 26, 28
Edmundsius, 212
Efferia aestuans (Linnaeus), 159
Empoasca fabae Harris, 90
Ephemera danica Müller, 64
Ephemera simulans Walker, 64
Ephemera strigata Eaton, 63
 Ephemeraeidae, 62
 Ephemeroptera, 57-67, 161-168, 209-215
Ephoron album (Say), 62
Epuraea alternata Parsons, 229-234
Epuraea helvola Erichson, 229-234
Epuraea peltoides Horn, 229-234
Epuraea rufa (Say), 229-234
Epuraea sp., 229-234
Euleia fratria (Loew), 2
 Eulophidae, 7-18
Eupithecia miserulata Grote, 3
 Geometridae, 3
Glischrochilus fasciatus (Olivier), 229-234
Glischrochilus obtusus (Say), 229-234
Glischrochilus quadrisignatus (Say), 229-234
Glischrochilus sanguinolentus (Olivier), 229-234
Grypus equiseti (Fab.), 26
Grypus equiseti (Fab.), 28
Gymnetron pascuorum (Gyll.), 26, 28
Gymnetron teter (Fab.), 28
Hemileuca lucina Hy. Edw., 197
Hemileuca maia (Drury), 197-207
Hemileuca nevadensis Stretch, 197

- Hexagenia limbata* (Serville), 64
Holopogon guttulus (Weidemann), 158
 Homoptera, 60-77, 90
Hormorus undulatus (Uhler), 26
Hyadaphis foeniculi (Passerini), 2
Hylaeus basalis (Smith), 39-47
Hylaeus ellipticus (Kirby), 39-47
Hylaeus verticalis (Cresson), 39-47
Hylobius congener D.T., Shen. & Mars., 26
Hylobius pales (Herbst), 26
 Hymenoptera 7-18, 39-47 137-142, 189-196
Hypera castor (LeC.), 28
Hypera nigrirostris (F.), 8, 28
Hypera postica (Gyll.), 7-18; 18-21
Hypera punctata (Fab.), 28
 Ichneumonidae, 7-18
Isochnus rufipes (LeConte), 28
Isonychia polita Bajkova, 210
 Isopoda, 132
Isotoma bipunctata Axelson, 149-156
Isotoma ekmani Fjellberg, 149
Isotoma notabilis pallida Agrell, 149
Isotoma notabilis Schäffer, 149
 Isotomidae, 149-156
Isotomina posteroculata Stach, 155
Laphria aktis McAtee, 158
Laphria cinerea (Back), 158
Laphria divisor (Banks), 158
Laphria flavicollis Say, 159
Laphria franciscana Bigot, 159
Laphria index McAtee, 159
Laphria posticata Say, 159
Laphria sadales Walker, 159
Laphria thoracica Fabricius, 159
Laphria virginica (Banks)
 Laphriinae, 158-159
Lasiopogon currani Cole & Wilcox, 158
Lasiopogon terricola (Johnson), 158
Lechriops oculata (Say), 28
 Lepidoptera, 1 - 5, 79-88, 107-112, 169-174, 189-196, 197-207, 217-222
Leptogaster flavipes Loew, 158
Leptogaster glabrata (Wiedemann), 158
 Leptogastrinae, 158
Lipahis erysimi (Kalt.), 139
Listroderes sp., 26
Lymantria dispar Linn., 169-174
 Lymantriidae, 169-174
Machimus notatus (Wiedemann), 159
Machimus sadyates (Walker), 159
Machimus snowii (Hine), 159
Magdalis sp., 28
Manduca sexta (L.), 173, 217-222
Mayetiola destructor (Say), 235-239
Metreturus, 209
Microctonus aethiopoulos Loan, 7-18
Microctonus colesii Drea, 8
 Mymaridae, 8
Naupactus xanthographus (Germar), 24
Neoitamus flavofemoratus (Hine), 159
Neoitamus orphne (Walker), 159
 Nitidulidae, 229-234
 Noctuidae, 173
Notaris puncticollis (LeConte), 28
 Oecophoridae, 1
Ommatius tibialis Say, 159
Otiorynchus ovatus (L.), 24
Otiorynchus singularis (L.), 23
Otiorynchus sulcatus (F.), 24
Pallodes pallidus (Beauv.), 229-234
Papilio polyxenes asterias Stoll, 2
Papilio zelicon Lucas, 2
Parametetus, 212
Pelenomus sp., 29
Phenolia grossa (F.), 229-234
Phryxelis rigidus (Say), 29
Phyllobius oblongus (L.), 26, 29
Phyllobius pyri (L.), 23

- Phyxelis rigidus* (Say), 26
Piazorhinus scutellaris (Say), 29
 Pieridae, 79-88
Pissodes spp., 26
Pissodes strobi (Peck), 29
Polydrusus cervinus (L.), 29
Polydrusus sericeus (Schaller), 26
 Polymitarcyidae, 62
 Potamanthidae, 57-67
Potamanthus formosus Eaton, 57
Potamanthus luteus (Linn.), 57
Proctacanthus philadelphicus
 Macquart, 159
Proctacanthus rufus Williston, 159
Promachus bastardii (Macquart),
 159
Protobehningia asiatica
 Tshernova, 164
Protobehningia merga Peters &
 Gillies, 164
Pyemotes tritici (Lagreze-Fossat &
 Montagne), 125-128
 Pyemotidae, 125-128
 Pyralidae, 107-112, 189-196
Rhinoncus castor (Fab.), 26, 29
Rhinoncus longulus LeConte, 26,
 29
Rhinoncus pyrhopus Boh., 26, 29
Rhoenanthus speciosus Eaton, 65
Rhopalosiphum maidis (Fitch),
 139
Rhopalosiphum padi (L.), 139
 Rhynchaenus sp., 29
 Saturniidae, 197-207
Schizaphis graminum (Rondani),
 139
Sciaphilus asperatus (Bonsd.), 26,
 29
Scipithes obscurus Horn, 24
 Scolytidae, 103-106, 223-228
Sibariops sp., 29
Sipha flava (Forbes), 139
Siphonisca, 212
 Siphonuridae, 209-215
Siphonurus, 212
Siphuriscus chinensis Ulmer, 209-
 215
Sitona cylindricollis (Fahraeus),
 29
Sitona hispidulus (Fab.), 26
Sitona lepidus Gyll., 26
Sitona scissifrons Say, 26
Sphenophorus zaeae Walsh, 26, 29
 Sphingidae, 173, 217-222
Spilosoma virginica (F.), 3
Spodoptera littoralis (Boisduval),
 173
Stackelbergisca, 210
Stelidota ferruginea Reitter, 229-
 234
Stelidota geminata (Say), 229-234
Stelidota octomaculata (Say), 229-
 234
Stenoscelis brevis (Boh.), 26, 29
Stethobaris ovata (LeConte), 29
Tachyerges niger (Horn), 29
Tachypterellus quadrigibbus (Say),
 29
Tanysphyrus lemnae (Fab.), 29
 Tephritidae, 2
Tetrastichus incertus (Ratz.), 7-18
Therioaphis trifolii (Monell), 139
Tomicus piniperda (Linn.), 223-
 228
Tortopus incerus (Traver), 63
Trachyphloeus bifoveolatus (Beck),
 26, 29
Trichogramma pretiosum
 Riley, 189-196
 Trichogrammatidae, 189-196
Tychius picirostris (Fab.), 26, 29
Tychius sp., 29
Tyloderma aereum (Say), 26, 29
Zoophthora phytonomi (Arthur). 7-
 18; 19-21

INSTRUCTIONS FOR AUTHORS

SUBJECTS

Papers dealing with almost any aspect of entomology will be considered for publication in *The Great Lakes Entomologist*. Appropriate subjects are those of interest to professional and amateur entomologists in the North Central States and Canada, as well as general papers and revisions directed to a larger audience while retaining an interest to readers in our geographic area.

All manuscripts are refereed by two reviewers, except for short notes, which are reviewed externally at the discretion of the Editor.

REQUIREMENTS

Manuscripts must be typed, double-spaced, with 1" margins on 8 1/2 x 11" or equivalent size paper, and submitted in **triplicate**. Please underline only those words that are to be italicized. Use subheadings sparingly. Footnotes (except for author's addresses, which must be on the title page, and treated as a footnote), legends, and captions of illustrations should be typed on separate sheets of paper. Titles should be concise, identifying the order and family discussed. The author of each species must be given fully at least once in the text, but not in the title or abstract. If a common name is used for a species or group, it should be in accordance with the common names published by the Entomological Society of America. The format for references must follow that used in previous issues of *The Great Lakes Entomologist*. Literature cited is just that - no unpublished manuscripts or internal memos.

FIGURES & TABLES

Remember that the printed page area for *The Great Lakes Entomologist* is 4.5 x 7 inches. Scale your illustrations accordingly. Photographs should be glossy finish, and mounted on stiff white cardboard (transparencies are not acceptable). Drawings, charts, graphs, and maps must be scaled to permit proper reduction without loss of detail. Please reduce illustrations or plates to a size no greater than 9 x 12" to permit easier handling. If you have several photographs, it may be better to group them on a plate, rather than several separate photographs. Attach a figure number to the reverse side of each figure and include the authors' names. Unsuitably mounted photographs or poor figures will be returned to authors for revision. Figures printed on dot-matrix printers are highly discouraged. Even if your figures are printed on a laserprinter, it is recommended that you affix them to a stiff backing.

Tables should be kept as uncluttered as possible, and should fit normally across a page when typeset by the printers.

Contributors should follow the *Council of Biology Editors Style Manual*, 5th ed., and examine recent issues of *The Great Lakes Entomologist* for proper format of manuscripts.

MANUSCRIPTS ON DISK

Manuscripts should be submitted on computer diskette (Macintosh, MS-DOS, or Apple // format) along with one printed copy, after they have been accepted for publication. Authors are especially encouraged to do so if their manuscript is longer than 2 printed journal pages, or if they are without funds for page costs. The files may be formatted in any popularly used word-processing program (Microsoft Word, WordPerfect, MacWrite, AppleWorks, WordStar, or WriteNow), or left as an ASCII file.

Special formatting notes for submitting manuscripts on disk: The organizational format for a manuscript is as seen in the recent issues of the journal: TITLE, Author(s), Abstract, Introduction, Methods & Materials, Results, Discussion, Acknowledgments, Literature Cited, Tables, and List of Figures. Do not use extra spaces between paragraphs or references in the Lit. Cited. **The columns of text in tables should be aligned with TABS, not spaces.** Some symbols may not translate properly from one computer system to another, such as å, µ, °, ü, ñ, and male & female symbols. So long as these symbols are clearly seen in the manuscript, adjustments can be made in the copy sent to the printers. Authors may use italics, rather than underline when submitting manuscripts on disk.

PAGE CHARGES

Papers published in *The Great Lakes Entomologist* are subject to a page charge of \$35.00 per published page. Members of the Society, who are authors without funds from grants, institutions, or industry, and are unable to pay costs from personal funds, may apply to the Society for financial assistance. **Application for subsidy must be made at the time a manuscript is initially submitted for publication.**

Authors will receive page proof, together with an order blank for separates. Extensive changes to the proof by the author will be billed at a rate of \$1.00 per line.

COVER ARTWORK

Cover art or photographs are desired for upcoming issues. They are published free of charge. We only require that they be suitably mounted as described above, and that the subject be identified as accurately as possible.

EDITOR'S ADDRESS

All manuscripts for *The Great Lakes Entomologist* should be sent to the Editor, Mark F. O'Brien, Insect Division, Museum of Zoology, The University of Michigan, Ann Arbor, MI, 48109-1079, USA.

OTHER BUSINESS

Other correspondence should be directed to the Secretary, Michigan Entomological Society, c/o Dept. of Entomology, Michigan State University, East Lansing, MI 48824-1115.

INDEX NOW AVAILABLE VIA INTERNET

The Great Lakes Entomologist index to previous volumes is now available via FTP from the University of Michigan. The files are in plain ASCII format, so they can be read on any system. To obtain the indices via FTP, connect to:

insects.ummz.lsa.umich.edu

login as anonymous, and use your email address as your password

Go to the following subdirectory:

SPHECIUS/FTP/PUBLIC/GLE_files

As of June 1995, the taxonomic indices only go as far back as Volume 24, but earlier indices will be added as time allows.

ENT-LIST INFORMATION

An Internet resource for entomology museums, collection managers, systematists, and anyone interested in technologies, issues and topics related to arthropod systematics and collections.

ent-list@umich.edu

ENT-LIST is a mailgroup based at the University of Michigan since 1989. The purpose of ent-list is to promote communication amongst systematics collections and people interested in systematics, taxonomy, collection management, and technologies related to these topics. Ent-list is also the "official" mode of informal communiqués to members of the Entomology Collections Network.

Ent-list currently has about 260 members. To be included in ent-list mailings, you will need to send a request to Mark O'Brien at the University of Michigan Museum of Zoology. That address is: **mfobrien@umich.edu**. Please include your full name and address in your message. Do not send "subscribe to ent-list" as your only message. To send a message to the entire group, send it to :
ent-list@umich.edu

Ent-list is in the University of Michigan's X.500 database, so you can access the X.500 database via the Internet and check the addresses of subscribers and other information pertaining to the group.

Mark O'Brien
Collections Coordinator, UMMZ
Editor, *The Great Lakes Entomologist*

MAILING DATES FOR VOLUME 27

No. 1.....	July 14, 1994
No. 2.....	Sept. 16, 1994
No. 3.....	Jan. 27, 1995
No. 4.....	April 25, 1995