


The  
**MICHIGAN ENTOMOLOGIST**



**VOLUME IV (1971–1972)**

Irving J. Cantrall  
Editor

*PUBLICATION DATES*

Number 1	23 November 1971
Number 2	19 April 1972
Number 3	16 June 1972
Number 4	16 June 1972

*Published by*

THE MICHIGAN ENTOMOLOGICAL SOCIETY  
c/o Department of Entomology  
Michigan State University  
East Lansing, Michigan 48823, U.S.A.

# THE MICHIGAN ENTOMOLOGIST

VOLUME IV (1971-1972)

## AUTHOR INDEX

- Cutler, Bruce. Spiders from Heading Bluegrass (*Poa pratensis* L.) in Roseau County, Minnesota, 123.
- Fischer, Roland L. (See Wellso, Stanley G. and Roland L. Fischer), 105.
- Fowler, Richard F. and Louis F. Wilson, White Grub Populations, *Phyllophaga* spp., in Relation to Damaged Red Pine Seedlings in Michigan and Wisconsin Plantations (Coleoptera: Scarabaeidae), 23.
- Fowler, Richard F. and Louis F. Wilson. Evaluation of Three Aldrin Application Methods for White Grub, *Phyllophaga* spp., Control (Coleoptera: Scarabaeidae), 89.
- Gloyd, Leonora K. Gynandromorphism in the Odonata, 93.
- Grimble, David G., Fred B. Knight and John C. Nord. Associated Insects Reared from Galls of *Saperda inornata* (Coleoptera: Cermabycidae) on Trembling Aspen in Michigan, 53.
- Goto, H. E. The Effect of Carbon Dioxide Anaesthesia on Collembola, 61.
- Hodges, Ronald W. Lepidoptera of New York and Neighboring States. Part I (1923) by William T. M. Forbes (review), 32.
- Johnson, Wendel J. (See Wilson, Nixon and Wendel J. Johnson), 109.
- Kaufmann, Tohko. Biology and Ecology of *Melanoplus borealis* (Orthoptera: Acrididae) in Fairbanks, Alaska with Special Reference to Feeding Habits, 3.
- Knight, Fred B. (See Nord, John C. and Fred B. Knight), 33.
- Knight, Fred, B. (See Nord, John C. and Fred B. Knight), 39.
- Knight, Fred B. (See Grimble, David G., Fred B. Knight and John C. Nord), 53.
- Manley, Gary V. Notes on Feeding Behavior of *Atlantiscus testaceus* (Orthoptera: Tettigoniidae), 63.
- Mathews Robert W. The Wasps by Howard E. Evans (review), 13.
- Mathews, Robert W. and Janice R. Mathews. The Malaise Trap: Its Utility and Potential for Sampling Insect Populations, 117.
- Miller, William E. Annual Variation in Starting Date of Spring Feeding by the European Pine Shoot Moth in a Michigan Planting, 28.
- Nelson, Sigurd Jr. Phoresy by Pseudoscorpions, 95.
- Nord, John C. and Fred B. Knight. The Nomenclatural Status of *Saperda inornata* Say (Coleoptera: Cerambycidae), 33.
- Nord, John C. and Fred B. Knight. The Geographic Variation of *Saperda inornata* Say (Coleoptera: Cerambycidae) in Eastern North America. 39.
- Nord, John C. (See Grimble, David G., Fred B. Knight and John C. Nord), 53.
- Orr, Oliver H. Use and Conservation of the Biosphere (review), 58.

- Ruppel, Robert F. An Asymmetrical Gynandromorph of *Cerotoma facialis* (Coleoptera: Galerucidae), 1.
- Throne, Alvin L. The Neuroptera—Suborder Planipennia of Wisconsin. Part I—Introduction and Chrysopidae, 65.
- Throne, Alvin L. The Neuroptera—Suborder Planipennia of Wisconsin. Part II—Hemerobiidae, Polystoechotidae, and Sisyridae, 79.
- Tyrkus, Michael. The Feasibility of Use of Caecal and Diverticular Coloration in Field Determination of Grasshopper Diet, 14.
- Viedma, M. G. de. Spanish Entomology: Past and Present, 97.
- Wellso, Stanley G. and Roland L. Fischer. Insects Taken at Japanese Beetle Traps Baited with Anethole—eugenol in Southern Michigan in 1968, 105.
- Wilson, Nixon and Wendel J. Johnson. Ectoparasites of Isle Royal, Michigan, 109.
- Wilson, Louis F. (See Fowler, Richard F. and Louis F. Wilson), 23.
- Wilson, Louis F. (See Fowler, Richard F. and Louis F. Wilson), 89.
- Wilkinson, Ronald S. Centurie de Lépidoptères de l'Île de Cuba (1832) by Felipe Poey y Aloy (review), 31.
- Wilkinson, Ronald S. Invertebrata Pacifica (1903-07). Edited by C. F. Baker (review), 32.
- Wilkinson, Ronald S. Daylight Collecting of *Catocala* (Lepidoptera: Noctuidae), 59.
- Wilkinson, Roland S. World Guide to Technical Information and Documentation Services. UNESCO (review), 58.

## SUBJECT INDEX

Compiled by Carol L. Ries

- Acanthothrips nodicornis*, 57.  
*Acer saccharinum*, 80.  
*Achearana globosa*, 125.  
*Achillea sibirica*, 6, 10.  
 Acrididae, 3.  
*Acronycta morula*, 95.  
 Aculeata, 120.  
*Adalia bipunctata*, 107.  
 Aderidae, 102.  
*admirabilis*, *Syrbula*, 15.  
*Aegeria apiformis*, 104.  
 Aegeriidae, 56.  
*Aeshna juncea*, 93, 94.  
 Aeshnidae, 93.  
*Agapostemon virescens* 107.  
*Agathis cincta* 56.  
 Agenjo, R., 102.  
*Agrostis* species, 19.  
*Aix sponsa*, 95.  
*Alaus oculatus*, 95.  
*albipictus*, *Dermacentor*, 109.  
*alces*, *Alces*, 109.  
*Alces alces*, 109.  
*Alnus*, 50; *rugosa*, 80.  
*ambulans*, *Haemogamasus*, 110.  
*americanus*, *Lepus* 109-111, 113.  
*amiculus*, *Symphorobius*, 83.  
*Anatis quindecimpunctata*, 107.  
*Androlaelaps fahrenheitzi*, 110.
- Anethole-eugenol, bait in Japanese Beetle Traps, 105-108.  
*angusi*, *Catocala*, 60.  
*angulatus*, *Micromus*, 79, 82.  
*angustifolium*, *Epilobium*, 6, 10.  
 Anobiidae, 102.  
 aphids, 102.  
 Anoplura, 110.  
*Anthrenus scrophulariae*, 56.  
*anxia*, *Phyllophaga*, 107.  
*Aphodius*, 24.  
*apiculata*, *Pardalophora*, 16, 19-22.  
 Apidae, 107.  
 Aphididae, 107.  
*apiformis*, *Aegeria*, 104.  
*Apis mellifera*, 106, 107.  
*Apocheiridium*, 95; *stannardi*, 95.  
 Apoidea, 120.  
*arabesca*, *Neoscona*, 124.  
*Araneus* species, 124, 126.  
*Artagrostis latifolia*, 6, 10.  
*arenarius*, *Minyriolus*, 124.  
 Araneidae, 124.  
*areolaris*, *Climacia*, 86.  
*arvense*, *Equisetum*, 6, 10.  
*Arphia pseudonietana pseudonietana*, 16.  
 Arroyo, Manuel, 103.  
 Asclepiadaceae, 21.  
*Asclepias tuberosa*, 21.

- Ascogaster* species, 56.  
 Astigmata, 110.  
*Atanycolus rugosiventris*, 56.  
*Atlanticus testaceus*, 63-64; feeding behavior of, 63.  
*atra*, *Erigone*, 124.  
*Atritomellus* species, 56.  
 Aulló, Manuel, 103.  
*auratus*, *Chrysochus*, 107.  
*auricularia*, *Forficula*, 107.  
*auricularis*, *Polyplax*, 110.  
 Bachiller, Pedro, 104.  
 Báguena, Luis, 102.  
*barberi*, *Symphorobius*, 83.  
*Bathyphantes canadensis*, 125; *gracilis*, 125; *pullatus*, 125.  
 Beetle, Japanese, in Michigan, 105-108.  
*bicallosa*, *Mecas*, 34.  
*bicolor*, *Xylophrurus*, 56.  
*bicolor*, *maurus*, *Xylophrurus*, 57.  
*bipunctata*, *Adalia*, 107.  
*bimaculata bimaculata*, *Melissodes*, 107.  
*bimaculatus*, *Bombus*, 105, 107.  
*blasamifera*, *Populus*, 43-51.  
 Bolívar, *Candido*, 99-100.  
 Bolívar, Ignacio, 97, 99, 102.  
*bolli bolli*, *Spharagemon*, 16, 21.  
*Bombus bimaculatus*, 105, 107; *fervidus*, 107; *impatiens*, 105, 107; species, 106; *terricola*, 105.  
 Bonet, F., 100.  
*borealis borealis*, *Melanoplus*, biology and ecology of, 3-13; feeding habits of adults and nymphs, 3-9.  
*Boriomyia*, 79; *pretiosa*, 84.  
*brachiale*, *Orthetrum*, 93.  
*brachyptera*, *Euthystira*, 7.  
*Bracon* new species, 56.  
 Braconidae, 56, 57, 102.  
*Bradysia* species, 56.  
*bruneri*, *Melanoplus*, 13.  
*brunnea*, *Parandra*, 107.  
*buoliana*, *Rhyacionia*, 28-31.  
 Buprestidae, 102.  
 Cadahia, Domingo, 104.  
*caedens caedens*, *Orchopeas*, 111, 113  
*caedens durus*, *Orchopeas*, 113.  
*Caenurgia crassiuscula*, 95.  
*Calamagrostis canadensis*, 6-8, 10.  
*californica*, *Chrysopa*, 72.  
*Calliptamus italicus*, 103.  
 Calopterygidae, 93.  
*Calopteryx*, 94; *splendens*, 93, 94; *virgo*, 93.  
*canadensis*, *Bathyphantes*, 125  
*Calamagrostis*, 6-8, 10  
*Eremochrysa*, 76.  
*canalicularis*, *Tibicen*, 107.  
*candata*, *Tetragnatha*, 125.  
*candida*, *Folsomia*, 61-62.  
*Canis lupus*, 109.  
 Cantharidae, 105, 107.  
*Capellia* species, 56.  
*capitata*, *Ceratitis*, 103.  
*Carabidae*, 102, 105, 107.  
*cara*, *Catocala*, 59.  
*carcharias*, *Saperda*, 104.  
*carnea*, *Chrysopa* (*Carnea* Group), 68, 69, 72, 73, 75, 77, 78.  
*carolina*, *Dissosteira*, 16, 19, 20.  
*caroliniana*, *Carpinus*, 80.  
*carota*, *Daucus*, 21.  
*Carpinus caroliniana*, 80.  
*Catabrithorax plumosus*, 124.  
 Catantopinae, 16.  
*Catocala*, 59-60; *angusi*, 60; *cara*, 59; daylight collecting of, 59, 60; *dejecta*, 60; *judith*, 59; *fraxini*, 59; *neogama*, 95; *obscura*, 60; *paleogama*, 59; *sappho*, 60; *ulalume*, 60.  
*cavus*, *Dibrachys*, 56.  
 Ceballos, Ganzalo, 98, 100, 102.  
*Cenoceolus sanguineiventris*, 56.  
 Cerambycidae, 33-57, 105, 107.  
*Cerambyx scalaris*, 33.  
 Ceraphronidae, 56.  
*Ceraticelus laetus*, 124.  
*Ceratinops inflatus*, 124.  
*Ceratitis capitata*, 103.  
 Ceratophyllidae, 111.  
*Cerotoma facialis*, Gynandromorph of, 1-3; *trifurcata*, 1.  
 Ceratopogonidae, 56.  
 Chalcidoidea, 120.  
*Chasmias saucius*, 56.  
*Chauliognathus marginatus*, 105;  
*pennsylvanicus*, 106, 107.  
*chi*, *Chrysopa* (*Perla* Group), 68-72.  
*Chionabas semidea*, 35.  
*Chorthippus curtipennis curtipennis*, 16;  
*parallelus*, 7.  
*Chromatolus projectus*, 63.  
*Chrysochus auratus*, 107.  
*Chrysomela*, 52.  
 Chrysomelidae, 105, 107.  
*Chrysopa*, 66-77; *californica*, 72; *carnea* (*Carnea* Group) 68, 69, 72, 73, 77, 78; *chi* (*Perla* Group), 68-72; *columbiana*, 75; *downesi* (*Carnea* Group), 68, 75; *emuncta*, 68; *erythrocephala*, 69; *externa*, 73; *harrisii*, (*Carnea* Group), 68, 69, 72-74; *incompleta* (*Perla* Group), 68, 69, 72, 73; *lineaticornis* (*Lineaticornis* Group), 68-70, 72, 74-76; *majuscula*, 69; *nigricornis* (*Perla* Group), 68-70, 72; *oculata* (*Perla* Group), 68-72, 75, 77; *plorablunda*, 72; *quadripunctata* (*Perla* Group), 68-72; *rufilabris* (*Carnea* Group), 68, 69, 72, 74; undetermined species near *oculata*, 68, 69; undetermined species near *perfecta*, (*Perfecta* Group), 68, 75.  
 Chrysopidae, 65-78.  
 Cicadidae, 107.  
*cincta*, *Agathis*, 56.  
*Climacia*, 86.  
*Climacia areolaris*, 86.

- Clubionidae, 126.  
 Cobos, A., 102.  
 Coccinellidae, 107.  
*coeruleus*, *Oedipoda*, 7, 8.  
*cognatus*, *Meteorus*, 56.  
 Coleoptera, 33-37, 39-52, 53-57,  
 105-108, 118-120.  
 Collembola, 102, 118, effect of carbon  
 dioxide anaesthesia on, 61-62.  
*coloradensis*, *Dictyna*, 124.  
*columbiana*, *Chrysopa*, 75.  
*compar*, *Harpalus*, 107.  
 Compositae, 21.  
*compressa*, *Poa*, 20.  
*concolor*, *Saperda*, 33-36, 39, 40, 52; var.  
*concolor* 34, 40, 52; var. *unicolor*  
 34, 36, 42, 48.  
*confusus*, *Melanoplus*, 16, 20-22.  
*conjunctus*, *Hemerobius*, 79-81.  
*contorta*, *Eperigone*, 124.  
*copiosus*, *Dactylochelifer*, 95.  
 Corduliinae, 93.  
 cowpea, 1.  
*crassipes*, *Lisothrips* species near or  
 equal, 57.  
*crassiuscula*, *Caenurgia*, 95.  
*Crataegus* species, 39.  
*crenulata*, *Phyllophaga*, 107.  
*Crocothemis servilia*, 93, 94.  
*Crossocerus nigricornis*, 57.  
 Cruciferae, 21.  
 Curculionidae, 102, 105.  
*curtipennis curtipennis*, *Chorthippus*, 16.  
*curvicauda curvicauda*, *Scudderia*, 16, 21,  
 22.  
 Cuterebra, 109, 114.  
 Cuterebridae, 114.  
 Cynipoidea, 120.  
  
*Dacus oleae*, 103.  
*Dactylochelifer copiosus*, 95.  
*Daucus carota*, 21.  
 de Aizpurúa, C. G., 102.  
*decemlineata*, *Leptinotarsa*, 107.  
 Dafaue, Carlos, 104.  
*Deiella phaon*, 93, 94.  
*dejecta*, *Catocala*, 60.  
 de la Escalera, M. M., 100.  
 de la Fuente, Father J. M., 100  
 de la Paz Graells, Mariano, 97, 98.  
*delicatulus*, *Hemerobius*, 84.  
 de Paula Martínez Sáez, Francisco, 97.  
*Dermacarus*, 109, 115; *tamiasciuri*, 110.  
*Dermacentor albipictus*, 109;  
*nigrolineatus*, 109.  
 Dermoptera, 107.  
 Dermestidae, 56.  
*desponsa*, *Melissodes*, 107.  
*Dibrachys cavus*, 56.  
*Dichelonyx*, 24.  
*Dictyna*, 125; *coloradensis*, 124; *manitoba*,  
 124; *minuta*, 124; *phylax*, 124;  
*sancta*, 124; species, 124, 126.  
 Dictynidae, 124.  
*differentialis*, *Melanoplus*, 6-8, 13.  
*difficilis*, *Rhadinopsylla*, 111.  
  
*Dinocheirus pallidus*, 95.  
*Dioryctria mendacella*, 104.  
*Diploptaxis*, 24.  
*dippiei*, *Hystrichopsylla*, 111, 112; *dippiei*  
*dippiei*, *Hystrichopsylla*, 111,  
*dippiei spinata*, *Hystrichopsylla*,  
 111; *dippiei truncata*,  
*Hystrichopsylla*, 111.  
 Diptera, 56, 102, 107, 110, 117, 121.  
*diptera*, *Psectra*, 79, 84, 87.  
*discursans*, *Xysticus*, 125.  
*disjuncta*, *Kimminsia*, 79, 84, 85.  
*dispar*, *Lymantria*, 103, 104.  
*Dissosteira carolina*, 16, 19, 20.  
 Docavo, Ignacio, 102.  
*Dociostaurus maroccanus*, 103.  
*Dolichomitus messor perlongus*, 56;  
*populneus*, 56.  
*downesi*, *Chrysopa* (Carnea Group), 68,  
 75.  
 Dusmet, José Maria, 102.  
  
 Ectoparasites, of Isle Royal, Michigan,  
 109, 116.  
 Elateridae, 105, 107.  
*elegans*, *Zonocerus*, 6.  
*Eleusine indica*, 19.  
*emuncta*, *Chrysopa*, 68; *Meleoma*, 66-68.  
*Encoptolophus sordidus sordidus*, 16, 19.  
 Encyrtidae, 56.  
 Entomology, Spanish, past and present,  
 97-104.  
*Eperigone contorta*, 124.  
 Ephemeroptera, 118.  
*Epicauda pennsylvanica*, 107.  
*Epitedia wenmanni wenmanni*, 111.  
*Epilobium angustifolium*, 6, 10.  
*Equisetum arvense*, 6, 10.  
*Eremochrysa*, 66, 76; *canadensis*, 76;  
*hageni*, 76.  
*Erigone atra*, 124.  
 Erigoninae, 124; species, 124.  
*erminea*, *Mustela*, 111, 113.  
*erosa*, *Phymata*, 107.  
*erythrocephala*, *Chrysopa*, 69.  
 Español, Francisco, 102.  
*Euderus lividus*, 56.  
 Eulophidae, 56.  
*eurygaster*, *Iphiaulax*, 56.  
*Eurytoma magdalidis*, 56.  
 Eurytomidae, 56.  
*Euthystira brachyptera*, 7.  
*ewingi*, *Hesperochernes*, 95.  
*externa*, *Chrysopa*, 73.  
*extensa*, *Tetragnatha*, 125.  
  
 Fabaceae, 21.  
*fabra*, *Metoneta*, 125.  
*facialis*, *Cerotoma*, Gynandromorph of,  
 1-3.  
*fahrenheitii*, *Androlaelaps*, 110.  
*fayl*, *Saperda*, 39, 52.  
*femur-rubrum femur-rubrum*, *Melanoplus*,  
 16, 19, 20.  
*fervidus*, *Bombus*, 107.  
*filosa*, *Somatochlora*, 94.

- fistulosa*, *Monarda*, 21.  
*Folsomia*, 61-62; *candida*, 61-62; effect of carbon dioxide anaesthesia on, 61-62.  
*Forcipestricis gazeaui*, 56.  
*Forcipomyia* sp., 56.  
*Forficula auricularia*, 107.  
Forficulidae, 107.  
Formicoidea, 120.  
*fraterna*, *Rhadinopsylla*, 111.  
*fraxini*, *Catocala*, 59.  
*frigidus*, *Petasites*, 6, 10.  
*fuscata*, *Sisyra*, 86.  
*fuscatus*, *Polistes*, 107.  
  
*Galinosoga parviflora*, 21.  
*gazeaui*, *Forcipestricis*, 56.  
*Geotrupes*, 24.  
*Geum macrophyllum*, 6, 10.  
Gil Collado, J., 102.  
*globosa*, *Achearanaea*, 125.  
*Glypta* species, 57.  
Gómez Menor, J., 102.  
Gomphocerine, 16.  
*gracilis*, *Bathyphantes*, 125; *Phyllophaga*, 107.  
Gramineae, 3, 6, 19.  
*grandidentata*, *Populus*, 43, 44.  
Grass species, 19, 20.  
Grasshopper, use of caecal and diverticular coloration in field determination of diet, 14-18.  
*determination of diet*, 14-18.  
*grata*, *Marpissa*, 125.  
Grubs, white, 89-91; control of in Michigan, 89-91; populations in relation to red pine seedlings in Michigan and Wisconsin plantations, 23-28.  
Gynandromorphism in the beetle *Cerotoma facialis*, 1-2; in the Odonata, 93-94.  
  
*Habritys* sp., 56.  
*Haemogamasus ambulans*, 110; *reidi*, 110, 115.  
*Haemophysalis leporispalustris*, 110.  
*hageni*, *Eremochrysa*, 76.  
Halicitidae, 107.  
*Hamamelis virginiana*, 79.  
*Harpalus compar*, 107; *pennsylvanicus*, 107.  
*harperi*, *Trombicula*, (*Neotrombicula*), 110.  
*harrisii*, *Chrysopa* (Carnea Group), 68, 69, 72-74.  
Hemerobiidae, 79-85, 87.  
*Hemerobius*, 79-82; *conjunctus*, 79, 80, 81; *delicatulus*, 84; *humulinus*, 80; *perelegans*, 80; *pinidumus*, 80-82; *stigma*, 79, 80; *stigmaterus*, 79.  
*Hemiclepidius memnonius*, 107.  
Hemiptera, 107, 117, 118.  
*Hesperochnes ewingi*, 95; *lymphatus*, 95; *tamiae*, 95.  
*hesperomys adelpha*, *Peromyscopsylla*, 114; *hesperomys hesperomys*, *Peromyscopsylla*, 114.  
  
Heteroptera, 120.  
*Hipparchia semidea*, 35.  
*hirta*, *Rudbeckia*, 22.  
Homoptera, 102, 107, 120.  
*Homotrupus signatus*, 57.  
Hoplopleuridae, 110.  
*Hordeum jubatum*, 6.  
*hudsonicus*, *Tamiasciurus*, 109-111, 113.  
*humulinus*, *Hemerobius*, 80.  
Hymenoptera, 56-57, 100-104, 105, 107, 117-121.  
Hydrophilidae, 105.  
*Hystrichopsylla*, 114; *dippiei*, 111, 112; *dippiei dippiei*, 111; *dippiei spinata*, 111; *dippiei truncata*, 111.  
Hystrichopsyllidae, 111.  
  
Ichneumonidae, 56, 57.  
Ichneumonoidea, 120.  
*ilex*, *Quercus*, 103.  
*illata*, *Melissodes*, 107.  
*impatiens*, *Bombus*, 105, 107.  
*incompleta*, *Chrysopa* (Perla Group), 68, 69, 72, 73.  
*indica*, *Eleusine*, 19.  
*inflatus*, *Ceratinops*, 124.  
*inornata*, *Mecas*, 34; *Saperda*, 33-57, associated insects reared from galls of, on trembling aspen, in Michigan, 53-57; geographic variation in Eastern North America, 39-52; light and dark, 39-52; nomenclatural status of, 33-38.  
*insignis*, *Myodopsylla*, 114; *Myotis*, 114.  
Instituto Español de Entomología, Madrid, 101, 102.  
Instituto de Investigaciones Agronómicas, Madrid, 103.  
*insularis*, *Pirata*, 125.  
*Iphiaulax eurygaster*, 56.  
*iricolor*, *Serica*, 107.  
Ichnopsyllidae, 114.  
*Ischnura*, 94.  
Istotomidae, 61.  
*italicus*, *Calliptamus*, 103.  
*Ixodes marxi*, 110.  
Ixodidae, 109.  
  
Japanese Beetle, in Michigan, 105-108; Traps, Insects taken in, 105-108.  
*japonica*, *Popillia*, 105-107.  
*jubatum*, *Hordeum*, 6.  
*judith*, *Catocala*, 59.  
*juncea*, *Aeshnea*, 93-94.  
Junco, J., 102.  
*Juniperus virginiana*, 75, 79, 80, 82, 83.  
  
*Kimminsia*, 79, 84, 85, 87; *disjuncta*, 79, 84, 85; *pretiosa*, 79, 84, 85.  
  
Labidophoridae, 110.  
*laboriosa*, *Tetragnatha*, 125.  
Labratae, 21.  
*Lactuca* species, 21.  
Laelopidae, 110, 115.  
*laetus*, *Ceraticelus*, 124.  
*Lamprochernes oblongus*, 95.

- latifolia*, *Arctagrostis*, 6, 10.  
*Lepidium virginicum*, 21.  
 Lepidoptera, 56, 57, 59, 60, 102, 117-122.  
*leporispalustris*, *Haemophysalis*, 110.  
*Lepinotarsa decemlineata*, 107.  
 Leptopsyllidae, 114.  
*Lepus americanus*, 109, 110, 111, 113.  
*Lepedeza* species, 21.  
*leucopus*, *Peromyscus*, 114; *leucopus noveboracensis*, *Peromyscus*, 115.  
 Libellulidae, 93, 94.  
*lineare*, *Melampyrum*, 63-64.  
*lineaticornis*, *Chrysopa* (Lineaticornis Group), 68-70, 72, 74-76.  
 linyphids, 125.  
 Linyphiidae, 124, 126.  
 Linyphiinae, 125.  
*Lisothrips* species near or equal *crassipes*, 57.  
*lividus*, *Euderus*, 56.  
*Lixophaga* new species, 56.  
*longifolia*, *Salix*, 39.  
*lucifugus*, *Myotis*, 114.  
*lupus*, *Canis*, 109.  
*luteicornis*, *Ophistomis*, 105.  
 Lycosidae, 125.  
*lydia*, *Plathemis*, 93.  
*Lymantria dispar*, 103, 104.  
*lymphatus*, *Hesperocharnes*, 95.  
*Lyriothemis pachygastra*, 94.  
 Lythraceae, 21.  
*Lythrum salicaria*, 21.  
  
*Macrodactylus subspinosus*, 106, 107.  
*macrophyllum*, *Geum*, 6, 10.  
*maculatus*, *Pirata*, 125.  
*Magacyllene robiniae*, 107.  
*magdalidis*, *Eurytoma*, 56.  
*maidis*, *Rhopalosiphum*, 106, 107.  
*majuscula*, *Chrysopa*, 69.  
 Malaise Trap, utility and potential for sampling insect populations, 117-122.  
*malus*, *Pyrus*, 79, 80, 82.  
*Mangora placida*, 124.  
*manitoba*, *Dictyna*, 124.  
*marginatus*, *Chauliognathus*, 105.  
*maritimus*, *Tiballus*, 125.  
*maroccanus*, *Doclostaurus*, 103.  
*Marpissa grata*, 125.  
*marxi*, *Ixodes*, 110.  
 Mateu, Joaquín, 102.  
*Mecas*, 33-37; *bicallosa*, 34; *inornata*, 34; *pergrata*, 35; *saturnina*, 34, 35.  
 Mecoptera, 118.  
*Megaselia* new species, 56.  
*Melampyrum*, 63, 64; *lineare*, 63, 64.  
 Melandryidae, 102.  
*Melanoplus borealis borealis*, biology and ecology of, 3-13; feeding habits of adults and nymphs, 3-9; *bruneri*, 13; *confusus*, 16, 20-22; *diferentialis*, 6-8, 13; *femur-rubrum femur-rubrum*, 16, 19, 20; *sanguinipes sanguinipes*, 16, 19-22.  
  
*Meleoma*, 66-68, 77; *emuncta*, 66-68; *signoretii*, 66-68.  
*Melissodes bimaculata bimaculata*, 107; *desponsa*, 107; *illata*, 107.  
*mellifera*, *Apis*, 106, 107.  
 Meloidae, 107.  
*memnonius*, *Hemicrepidius*, 107.  
*mendacella*, *Dioryctria*, 104.  
 Mercet, R. G., 100.  
 Mesostigmata, 110, 114, 115.  
*messor perlongus*, *Dolichomitus*, 56.  
 Metastigmata, 109-110.  
*Meteorus cognatus*, 56; *trachynotes*, 57.  
*Metoneta fabra*, 125.  
*moesta*, *Saperda*, 39-42, 44, 48-50, 52.  
*Monarda fistulosa*, 21.  
*Micromus*, 79, 82-83; *angulatus*, 79, 82; *montanus*, 79, 83; *posticus*, 81, 82; *subanticus*, 81, 82.  
*microti*, *Trombicula* (*Neotrombicula*), 110.  
*Microtus*, 110.  
*minuta*, *Dictyna*, 124.  
*Minyrioloides trifrons*, 124.  
*Minyriolus arenarius*, 124.  
*Monopsyllus*, 114; *vison*, 111; *wagneri*, 111, 113.  
*montanus*, *Micromus*, 79, 83.  
 Morales Agacino, Eugenio, 101, 102.  
*morula*, *Acronycta*, 95.  
 Moth, European pine shoot, variation in starting date of spring feeding in Michigan, 28-31.  
*multiradiata*, *Solidago*, 6, 10.  
*Mustela erminea*, 111, 113.  
 mutillid wasps, 102.  
*Myodopsylla insignis*, 114.  
*Myotis*, 114; *insignis*, 114; *lucifugus*, 114.  
*Myzinum quinquecinctum*, 107.  
  
 Natural History Museum of Madrid, 97.  
 Navds, Father L., 100.  
*neogama*, *Catocala*, 95.  
*Neohae matopinus sciurinus* (*semifasciatus*), 109.  
*Neoscona arabesca*, 124.  
 Neuroptera, 118; suborder planipennia of Wisconsin, 65-87.  
  
*niger*, *Ufens*, 56.  
*nigricornis*, *Chrysopa* (Perla Group), 68, 69, 70, 72; *Crossocerus*, 57.  
*nigrolineatus*, *Dermacentor*, 109.  
 Noctuidae, 59-60.  
*nodicornis*, *Acanthothrips*, 57.  
*notatus*, *Pissodes*, 103.  
  
*Oberea schaumii*, 37, 52, 54.  
*oblongus*, *Lamprocharnes*, 95.  
*obscura*, *Catocala*, 60.  
*occidentalis*, *Symphorobius*, 79, 83, 84; *Thuja*, 80.  
*oculata*, *Chrysopa* (Perla Group), 68-72, 75, 77; undetermined species near, 68, 69.  
*oculatus*, *Alaus*, 95.

- Odinia* new species near *xanthocera*, 56.  
 Odiniidae, 56.  
*Oedipoda caerulescens*, 7, 8.  
 Oedipodinae, 16.  
 Odonata, 118; Gynandromorphism in, 93-94.  
*Oedothorax trilobatus*, 124.  
 Oelthreutidae, 57.  
*officinale*, *Taraxacum*, 6, 7, 8, 10, 22.  
*oleae*, *Dacus*, 103.  
*Ophistomis lutericornis*, 105.  
*Orchopeas caedens caedens*, 111, 113; *caedens durus*, 113.  
*ornatus*, *Tmeticus*, 124.  
*Orthetrum brachiale*, 93.  
 Orthoptera, 63, 64, 118.  
 Orthopteroidea, 14-22.  
*Ostrya virginiana*, 79.  
  
*pachygastra*, *Lyriothemis*, 94.  
*padophylla*, *Salix*, 6, 10, 11.  
*paleogama*, *Catocala*, 59.  
*pallidus*, *Dinocheirus*, 95.  
*palustris*, *Parnassia*, 6, 10; *Sitticus*, 125.  
*parallelus*, *Chorthippus*, 7.  
*Parandra brunnea*, 107.  
*Paranthrene tabaniformis*, 104; *tricineta*, 56.  
*Pardalophora apiculata*, 16, 19-22.  
*Pardosa* species, 125.  
*Parnassia palustris*, 6, 10.  
*parviflora*, *Galinosoga*, 21.  
 Peláez, D., 100.  
*Pelidnota punctata*, 107.  
*pennsylvanica*, *Epicauta*, 107.  
*pennsylvanicus*, *Chauliognathus*, 106, 107; *Harpalus*, 107.  
*perelegans*, *Hemerobius*, 80.  
 Pérez Arcas, Laureano, 97.  
*perfecta*, *Chrysopa* (Perfecta Group), undetermined species near, 68, 75.  
*pergrata*, *Mecas*, 35; *Saperda*, 35.  
 Perilampidae, 56.  
*Perilampus similis*, 56.  
 Peris, S. V., 102.  
*Perithemis tenera*, 94.  
*Peromyscopsylla*, 114; *hesperomys adelpha*, 114; *hesperomys hesperomys*, 114.  
*Peromyscus*, 110; *leucopus*, 114; *leucopus noveboracensis*, 115; *maniculatus*, 109, 110, 111, 113, 114.  
*Petasites frigidus*, 6, 10.  
*Phaeogenes* species, 57.  
 Phlaeothripidae, 57.  
*phaon*, *Deileia*, 93, 94.  
*Philodromus*, 125.  
 Phoresy by Pseudoscorpions, 95-96.  
 Phoridae, 56.  
*phylax*, *Dictyna*, 124.  
*Phyllis snelleni*, *Rhyothemis*, 93.  
*Phyllophaga*, 24-27; *anxia*, 107; *crenulata*, 107; *gracilis*, 107; *rugosa*, 107; species, 89-91; species control of, evaluation of three Aldrin application methods, 89-91.  
*Phylloxera vastatrix*, 97.  
*Phymata erosa*, 107.  
 Phymatidae, 107.  
*Phytoecia*, 40.  
*piniae*, *Pinus*, 104.  
*pinidumus*, *Hemerobius*, 80-82.  
*Pinus pinae*, 104; *resinosa*, 28-31, 72, 73, 75, 79, 80, 82, 85, 89-91; *strobos*, 72, 75, 79, 80, 82.  
*Pirata insularis*, 125; *maculatus*, 125; species, 125.  
*Pissodes notatus*, 103; *validirostris*, 104.  
*pityocampa*, *Thaumethopoea*, 103.  
*placida*, *Mangora*, 124.  
*Plantago rugellii*, 6, 10.  
*Platthemis lydia*, 93.  
*Platycypha*, 94.  
*Platygaster*, 56.  
 Platygasteridae, 56.  
 Plecoptera, 118.  
*plorabunda*, *Chrysopa*, 72.  
*plumosus*, *Catabrithorax*, 124.  
*Poa compressa*, 20; *pratensis*, 20, 123; *pratensis*, spiders found in, 123-127.  
*Polistes fuscatus*, 107.  
*Polyplax*, 110, 114; *auricularis*, 110.  
*Polystoechotes*, 85-86; *punctatus*, 85, 86.  
 Polystoechotidae, 79, 85, 86.  
 pompilids, 102.  
*Popillia japonica*, 105, 107.  
*populnea*, *Saperda*, 40, 104.  
*populneus*, *Dolichomitus*, 56.  
*Populus*, 39, 40, 43, 44, 50, 103, 104; *blasamifera*, 43-51; *grandidentata*, 43, 44; *hybrids*, 43, 44; *tremuloides*, 33, 36, 37, 39, 40, 43-45, 48, 49, 51-53, 82.  
*posticus*, *Micromus*, 81, 82.  
*pratense*, *Trifolium*, 6, 10.  
*pratensis*, *Poa*, 20, 123; *Poa*, spiders found in, 123-127.  
*pretiosa*, *Boriomyia*, 84; *Kimminsia*, 79, 84, 85.  
 Proctotrupeoidea, 120.  
*projectus*, *Chromatoilus*, 63.  
 Prostigmata, 110.  
*Psectra*, 79, 84, 87; *diptera*, 79, 84, 87.  
*Pseudencyrtus* species, 56.  
 Pseudoscorpions, Phoresy by, 95-96.  
*pseudonietana pseudonietana*, *Arphia*, 16.  
*Pseudorhopus* species, 56.  
 Psocoptera, 118.  
*Psophus stridulus*, 7, 8.  
 Pteromalidae, 56.  
*pullatus*, *Bathyphantes*, 125.  
*punctata*, *Pelidnota*, 107.  
*punctatus*, *Polystoechotes*, 85, 86.  
*putrescentiae*, *Tyrophagus*, 61.  
*Pyrus malus*, 79, 80, 82.  
  
*quadripunctata*, *Chrysopa* (Perla Group), 68-72.



- Quercus*, 70, 75, 83; *ilex*, 103; species, 72, 79, 80, 82.
- Quindecimpunctata*, *Anatis*, 107.
- quinquecinctum*, *Myzinum*, 107.
- reidi*, *Haemogamasus*, 110, 115.
- resinosa*, *Pinus*, 28-31, 72, 73, 75, 79, 80, 82, 85, 89-91.
- Rhadinopsylla difficilis*, 111; *fraterna*, 111.
- Rhopalosiphum maidis*, 106, 107.
- Rhyacionia buoliana*, 28-31.
- Ribes sativum*, 74.
- robiniae*, *Megacyllene*, 107.
- Romanyk, Nestor, 103, 104.
- Royal Academy of Sciences of Spain, 97.
- Rubus* species, 80.
- Rudbeckia hirta*, 22.
- rufilabris*, *Chrysopa* (Carnea Group), 68, 69, 72, 74.
- rugellii*, *Plantago*, 6, 10.
- rugosa*, *Alnus*, 80; *Phyllophaga*, 107.
- rugosiventris*, *Atanycolus*, 56.
- Rupérez, Adolfo, 103, 104.
- Rythemis phyllis snelleni*, 93.
- saccharinum*, *Acer*, 80.
- salicaria*, *Lythrum*, 21.
- sativum*, *Ribes*, 74.
- Salix*, 39, 43, 44, 49, 50; *longifolia*, 39; *padophylla*, 6, 10, 11; species, 48, 49, 51, 52, 79.
- Salticidae, 125, 126.
- sancta*, *Dictyna*, 124.
- sanguineiventris*, *Cenoceolius*, 56.
- sanguinipes sanguinipes*, *Melanoplus*, 16, 19-22.
- Saperda*, 33, 34, 36, 37, 39, 49-52; *carcharias*, 104; *concolor*, 33-36, 39, 40, 52; *concolor*, var. *concolor*, 34, 40, 52; *concolor* var. *unicolor*, 34, 36, 42, 48; *fayi*, 39, 52; *inornata*, associated insects reared from galls of, on trembling aspen in Michigan, 53-57; geographic variation in Eastern North America, 39-52; light and dark, 39-52; *moesta*, 39-42, 44, 48-50, 52; neotype of, 36; nomenclatural status of, 33-38; *pergrata*, 35; *populnea*, 40, 104; *unicolor*, 39.
- sappho*, *Catocala*, 60.
- saturnina*, *Mecas*, 34, 35.
- saucius*, *Chasmias*, 56.
- scalaris*, *Cerambyx*, 33.
- Scarabaeidae, 89-91, 102, 105, 107.
- schaumii*, *Oberea*, 37, 52, 54.
- Sciaridae, 56.
- sciurinus* (*semifasciatus*), *Neohaematopinus*, 109.
- Scrophulariaceae, 63.
- scrophulariae*, *Anthrenus*, 56.
- Scudderia curvicauda curvicauda*, 16, 21, 22.
- Selga, D., 102.
- semidea*, *Chionabas*, 35; *Hipparchia*, 35.
- Serica*, 24; *iricolor*, 107.
- Servicio de Plagas Forestales, Madrid, 103, 104.
- servilia*, *Crocothemis*, 93, 94.
- Setaria viridis*, 20.
- sibirica*, *Achillea*, 6, 10.
- signatus*, *Homotrupus*, 57.
- signoretti*, *Meleoma*, 66-68.
- Silphidae, 105.
- similus*, *Perilampus*, 56.
- Singa variabilis*, 124.
- siniensis*, *Vigna*, 1.
- Siphonaptera*, 111.
- Sitticus palustris*, 125; *striatus*, 125.
- Sisyra fuscata*, 86; *vicaria*, 86.
- Sisyridae, 79, 86, 87.
- Solidago multiradiata*, 6, 10; species, 22.
- Somatochlora filosa*, 94.
- sordidus sordidus*, *Encoptolophus*, 16, 19.
- Spanish Society of Natural Sciences, 97.
- Spharagemon bolli bolli*, 16, 21.
- Sphécidae, 57.
- Sphingidae, 122.
- Spiders, from heading bluegrass (*Poa pratensis*) in Minnesota, 123-127.
- splendens*, *Calopteryx*, 93, 94.
- sponsa*, *Aix*, 95.
- stannardi*, *Apocheiridium*, 95.
- Stenomacrus* species, 57.
- stigma*, *Hemerobius*, 79, 80.
- stigmaterus*, *Hemerobius*, 79.
- striatus*, *Sitticus*, 125.
- stridulus*, *Psophus*, 7, 8.
- strobus*, *Pinus*, 72, 75, 79, 80, 82.
- Suárez, J. F., 102.
- subanticus*, *Micromus*, 81, 82.
- subspinosus*, *Macroductylus*, 106, 107.
- Symphorobius*, 79, 83; *amiculus*, 83; *barberi*, 83; *occidentalis*, 79, 83, 84.
- Symphyta, 119, 120.
- Syntomopus* species, 56.
- Syrbula admirabilis*, 15.
- tabaniformis*, *Paranthrene*, 104.
- Tachinidae, 56.
- tamiae*, *Hesperocheernes*, 95.
- tamiasciuri*, *Dermacarus*, 110.
- Tamiasciurus hudsonicus*, 109, 110, 111, 113.
- Taraxacum officinale*, 6, 7, 8, 10, 22.
- Telenomus* species, 56.
- Templado, J., 102.
- tenera*, *Perithemis*, 94.
- Tennesseeillum* new species, 125.
- tenuiventris*, *Townesia*, 57.
- terricola*, *Bombus*, 105.
- testaceus*, *Atlanticus*, 63, 64; feeding behavior of, 63.
- Tetragnatha*, 125, 126; *candata*, 125; *extensa*, 125; *laboriosa*, 125.
- Tetragnathidae, 125.
- Tetrastichus* species, 56.
- Tetraopes tetropthalmus*, 107.

- retrophthalmus*, *Tetraopes*, 107.  
 Tettigoniidae, 63.  
*Thaumethopoea pityocampa*, 103.  
 Theridiidae, 125, 126; species, 125.  
 theridiids, 125.  
*Theridion unimaculatum*, 125.  
 Thomisidae, 125, 126.  
 Thomisids, 125.  
*Thuja occidentalis*, 80.  
 Thysanoptera, 57, 118.  
*Tiballus maritimus*, 125.  
*Tibicen canalicularis*, 107.  
 Tiphidae, 107.  
*Tmeticus ornatus*, 124.  
*Tortrix viridana*, 103.  
*Townesia tenuiventris*, 57.  
*trachynotes*, *Meteorus*, 57.  
*Trathala* species, 57.  
*tremuloides*, *Populus*, 33, 36, 37, 39, 40,  
 43, 44, 45, 48, 49, 51-53, 82.  
 Trichogrammatidae, 56.  
 Trichoptera, 118.  
*tricincta*, *Paranthrene*, 56.  
*trifrons*, *Minyrioloides* 124.  
*trifurcata*, *Cerotoma*, 1.  
*trilobatus*, *Oedothis*, 124.  
*Trifolium pratense*, 6, 10.  
*Trombicula* (*Neotrombicula*) *harperi*,  
 110; (*Neotrombicula*) *microti*, 110.  
 Trombiculidae, 110, 114.  
*tuberosa*, *Asclepias*, 21.  
*Tyrophagus putrescentiae*, 61.  
*Typocerus velutinus*, 105.  
  
*Ufens niger*, 56.  
*ulalume*, *Catocala*, 60.  
 Umbelliferae, 21.  
  
*unimaculatum*, *Theridion*, 125.  
 University of Barcelona, 102; La Laguna,  
 102; Madrid, 97, 102; Oviedo,  
 102; Pamplona, 102; Salamanca,  
 102; Sevilla, 102; Valencia, 102.  
  
*validirostris*, *Pissodes*, 104.  
*variabilis*, *Singla*, 124.  
*variegatus*, *Zonocerus*, 12.  
*vastatrix*, *Phylloxera*, 97.  
*velutinus*, *Typocerus*, 105.  
 Vespidae, 107.  
*Vicaria*, *Sisyra*, 86.  
*Vigna siniensis*, 1.  
*virescens*, *Agapostemon*, 107.  
*virginiana*, *Hamamelis*, 79; *Juniperus*, 75,  
 79, 80, 82, 83; *Ostrya*, 79.  
*virginicum*, *Lepidium*, 21.  
*virgo*, *Calopteryx*, 93.  
*viridana*, *Tortrix*, 103.  
*viridis*, *Setaria*, 20.  
*vison*, *Monopsyllus*, 111.  
*vulpes*, *Vulpes*, 109.  
*Vulpes vulpes*, 109.  
  
*wagneri*, *Monopsyllus*, 111, 113.  
*wenmanni wenmanni*, *Epitedia*, 111.  
*Wesmaelius*, 79.  
  
*xanthocera*, *Odinia* new species near, 56.  
*Xylophrurus bicolor*, 56; *bicolor maurus*,  
 57.  
*Xysticus discursans*, 125; species, 125.  
  
*Zibethacarus*, 115.  
*Zonocerus elegans*, 6; *variegatus*, 12.  
 Zoological Museum of Barcelona, 100.