


The
GREAT LAKES ENTOMOLOGIST



VOLUME V (1972–1973)

Irving J. Cantrall
Editor

PUBLICATION DATES

Number 1	18 August 1972
Number 2	18 August 1972
Number 3	28 November 1972
Number 4	6 February 1973

Published by

THE MICHIGAN ENTOMOLOGICAL SOCIETY
c/o Department of Entomology
Michigan State University
East Lansing, Michigan 48823, U.S.A.

THE GREAT LAKES ENTOMOLOGIST

VOLUME V (1972-1973)

AUTHOR INDEX

- Alexander, R. D., Ann E. Pace and Daniel Otte. The Singing Insects of Michigan, 33.
- Anderson, Marilyn P. Notes on the Brown Widow Spider, *Latrodectes geometricus* (Araneae: Theridiidae) in Brazil, 115.
- Bland, Roger G. New Orthopteroid Records in Michigan Derived from Sampling a Small Field, 109.
- Cantrall, Irving J. *Sago pedo* (Pallas) (Tettigoniidae: Saginae), an Old World Katydid, New to Michigan, 103.
- Cantrall, Irving J. *Forficula auricularia* L. (Dermaptera: Forficulidae) in Michigan, 107.
- Dunham, R. Scott. A Life History Study of *Caecilius aurantiacus* (Hagen) (Psocoptera: Caeciliidae), 17.
- Hilsenhoff, William L. New Records of Odonata from Wisconsin, 79.
- Holzman, Richard W. Eastern Range Extension for *Oarisma powesheik* Parker (Lepidoptera: Hesperidae), 111.
- Knight, Fred B. (See Nord, John C. and Fred B. Knight), 28.
- Knight, Fred B. (See Nord, John C. and Fred B. Knight), 87.
- Knight, Fred B. (See Nord, John C. and Fred B. Knight), 93.
- Larochelle, André. Notes on the Food of Cychrini (Coleoptera: Carabidae), 81.
- Larochelle, André. Wing-Dimorphism in *Cymindis cribicollis* DeJean and *C. neglecta* Haldeman (Coleoptera: Carabidae), 85.
- Martin, E. C. Bees. Their Vision, Chemical Senses, and Language by Karl von Frisch (review), 86.
- Newman, John H. Noctuidae of North America by Augustus R. Grote (review), 32.
- Nord, John C. and Fred B. Knight. The Distribution of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) within the Crowns of Large Trembling Aspen, *Populus tremuloides*, 28.
- Nord, John C. and Fred B. Knight. The Importance of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) Galleries as Infection Courts of *Hypoxylon pruinautum* in Trembling Aspen, *Populus tremuloides*, 87.
- Nord, John C. and Fred B. Knight. The Relationship of the Abundance of *Saperda inornata* and *Oberea schaumii* (Coleoptera: Cerambycidae) in Large Trembling Aspen, *Populus tremuloides*, to Site Quality, 93.
- Otte, Daniel. (See Alexander, R. D., Ann E. Pace and Daniel Otte), 33.
- Pace, Ann E. (See Alexander, R. D., Ann E. Pace and Daniel Otte), 33.
- Puthz, Volker. Some *Stenus* Latr. from Michigan (Coleoptera: Staphylinidae). 107th Contribution to the Knowledge of Steninae, 11.

- Steyskal, George C. New and Little-known Agromyzidae from Michigan (Diptera: Acalyptratae), 1.
- Throne, Alvin L. The Neuroptera—Suborder Planipennia of Wisconsin. Part III—Mantispidae, Ascalaphidae, Myrmeleontidae and Coniopterygidae, 119.
- Torgerson, Torolf R. A *Perithous* (Hymenoptera: Ichneumonidae) Introduced from Europe, 99.
- Townes, Marjorie C. A. A. Girault and his Privately Printed Papers, 129.
- Wilkinson, Ronald S. The Compleat Naturalist: A Life of Linnaeus by Wilfrid Blunt (review), 84.
- Wilson, Louis F. Life History and Outbreaks of an Oak Leafroller, *Archips semifera* (Lepidoptera: Tortricidae), in Michigan, 71.

SUBJECT INDEX
Compiled by Irving J. Cantrall

- abdominalis*, *Chloactis*, 37, 53; *Hesperoleon*, 122, 123.
- Acalyptratae, 1-10.
- Acer saccharum*, 25, 124; *rubrum*, 124.
- Acheta domesticus*, 36, 39, 42, 49.
- Acrididae, 52, 109.
- Acridinae, 34, 37.
- Acridoidea, 33.
- admirabilis*, *Syrbula*, 37, 53.
- advena*, *Stenus (Hypostenus)*, 14.
- Ageneotettix deorum*, 37, 53.
- Agrilus bilineatus*, 71.
- Agromyza ambrosivora*, 1; *haplacme*, new species, 1, 2; *jucunda*, 4; *pseudoreptans*, 1; *reptans*, 1.
- Agromyzidae, 1-10.
- agromyzina*, *Phytomyza*, 9.
- Agromyzinae, 1-4.
- Alaptus caecillii*, 26.
- Aletris farinosa*, 111.
- allardi*, *Allonemobius*, 35, 36, 43, 49, 61, 110.
- Allonemobius allardi*, 35, 36, 43, 49, 61, 110; *fasciatus*, 36, 42, 49; *griseus*, 36, 43, 48; *maculatus*, 36, 43, 48; *tinnulus*, 35, 36, 43, 49.
- althaeae*, *Calycomyza*, 4.
- alutacea*, *Schistocerca*, 109.
- Amblycorpha oblongifolia*, 35, 44, 50, 63; *rotundifolia*, 35, 43, 50, 63.
- ambrosivora*, *Agromyza*, 1.
- Anaxipha exigua*, 37, 42, 48, 61.
- ancorata*, *Steatoda*, 118.
- andrewsi*, *Scaphinotus*, 81.
- Andricus*, 99.
- angustatus*, *Scaphinotus*, 81.
- angusticollis*, *Scaphinotus*, 81.
- angustipennis angustipennis*, *Melanoplus*, 109.
- angustus*, *Stenus (Nestus)*, 12.
- annularis*, *Stenus (Hypostenus)*, 13.
- anomalus*, *Ophiogomphus*, 79.
- apiculata*, *Pardalophora*, 37, 38, 53.
- aquilegiana*, *Phytomyza*, 8.
- aquilegiophaga*, *Phytomyza*, 8.
- aquilegivora*, *Phytomyza*, 5.
- Archips argyrosphilus*, 71; *semiferanus*, 71-77.
- Archipsocus floridanus*, 25; *frater*, 25, 27.
- arculus*, *Stenus*, 14, 15.
- argentinus*, *Oecanthus*, 48, 62.
- argyrosphilus*, *Archips*, 71.
- Arphia pseudonietana*, 37, 39, 54; *pseudonietana pseudonietana*, 109; *sulphurea*, 37, 38, 54, 69, 109; *xanthoptera*, 37, 54, 69.
- Ascalaphidae, 121, 122.
- Asclepias syriaca*, 111; *tuberosa*, 111.
- Asimina triloba*, 25.
- aspen, trembling, 28-32.
- Atlanticus davisii*, 36, 44, 51; *testaceus*, 36, 39, 44, 51, 65.
- attenuatus*, *Conocephalus*, 36, 45, 52.
- attenuatus*, *Cychnus*, 81.
- auletes*, *Tibicen*, 38, 41, 46.
- aurantiacus*, *Caecilius*, 17-27.
- auricularia*, *Forficula*, 107.
- bilineatus*, *Agrilus*, 71.
- biloba*, *Ipomoea*, 115, 116, 118.
- bilobus*, *Scaphinotus*, 81.
- bipunctata*, *Neoxabea*, 37, 42, 47.
- bivittatus*, *Melanoplus*, 104, 109.
- Black-eyed Susan, 111, 113, 114.
- bolli*, *Spharagemon*, 37, 54; *bolli bolli*, 109.
- Boloria selene myrina*, 111.
- brachyptera*, *Pseudopomala*, 37, 52, 109.

- brevicornis*, *Metaleptea*, 37, 52.
brevipennis, *Conocephalus*, 36, 45, 52, 65, 104, 109.
brevipes, *Ceuthophilus*, 109.
brevoorti, *Sphaeroderus nitidicollis*, 82.
brivioi, *Stenus (Nestus)* new species, 12-13.
brunnea, *Climaciella*, 119, 120.
burmudensis, *Gryllus*, 34.
 Butterflyweed, 111.
- caecilii*, *Alaptus*, 26.
 Caeciliidae, 17-27.
Caecilius, 17-27; *aurantiacus*, 17-27; *mant-eri*, 17, 19, 20; *sommermanae*, 25.
caenicolus, *Stenus*, 14, 15.
calcarata, *Saperda*, 87.
callosus, *Stenus (Hypostenus)*, 14.
Calycomyza althaeae, 4; *cynoglassi*, 3; *jucunda*, 4; *menthae*, 4; *michiganensis*, new species, 3-5; *novascotiensis*, 3; *promissa*, 4.
camellifolia, *Pterophylla*, 33, 36, 43, 49, 63.
Camnula pellucida, 37, 54, 109.
campestre, *Orchelimum*, 36, 45, 51.
canadensis, *Coniopteryx*, 125, 126; *Okanagan*, 35, 38, 39, 41, 46, 60; *Sambucus*, 111; *Sphaeroderus*, 82.
canalicularis, *Tibicen*, 35, 38, 39, 41, 47, 60.
canaliculatus, *Stenus (Nestus)*, 12, 16.
caprifoliae, *Phytomyza*, 9.
 Carabidae, 81, 85.
caraboides, *Cychrus*, 81.
carolina, *Dissosteira*, 37, 53, 109.
carolinus, *Eunemobius*, 36, 39, 43, 48.
Carya ovata, 124.
caseyi, *Stenus*, 12, 13.
cassini, *Magiciada*, 35, 38, 39, 41, 46, 55.
 Catbriar, 81.
 Cerambycidae, 28-32, 87, 93.
Ceuthophilus brevipes, 109.
 Chalcidoidea, 129.
Chloealtis abdominalis, 37, 53; *conspersa*, 37, 53.
chloromera, *Tibicen*, 38, 41, 46, 55.
Chorthippus curtipennis, 37, 53, 68; *curtipennis curtipennis*, 109.
Chorthippa viridifasciatus, 37, 38, 54, 68, 109.
 Chrysididae, 99.
 Cicadidae, 33, 38.
claudia, *Euptoietta*, 101.
clematidophoeta, *Phytomyza*, 5.
Climaciella brunnea, 119, 120.
 Coleoptera, 11-16, 28-32, 81-83, 85, 87, 93.
- Colicroot, 111.
collare, *Spharagemon*, 37, 54, 109.
Colobopterus excisus, 121, 122.
colonus, *Stenus (Nestus)*, 12.
 Common Elderberry, 111.
 Common Milkweed, 111.
comma, *Stenus* (s. str.), 11.
concinnum, *Orchelimum*, 35, 36, 45, 51.
concolor, *Saperda (=Saperda inornata)*, 28, 87.
confusus, *Melanoplus*, 109.
 Coniopterygidae, 127.
Coniopteryx, 124; *canadensis*, 125, 126; *westwoodi*, 125, 126.
 Conocephalinae, 33, 36.
Conocephalus attenuatus, 36, 45, 52; *brevipennis*, 36, 45, 52, 65, 104, 109; *fasciatus*, 36, 45, 52, 65, 66; *nemorialis*, 36, 45, 52; *nigropleurum*, 36, 45, 52, 66; *saltans*, 36, 45, 52; *strictus*, 36, 45, 52, 66.
conspersa, *Chloealtis*, 37, 53.
Conwentzia pineticola, 125, 126.
 Copiphorinae, 36.
 Corixidae, 34.
Cornus stolonifera, 114.
corruptus, *Polypsocus*, 25.
crepitans, *Neoconocephalus*, 36.
cribicollis, *Cymindis*, 85.
croceatus, *Stenus ("Hemistenus")*, 13.
Cryptoleon nebulosum, 122-124; *signatum*, 122-124.
cuclu, *Phytomyza*, new species, 4-6.
curacaviensis, *Latroedectus*, 115.
curtipennis, *Chorthippus*, 37, 53, 68; *curtipennis curtipennis*, 109.
curvicauda, *Scudderia*, 35, 44, 50, 64.
cybele, *Speyeria*, 111.
 Cychrini, 81-83.
Cychrus, 81; *attenuatus*, 81; *caraboides*, 81; *dufourii*, 81; *morawitzi*, 81; *rostratus*, 81.
Cymindis cribicollis, 85; *neglecta*, 85.
 Cynipidae, 99.
cynoglassi, *Calycomyza*, 3.
 Cyrtacanthacridinae, 52.
- davisi*, *Atlanticus*, 36, 44, 51.
 Decicicidae, 33, 36.
delicatum, *Orchelimum*, 35, 36, 45, 51.
Dendroleon obsoletum, 122, 124, 125.
deorum, *Ageneotettix*, 37, 53.
 Dermaptera, 107.
Diapheromera femorata, 109.
Diceroprocta vitripennis, 38, 41, 46, 55, 59.
Dichromorpha viridis, 37, 52.
differentialis differentialis, *Melanoplus*, 104.

Diptera, 1-10.

Dissosteira carolina, 37, 53, 109.

dolosus, *Stenus*, 12, 13.

domesticus, *Acheta*, 36, 39, 42, 49.

dorcas, *Lycaena*, 111.

dreisbachi, *Phytomyza*, new species, 5-8.

dufouri, *Cychnus*, 81.

eugenus, *Stenus (Nestus)*, 12.

Eleocharis elliptica, 113.

elevatus, *Scaphinotus*, 81.

ellipsoidalis, *Quercus*, 71.

elliptica, *Eleocharis*, 113.

Encoptolophus sordidus, 37, 54; *sordidus sordidus*, 109.

ensiger, *Neoconocephalus*, 36, 44, 50, 67, 104, 109.

erythropus, *Stenus (s. str.)*, 11.

Eunemobius carolinus, 36, 39, 43, 48; *melodius*, 37, 43, 48, 56.

Euptoieta claudia, 101; *hegesia*, 101.

eurydice, *Lethe*, 111.

excisus, *Colobopterus*, 121, 122.

exclamationis, *Oecanthus*, 37, 42, 47, 62.

exigua, *Anaxipha*, 37, 42, 48, 61.

fasciata, *Scudderia*, 35, 36, 43, 50, 55.

fasciatus, *Allonemobius*, 36, 42, 49; *Conocephalus*, 36, 45, 52, 65, 66.

farinosa, *Aletris*, 111.

femorata, *Diaperomera*, 109.

femoratus, *Stenus (s. str.)*, 12.

femur-rubrum femur-rubrum, *Melanoplus*, 104, 109.

fenestralis, *Psinidia*, 37, 54.

firmus, *Gryllus*, 34.

flavicornis, *Stenus (Hypostenus)*, 13-14.

fletcheri, *Williamsonia*, 79.

floridanus, *Archipsocus*, 25.

Forficula auricularia, 107.

Forficulidae, 107.

frater, *Archipsocus*, 25, 27.

Fraxinus sp., 124.

Fruittree leafroller, 71.

fruticosa, *Potentilla*, 114.

fultoni, *Oecanthus*, 37, 42, 47, 62.

furcata, *Scudderia*, 35, 36, 43, 50, 64, 104; *furcata furcata*, *Scudderia*, 109.

furcifer, *Stenus*, 14.

fuscifrons, *Trachyrhachys*, 37.

geometricus, *Latrodectus*, 115-118.

Girault, A. A., 129-132.

gladiator, *Orchelimum*, 36, 39, 45, 51, 66, 109.

glauca, *Picea*, 124.

Gomphocerinae, 34, 37.

Gonyodiscus pauper, 81.

gracile, *Stethophyma*, 37, 53.

grandidentata, *Populus*, 87.

gratiosus, *Stenus (Nestus)*, 13.

griseus, *Allonemobius*, 36, 43, 48.

Gryllacrididae, 33, 109.

Gryllidae, 33, 36, 109.

Gryllinae, 36.

Gryllotalpinae, 37.

Gryllus burmudensis, 34; *firmus*, 34; *pennsylvanicus*, 34-36, 39, 43, 49, 61, 109; *veletis*, 34-36, 38, 43, 49, 109.

guyoti, *Scaphinotus*, 81.

haldemani, *Pardalophora*, 37, 38, 53.

haplacme, *Agromyza*, new species, 1-2.

Harrenclenus titus, 111.

hegesia, *Euptoieta*, 101.

Helicoconis, 124; *walshi*, 125-127.

Hesperiidae, 111-114.

Hesperoleon abdominalis, 122, 123.

hexadactyla, *Neocurtilla*, 34, 37, 42, 47, 61.

hirta, *Rudbeckia*, 111, 114.

Homo perniciosus, 131.

Homoptera, 33, 38.

huroniana, *Trimerotropis*, 38, 54.

Hymenoptera, 99, 129, 131.

Hypoxylon pruinatum, 87, 88, 90, 91, 93.

Ichneumonidae, 99.

immaculatus, *Myrmeleon*, 122, 123.

inconspicua, *Semidalis*, 125-127.

inornata, *Melanagromyza*, 1-3, *Saperda*, 28-32, 87-91, 93-97.

insperatus, *Stenus (Hypostenus)*, new species, 14-15.

interior, *Trimerotropis*, 38, 54.

interrupta, *Mantispa*, 119, 120.

interruptus, *Scaphinotus*, 81.

Ipomoea biloba, 115, 116, 118.

jucunda, *Agromyza*, 4; *Calycomyza*, 4.

Juniperus virginiana, 124.

juno, *Stenus (s. str.)*, 11.

keeleri luridus, *Melanoplus*, 109.

kiowa, *Trachyrhachys*, 54.

laetulus, *Stenus*, 14.

Laricis, *Oecanthus*, 34, 35, 37, 42, 47, 48, 56, 62.

lateralis lateralis, *Tettigidea*, 109.

Latrodectus curacaviensis, 115; *geometricus*, 115-118; *mactans mactans*, 115.

lauta, *Melanagromyza*, 1, 2, 4.

lecontei, *Sphaeroderus*, 82.

Lepidoptera, 71, 101, 111-114.

Lethe eurydice, 111.
lineatum, *Stethophyma*, 37, 53.
lineola, *Thymelicus*, 111.
linnei, *Tibicen*, 35, 38, 39, 41, 47, 60.
Lobelia spicata, 111, 113.
loewii, *Phytomyza*, 5.
lutzi, *Stenus*, 14.
Lycæna dorcas, 111.
lyricen, *Tibicen*, 38, 41, 46, 59.
lyristes, *Neoconocephalus*, 33, 36, 44, 51, 67.

mactans mactans, *Latrodectus*, 115.
maculatus, *Allonemobius*, 36, 43, 48.
Magiccada cassini, 35, 38, 39, 41, 46, 55;
septendecim, 35, 38, 39, 41, 46, 55, 59.

malus, *Pyrus*, 71.
mammops, *Stenus (Nestus)*, 13.
Manteidae, 109.
manteri, *Caecilius*, 17, 19, 20.
Mantis religiosa religiosa, 107, 109.
Mantispa interrupta, 119, 120; *uhleri*, 119, 120, 121; *viridis*, 119, 121, 128.

Mantispidae, 119-121.
marginatus, *Scaphinotus*, 81.
marmorata, *Scirtetica*, 37, 54.
Meconema thalassinum, 103.
Melanagromyza, 1-3; *inornata*, 1-3; *lauta*, 1, 2, 4; *miranda*, 2.

Melanoplineae, 52.
Melanoplus angustipennis angustipennis, 109; *bivittatus*, 104, 109; *confusus*, 109; *differentialis differentialis*, 104; *femur-rubrum femur-rubrum*, 104, 109; *keeleri luridus*, 109; *sanguinipes sanguinipes*, 104, 109.

melodius, *Eunemobius*, 37, 43, 48, 56.
menthae, *Calycomyza*, 4.
Metaleptea brevicornis, 37, 52.
Metriopectera roeseli, 103.
michiganensis, *Calycomyza*, new species, 3-5.

Microcentrum rhombifolium, 35, 43, 50, 63.
miranda, *Melanagromyza*, 2.
moesta, *Saperda*, 28, 87.
morawitzi, *Cychnus*, 81.
morio, *Stenus (Nestus)*, 12.
myrina, *Boloria selene*, 111.
Myrmeleon immaculatus, 122, 123.
Myrmeleontidae, 122-124.

Nasiaeschna pentacantha, 79.
nebrascensis, *Neoconocephalus*, 35, 36, 44, 51, 54, 67.
nebulosum, *Cryptoleon*, 122-124.
neglecta, *Cymindis*, 85.
neglectus, *Stenus (s. str.)*, 12.

Nemobinae, 36.
nemorialis, *Conocephalus*, 36, 45, 52.
Neoconocephalus crepitans, 36; *ensiger*, 36, 44, 50, 67, 104, 109; *lyristes*, 33, 36, 44, 51, 67; *nebrascensis*, 35, 36, 44, 51, 54, 67; *robustus*, 36, 44, 50, 67.

Neocurtilla hexadactyla, 34, 37, 42, 47, 61.
Neurocordulia yamaskanensis, 79; *obsoleta*, 79.

Neuroptera, 119-128.
Neoxabea bipunctata, 37, 42, 47.
nigricornis, *Oecanthus*, 35, 37, 42, 47, 48, 56, 62, 110.

nigripennis, *Phytomyza*, 5.
nigripes, *Orchelimum*, 36, 45, 51, 66.
nigropleurum, *Conocephalus*, 36, 45, 52, 66.

nitescens, *Stenus*, 14.
nitidicollis brevoorti, *Sphaeroderus*, 82.
niveus, *Oecanthus*, 37, 42, 47, 48, 56, 62.
Northern pin oak, 71.
Northern red oak, 71.

Notonectidae, 34.
notopleuralis, *Phytomyza*, 9.
novascotiensis, *Calycomyza*, 3.
Nuphar, 11.
Nymphæa, 11.
Nymphalidae, 101.

Oak leafroller, 71.
Oarisma powesheik, 111-114.
Oberea schaumii, 28-32, 87-91, 93-97.
oblongifolia, *Amblycorypha*, 35, 44, 50, 63.

obscurus, *Progomphus*, 79.
obsoleta, *Neurocordulia*, 79.
obsoletum, *Dendroleon*, 122, 124, 125.
Odonata, 79.
Oecanthinae, 37.

Oecanthus argentinus, 48, 62; *exclamationis*, 37, 42, 47, 62; *fultoni*, 37, 42, 47, 62; *laricis*, 34, 35, 37, 42, 47, 48, 56, 62; *nigricornis*, 35, 37, 42, 47, 48, 56, 62, 110; *niveus*, 37, 42, 47, 48, 56, 62; *quadripunctatus*, 34, 35, 37, 42, 48, 56, 62, 110.

Oedipodinae, 34, 37.
Okanagana canadensis, 35, 38, 39, 41, 46, 60; *rimosa*, 35, 38, 39, 41, 46, 55, 59, 60.

Omalus, 99.
Ophiogomphus anomalus, 79.
Orchelimum campestre, 36, 45, 51; *concinnum*, 35, 36, 45, 51; *delicatum*, 35, 36, 45, 51; *gladiator*, 36, 39, 45, 51, 66, 109; *nigripes*, 36, 45,

51, 66; *volantum*, 36, 45, 51, 66;
vulgare, 36, 39, 45, 51, 65, 66.
Orphulella pelidna, 37, 53, 69; *speciosa*,
37, 53, 69.
Orthoptera, 33, 35.
ovata, *Carya*, 124.

Pale-spike *Lobelia*, 111.
Pardalophora apiculata, 37, 38, 53; *hal-*
demani, 37, 38, 53.
pauper, *Gonyodiscus*, 81.
pedo, *Saga*, 103-106.
pelidna, *Orphulella*, 37, 53, 69.
pellucida, *Camnula*, 37, 54, 109.
Pemphredon, 99.
pennsylvanicus, *Gryllus*, 34-36, 39, 43,
49, 61, 109.
pentacantha, *Nasiaeschna*, 79.
perforatus, *Stenus*, 14.
perichlymeni, *Phytomyza*, 9-10.
Perithous (*Hybomischos*) *septemcinctor-*
ius, 99.
perniciosus, *Homo*, 131.
Phaneroptera quadripunctata, 103.
Phaneropterinae, 33, 35.
Phasmatidae, 109.
Phragmites, 11.
Phyciodes tharos, 111.
Phytomyza agromyzina, 9; *aquilegiana*, 8;
aquilegiophaga, 8; *aquilegiovora*, 5;
caprifoliæ, 9; *clematidophoeta*, 5;
cuðu, new species, 4-6; *dreisbachi*,
new species, 5-8; *loewii*, 5; *nigri-*
pennis, 5; *notopleuralis*, 9; *peri-*
clymeni, 9-10; *regalensis*, 8-10;
saskatoonensis, 5; *thalictrivora*, 5.
Phytomyzinae, 3.
Picea glauca, 124.
pineticola, *Conwentzia*, 125, 126.
Pinus sp., 124.
pistillata, *Scudderia*, 36, 44, 50, 64.
Planipennia, 119-128.
Platycleis tessellata, 103.
Polynema, 131.
Polypsocus corruptus, 25.
populnea, *Saperda*, 97.
Populus grandidentata, 87; *tremuloides*,
28-32, 87-97.
Potentilla fruticosa, 114.
powesheik, *Oarisma*, 111-114.
Progomphus obscurus, 79.
promissa, *Calycomyza*, 4.
pruinatum, *Hypoxylon*, 87, 88, 90, 91,
93.
Psen, 99.
Psenulus, 99.
pseudonietana, *Arphia*, 37, 39, 54;
pseudonietana pseudonietana, 109.

Pseudophyllinae, 33, 36.
Pseudopomala brachyptera, 37, 52, 109.
pseudoreptans, *Agromyza*, 1.
Psiniðia fenestralis, 37, 54.
psocids, 17-27.
Psocoptera, 17-27.
Pterophylla camellifolia, 33, 36, 43, 49,
63.
punctatus, *Scaphinotus*, 82; *Stenus*
(*Hypostenus*), 14.
Pyrus malus, 71.

quadrimaculata, *Ululodes*, 121, 122.
quadripunctata, *Phaneroptera*, 103.
quadripunctatus, *Oecanthus*, 34, 35, 37,
42, 48, 56, 62, 110.
Quercus ellipsoidalis, 71; *rubra*, 71;
species, 25, 71, 124.

Red Osier, 114.
regalensis, *Phytomyza*, 8-10.
religiosa religiosa, *Mantis*, 107, 109.
reptans, *Agromyza*, 1.
Rhaphidophorinae, 33.
rhombifolium, *Microcentrum*, 35, 43, 50,
63.
ridingsi, *Scaphinotus*, 82.
rimosa, *Okanagana*, 35, 38, 41, 46, 55,
59, 60.
robustus, *Neoconocephalus*, 36, 44, 50, 67.
roeseli, *Metroptera*, 103.
rossi, *Stenus* (*Hypostenus*), 14.
rostratus, *Cychrus*, 81.
rotundifolia, *Amblycorypha*, 35, 43, 50,
63.
rubra, *Quercus*, 71.
rubrum, *Acer*, 124.
Rudbeckia hirta, 111, 114.

saccharum, *Acer*, 25, 124.
Saga pedo, 103-106.
Saginae, 101.
Sagittaria, 11.
saltans, *Conocephalus*, 36, 45, 52.
Sambucus canadensis, 111.
sanguinipes sanguinipes, *Melanoplus*, 104,
109.
Saperda calcarata, 87; *concolor* (= *Saperda*
inornata), 28, 87; *inornata*, 28-32,
87-91, 93-97; *moesta*, 28, 87;
populnea, 97.
saskatoonensis, *Phytomyza*, 5.
Scaphinotus, 81; *andrewsi*, 81; *angu-*
status, 81; *angusticollis*, 81;
bilobus, 81; *elevatus*, 81; *guyoti*,
81; *interruptus*, 81; *marginatus*,
81; *punctatus*, 82; *ridingsi*, 82;
unicolor, 82; *viduus*, 82.

- schaumii*, *Oberea*, 28-32, 87-91, 93-97.
Schistocerca alutacea, 109.
Scirpus, 11.
Scirtetica marmorata, 37, 54.
Scudderia curvicauda, 35, 44, 50, 64;
fasciata, 35, 36, 43, 50, 55; *fur-*
cata, 35, 36, 43, 50, 64, 104, 109;
pistillata, 36, 44, 50, 64; *septen-*
trionalis, 36, 50, 64; *texensis*, 36,
 44, 50, 64.
sectilifer, *Stenus*, 12, 13.
selena myrina, *Boloria*, 111.
Semidalis, 124; *inconspicua*, 125-127;
vicina, 125-127.
semiferanus, *Archips*, 71-77.
septemcinctorius, *Perithous* (*Hybomi-*
schos), 99.
septendecim, *Magiçada*, 35, 38, 39, 41,
 46, 55, 59.
septentrionalis, *Scudderia*, 36, 50, 64.
Shilling-worthia, 131.
 Shrubby Cinquefoil, 114.
signatum, *Cryptoleon*, 122-124.
Smilax, 81.
sommermanae, *Caecilius*, 25.
sordidus, *Encoptolophus*, 37, 54; *sordi-*
dus sordidus, 109.
Sparganium, 11.
speciosa, *Orphulella*, 37, 53, 69.
Speyeria cybele, 111.
Sphaeroderus, 82; *canadensis*, 82;
lecontei, 82; *nitidicollis*, 82; *nitidi-*
collis brevoorti, 82.
Spharagemon bolli, 37, 54; *bolli bolli*,
 109; *collare*, 37, 54, 109.
 Sphecidae, 99.
spicata, *Lobelia*, 111, 113.
 Spike-Rush, 113.
 Staphylinidae, 11-16.
Steatoda ancorata, 118.
 Steninae, 11.
 Stenini, 11, 15.
 Stenopelmatinae, 33.
Stenus arculus, 14, 15; *caenicolus*, 14,
 15; *caseyi*, 12, 13; *dolosus*, 12, 13;
furcifer, 14; *laetulus*, 14; *lutzi*, 14;
nitescens, 14; *perforatus*, 14; *sec-*
tilifer, 12, 13; *vinnulus*, 12, 13.
Stenus ("Hemistenus") *croceatus*, 13.
Stenus (*Hypostenus*) *advena*, 14; *annu-*
laris, 13; *callosus*, 14; *flavicornis*,
 13-14; *insperatus*, new species,
 14-15; *punctatus*, 14; *rossi*, 14.
Stenus (*Nestus*) *angustus*, 12; *brivioi*, new
 species, 12-13; *canaliculatus*, 12,
 16; *colonus*, 12; *egenus*, 12; *mam-*
mops, 13; *morio*, 12; *stygius*, 12;
tenuis, 12.
Stenus (*s. str.*) *comma*, 11; *erythropus*,
 11; *femoratus*, 12; *juno*, 11; *ne-*
glectus, 12; *vicinus*, 12.
Stenus (*Tesnus*) *gratiosus*, 13.
Stethophyma gracile, 37, 53; *lineatum*,
 37, 53.
stolonifera, *Cornus*, 114.
strictus, *Conocephalus*, 36, 45, 52, 66.
subulata, *Tetrix*, 109.
sulphurea, *Arphia*, 37, 38, 54, 69, 109.
Syrbula admirabilis, 37, 53.
syriaca, *Asclepias*, 111.
stygius, *Stenus* (*Nestus*), 12.
tenuis, *Stenus* (*Nestus*), 12.
tessellata, *Platycleis*, 103.
testaceus, *Atlanticus*, 36, 39, 44, 51, 65.
Tettigidea lateralis lateralis, 109.
 Tettigoniidae, 33, 35, 101, 109.
 Tetrigidae, 52, 109.
Tetrix subulata, 109.
texensis, *Scudderia*, 36, 44, 50, 64.
thalicttrivora, *Phytomyza*, 5.
thalissinum, *Meconema*, 103.
tharos, *Phyciodes*, 111.
 Thomisidae, 27.
Thymelicus lineola, 111.
Tibicen auletes, 38, 41, 46; *canicularis*,
 35, 38, 39, 41, 47, 60; *chloro-*
mera, 38, 41, 46, 55; *linnei*, 35,
 38, 39, 41, 47, 60; *lyricen*, 38, 41,
 46, 59.
tinnulus, *Allonemobius*, 35, 36, 43, 49.
titus, *Harrenclenus*, 111.
 Tortricidae, 71.
Trachyrhachys fuscifrons, 37; *kiowa*, 54.
tremuloides, *Populus*, 28-32, 87-97.
 Trigonidiinae, 37.
triloba, *Asimina*, 25.
Trimerotropis huroniana, 38, 54; *interior*,
 38, 54; *verruculata*, 38, 54.
tuberosa, *Asclepias*, 111.
Typha, 11.
uhleri, *Mantispa*, 119-121.
Ululodes quadrimaculata, 121, 122.
unicolor, *Scaphinotus*, 82.
veletis, *Gryllus*, 34-36, 38, 43, 49, 109.
verruculata, *Trimerotropis*, 38, 54.
vicina, *Semidalia*, 125-127.
vicinus, *Stenus* (*s. str.*), 12.
viduus, *Scaphinotus*, 82.
vinnulus, *Stenus*, 12, 13.
viridifasciatus, *Chortophaga*, 37, 38, 54,
 68, 109.
viridis, *Dichromorpha*, 37, 52; *Mantispa*,
 119, 121, 128.

virginiana, *Juniperus*, 124.

vitripennis, *Diceroprocta*, 38, 41, 46, 55,
59.

volantum, *Orchelimum*, 36, 45, 51, 66.

vulgare, *Orchelimum*, 36, 39, 45, 51, 65,
66.

walshi, *Helicoconis*, 125-127.

wasps, 26.

westwoodi, *Coniopteryx*, 125, 126.

Williamsonia fletcheri, 79.

xanthoptera, *Arphia*, 37, 54, 69.

yamaskanensis, *Neurocordulia*, 79.